



Full wwPDB X-ray Structure Validation Report ⓘ

Apr 29, 2025 – 02:07 PM EDT

PDB ID : 3B8Q / pdb_00003b8q
Title : Crystal structure of the VEGFR2 kinase domain in complex with a naphthamide inhibitor
Authors : Whittington, D.A.; Long, A.M.; Gu, Y.; Zhao, H.
Deposited on : 2007-11-01
Resolution : 2.75 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.75 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1606 (2.78-2.74)
Clashscore	180529	1689 (2.78-2.74)
Ramachandran outliers	177936	1665 (2.78-2.74)
Sidechain outliers	177891	1665 (2.78-2.74)
RSRZ outliers	164620	1606 (2.78-2.74)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	314	
1	B	314	

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 4662 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Vascular endothelial growth factor receptor 2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	292	Total	C	N	O	S	0	0	0
			2360	1512	416	416	16			
1	B	271	Total	C	N	O	S	0	0	0
			2167	1394	374	383	16			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	817	ALA	CYS	engineered mutation	UNP P35968
A	916	THR	VAL	engineered mutation	UNP P35968
A	990	VAL	GLU	engineered mutation	UNP P35968
A	1172	ARG	-	expression tag	UNP P35968
A	1173	HIS	-	expression tag	UNP P35968
A	1174	HIS	-	expression tag	UNP P35968
A	1175	HIS	-	expression tag	UNP P35968
A	1176	HIS	-	expression tag	UNP P35968
A	1177	HIS	-	expression tag	UNP P35968
A	1178	HIS	-	expression tag	UNP P35968
B	817	ALA	CYS	engineered mutation	UNP P35968
B	916	THR	VAL	engineered mutation	UNP P35968
B	990	VAL	GLU	engineered mutation	UNP P35968
B	1172	ARG	-	expression tag	UNP P35968
B	1173	HIS	-	expression tag	UNP P35968
B	1174	HIS	-	expression tag	UNP P35968
B	1175	HIS	-	expression tag	UNP P35968
B	1176	HIS	-	expression tag	UNP P35968
B	1177	HIS	-	expression tag	UNP P35968
B	1178	HIS	-	expression tag	UNP P35968

- Molecule 2 is N-(4-chlorophenyl)-6-[(6,7-dimethoxyquinolin-4-yl)oxy]naphthalene-1-carboxamide (CCD ID: 900) (formula: C₂₈H₂₁ClN₂O₄).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	Cl	N	O	0	0
			35	28	1	2	4		
2	B	1	Total	C	Cl	N	O	0	0
			35	28	1	2	4		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	49	Total	O	0	0
			49	49		
3	B	16	Total	O	0	0
			16	16		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Vascular endothelial growth factor receptor 2



- Molecule 1: Vascular endothelial growth factor receptor 2



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	55.12Å 67.78Å 88.09Å 90.00° 92.14° 90.00°	Depositor
Resolution (Å)	30.00 – 2.75 30.00 – 2.75	Depositor EDS
% Data completeness (in resolution range)	94.3 (30.00-2.75) 94.2 (30.00-2.75)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.66 (at 2.76Å)	Xtriage
Refinement program	CNS	Depositor
R, R_{free}	0.218 , 0.276 0.206 , 0.267	Depositor DCC
R_{free} test set	1262 reflections (7.85%)	wwPDB-VP
Wilson B-factor (Å ²)	36.3	Xtriage
Anisotropy	0.588	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 41.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.027 for h,-k,-l	Xtriage
F_o, F_c correlation	0.92	EDS
Total number of atoms	4662	wwPDB-VP
Average B, all atoms (Å ²)	34.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.48% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section:
900

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.48	0/2422	1.02	9/3273 (0.3%)
1	B	0.48	0/2218	1.03	16/2992 (0.5%)
All	All	0.48	0/4640	1.02	25/6265 (0.4%)

There are no bond length outliers.

All (25) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1100	SER	N-CA-C	-8.67	100.60	113.61
1	A	1100	SER	N-CA-C	-8.09	101.53	112.94
1	B	998	ASP	N-CA-C	7.13	126.00	110.80
1	B	1113	GLU	N-CA-C	6.99	118.59	110.97
1	A	920	LYS	N-CA-C	6.82	119.55	111.71
1	B	1129	ASP	N-CA-C	6.56	119.27	111.33
1	B	900	ASN	N-CA-C	6.07	119.07	109.96
1	B	997	LYS	N-CA-C	6.02	117.96	107.49
1	B	827	TRP	N-CA-C	6.01	121.67	113.97
1	B	920	LYS	N-CA-C	5.79	119.87	112.34
1	B	1091	PHE	N-CA-C	-5.78	105.50	112.54
1	A	915	ILE	N-CA-C	5.71	116.53	108.36
1	B	1115	PHE	N-CA-C	-5.58	105.10	111.07
1	A	1129	ASP	N-CA-C	5.46	118.73	111.75
1	B	1121	GLU	N-CA-C	-5.44	106.64	113.28
1	A	1073	ALA	CA-C-N	5.26	124.71	119.24
1	A	1073	ALA	C-N-CA	5.26	124.71	119.24
1	A	897	ASN	N-CA-C	5.22	118.67	112.72
1	A	1091	PHE	N-CA-C	-5.19	105.74	111.71
1	A	1122	GLY	N-CA-C	5.14	120.60	114.48
1	B	829	PHE	CA-C-N	5.12	126.24	119.84
1	B	829	PHE	C-N-CA	5.12	126.24	119.84

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	1089	TRP	N-CA-C	-5.11	105.79	111.36
1	B	1127	ALA	CA-C-N	5.10	125.31	120.31
1	B	1127	ALA	C-N-CA	5.10	125.31	120.31

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2360	0	2346	51	0
1	B	2167	0	2179	59	0
2	A	35	0	21	6	0
2	B	35	0	21	5	0
3	A	49	0	0	2	0
3	B	16	0	0	1	0
All	All	4662	0	4567	112	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (112) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:875:THR:HG22	1:B:877:SER:H	1.24	1.01
1:B:997:LYS:O	1:B:998:ASP:HB2	1.66	0.93
2:A:501:900:H333	2:A:501:900:H382	1.48	0.92
1:B:1128:PRO:HG2	1:B:1131:THR:HB	1.62	0.82
1:B:1078:PHE:CZ	1:B:1116:CYS:HB3	2.20	0.76
1:B:874:ALA:HB1	1:B:878:GLU:OE1	1.86	0.75
1:A:1161:GLY:O	1:A:1165:GLN:HG3	1.89	0.72
1:A:872:GLU:H	1:A:872:GLU:CD	1.97	0.72
1:B:1072:MET:HE2	1:B:1076:THR:HG22	1.71	0.72
1:B:1078:PHE:HZ	1:B:1116:CYS:HB3	1.56	0.70
1:A:1072:MET:HE2	1:A:1076:THR:HG22	1.72	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:870:LEU:HD11	1:B:879:HIS:HA	1.74	0.69
1:A:875:THR:HB	1:A:878:GLU:HG3	1.76	0.67
1:A:922:GLY:HA2	2:A:501:900:H383	1.79	0.64
1:B:1127:ALA:HB1	1:B:1131:THR:HG21	1.77	0.64
1:B:1079:ASP:O	1:B:1080:ARG:HB2	1.97	0.64
1:A:1079:ASP:O	1:A:1080:ARG:HB2	1.98	0.63
1:A:922:GLY:CA	2:A:501:900:H383	2.28	0.63
1:A:870:LEU:HD11	1:A:879:HIS:HA	1.80	0.63
1:A:996:TYR:O	1:A:999:PHE:HB2	1.98	0.63
1:A:1128:PRO:HG2	1:A:1131:THR:HB	1.80	0.62
1:B:1075:GLU:HG2	1:B:1076:THR:N	2.14	0.62
1:A:936:VAL:HG22	1:A:999:PHE:HD2	1.65	0.61
1:A:1153:PHE:O	1:A:1157:VAL:HG23	2.00	0.61
1:A:939:LYS:HE2	1:A:996:TYR:HB2	1.82	0.61
1:B:1045:CYS:HB2	2:B:502:900:H5	1.83	0.60
1:A:1079:ASP:HB2	1:A:1081:VAL:HG23	1.83	0.60
1:B:1153:PHE:O	1:B:1157:VAL:HG23	2.02	0.60
1:A:883:MET:HE3	1:A:887:LYS:HE3	1.83	0.59
1:B:1022:ARG:HH21	1:B:1022:ARG:HG3	1.67	0.59
1:B:856:ILE:O	1:B:856:ILE:HG13	2.06	0.55
1:A:840:LEU:HB3	2:A:501:900:O32	2.06	0.55
1:A:839:PRO:HG2	1:A:842:ARG:HH11	1.72	0.55
1:B:1118:ARG:HA	1:B:1121:GLU:HB3	1.89	0.55
1:A:905:CYS:SG	1:A:913:MET:HE3	2.47	0.54
1:A:820:LEU:O	1:A:887:LYS:HD3	2.08	0.53
1:A:929:ARG:HG2	1:A:929:ARG:HH11	1.73	0.53
1:B:1012:VAL:HG11	1:B:1094:LEU:CD2	2.39	0.53
1:A:1100:SER:OG	1:A:1103:ALA:HB3	2.08	0.53
1:B:837:GLY:HA3	3:B:1187:HOH:O	2.08	0.53
1:A:883:MET:CE	1:A:887:LYS:HE3	2.37	0.53
1:A:1079:ASP:CB	1:A:1081:VAL:HG23	2.38	0.52
1:B:1101:LEU:HD12	1:B:1130:TYR:CZ	2.45	0.52
1:B:1072:MET:HE2	1:B:1076:THR:CG2	2.40	0.52
1:A:886:LEU:O	1:A:890:ILE:HG13	2.10	0.51
1:A:1002:LEU:O	1:A:1006:ILE:HG13	2.09	0.51
1:B:920:LYS:HE3	1:B:921:PHE:CZ	2.45	0.51
1:A:840:LEU:HD13	2:A:501:900:C27	2.41	0.51
1:B:922:GLY:CA	2:B:502:900:H382	2.41	0.50
1:A:1127:ALA:HB1	1:A:1131:THR:HG21	1.93	0.50
1:B:1117:ARG:O	1:B:1121:GLU:N	2.45	0.50
1:A:1038:GLU:HA	1:A:1038:GLU:OE1	2.12	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:886:LEU:O	1:B:890:ILE:HG13	2.11	0.50
1:B:1118:ARG:HB3	1:B:1123:THR:OG1	2.12	0.49
1:B:874:ALA:CB	1:B:878:GLU:OE1	2.58	0.49
1:A:1026:HIS:O	1:A:1027:ARG:HB2	2.13	0.49
1:B:1161:GLY:O	1:B:1165:GLN:HG3	2.12	0.49
1:B:898:VAL:O	1:B:899:VAL:C	2.56	0.48
1:A:1146:GLU:HB2	1:A:1149:GLN:HG2	1.96	0.48
1:B:1112:ASP:O	1:B:1115:PHE:HB3	2.13	0.47
1:B:883:MET:HE3	1:B:887:LYS:HE3	1.96	0.47
1:B:1079:ASP:HB2	1:B:1081:VAL:HG23	1.97	0.47
1:A:1069:LEU:HD23	1:A:1072:MET:SD	2.55	0.47
1:B:839:PRO:HG2	1:B:842:ARG:HH11	1.79	0.47
1:A:1128:PRO:O	1:A:1131:THR:HG22	2.14	0.47
1:B:1015:GLY:O	1:B:1018:PHE:HB3	2.15	0.47
1:B:1079:ASP:CB	1:B:1081:VAL:HG23	2.45	0.47
1:B:1118:ARG:HA	1:B:1121:GLU:CB	2.45	0.46
1:A:898:VAL:O	1:A:899:VAL:C	2.59	0.46
1:B:1128:PRO:CG	1:B:1131:THR:HB	2.40	0.46
1:B:1012:VAL:HG11	1:B:1094:LEU:HD21	1.96	0.46
1:A:1101:LEU:HD12	1:A:1130:TYR:CZ	2.51	0.46
1:B:1091:PHE:O	1:B:1095:LEU:HG	2.15	0.46
1:B:1020:ALA:C	1:B:1022:ARG:H	2.22	0.46
1:B:1146:GLU:HB2	1:B:1149:GLN:HG2	1.98	0.46
1:B:840:LEU:HB3	2:B:502:900:O32	2.17	0.45
1:B:875:THR:HG22	1:B:876:HIS:N	2.30	0.45
1:B:883:MET:O	1:B:886:LEU:HB3	2.15	0.45
1:A:920:LYS:NZ	3:A:1207:HOH:O	2.48	0.45
1:B:1128:PRO:O	1:B:1131:THR:HG22	2.16	0.45
1:B:1152:THR:OG1	1:B:1155:GLU:HG3	2.16	0.45
1:A:893:GLY:HA3	3:A:1208:HOH:O	2.16	0.45
1:A:920:LYS:HE2	1:A:1038:GLU:CD	2.42	0.45
1:B:922:GLY:HA2	2:B:502:900:H382	1.97	0.45
1:B:1026:HIS:O	1:B:1027:ARG:HB2	2.17	0.45
1:A:869:MET:HB3	1:A:913:MET:HG2	1.99	0.44
1:A:922:GLY:HA3	2:A:501:900:H383	1.98	0.44
1:A:899:VAL:O	1:A:899:VAL:HG13	2.17	0.44
1:B:1164:LEU:C	1:B:1166:ALA:H	2.25	0.44
1:B:859:THR:O	1:B:861:THR:HG23	2.18	0.43
1:B:892:ILE:HA	1:B:1022:ARG:HD3	2.00	0.43
1:B:1016:MET:HE3	1:B:1153:PHE:CE2	2.52	0.43
1:B:1039:LYS:O	1:B:1041:VAL:HG23	2.19	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1114:GLU:O	1:A:1118:ARG:HG3	2.18	0.43
1:A:935:PHE:CD1	1:A:935:PHE:C	2.96	0.43
1:B:1020:ALA:C	1:B:1022:ARG:N	2.77	0.42
1:A:1022:ARG:HH21	1:A:1022:ARG:HG3	1.84	0.42
1:B:899:VAL:HG13	1:B:899:VAL:O	2.19	0.42
1:B:1042:VAL:C	1:B:1043:LYS:HG3	2.44	0.42
2:B:502:900:H5	2:B:502:900:O55	2.20	0.42
1:A:830:PRO:HB2	1:A:833:ARG:HG2	2.02	0.42
1:A:876:HIS:O	1:A:879:HIS:HB3	2.21	0.41
1:A:875:THR:C	1:A:877:SER:N	2.79	0.41
1:A:1079:ASP:O	1:A:1080:ARG:CB	2.63	0.41
1:A:1136:TYR:O	1:A:1139:MET:HB2	2.20	0.41
1:A:1146:GLU:CB	1:A:1149:GLN:HG2	2.51	0.41
1:B:1146:GLU:HB2	1:B:1149:GLN:CG	2.51	0.41
1:A:1012:VAL:HG11	1:A:1094:LEU:CD2	2.52	0.40
1:B:1033:ASN:O	1:B:1034:ILE:HD13	2.21	0.40
1:A:1075:GLU:HG2	1:A:1076:THR:N	2.36	0.40
1:B:830:PRO:HB2	1:B:833:ARG:HB2	2.04	0.40
1:B:1089:TRP:CE3	1:B:1143:TRP:HA	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	288/314 (92%)	272 (94%)	15 (5%)	1 (0%)	37	55
1	B	263/314 (84%)	244 (93%)	16 (6%)	3 (1%)	12	21
All	All	551/628 (88%)	516 (94%)	31 (6%)	4 (1%)	19	32

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	859	THR
1	B	998	ASP
1	B	938	TYR
1	B	1165	GLN

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	255/270 (94%)	250 (98%)	5 (2%)	50	70
1	B	235/270 (87%)	231 (98%)	4 (2%)	56	74
All	All	490/540 (91%)	481 (98%)	9 (2%)	54	72

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	880	ARG
1	A	929	ARG
1	A	993	GLU
1	A	999	PHE
1	A	1113	GLU
1	B	880	ARG
1	B	998	ASP
1	B	1000	LEU
1	B	1123	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (15) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	900	ASN
1	A	933	ASN
1	A	1149	GLN
1	A	1162	ASN
1	A	1165	GLN
1	A	1169	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	1173	HIS
1	B	847	GLN
1	B	879	HIS
1	B	894	HIS
1	B	900	ASN
1	B	933	ASN
1	B	1040	ASN
1	B	1162	ASN
1	B	1165	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	900	B	502	-	39,39,39	1.87	15 (38%)	55,55,55	2.04	8 (14%)
2	900	A	501	-	39,39,39	1.93	15 (38%)	55,55,55	2.12	8 (14%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral

centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	900	B	502	-	-	8/16/16/16	0/5/5/5
2	900	A	501	-	-	10/16/16/16	0/5/5/5

All (30) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	501	900	C49-C44	4.05	1.46	1.39
2	A	501	900	C2-C1	3.71	1.43	1.37
2	A	501	900	C29-C28	3.38	1.42	1.36
2	B	502	900	C2-C1	3.21	1.42	1.37
2	A	501	900	C46-C47	3.17	1.43	1.38
2	A	501	900	C12-C13	3.14	1.44	1.38
2	B	502	900	C29-C28	3.13	1.42	1.36
2	B	502	900	C49-C48	3.09	1.43	1.38
2	B	502	900	C13-C4	3.06	1.48	1.42
2	B	502	900	C45-C44	3.06	1.44	1.39
2	B	502	900	O37-C28	3.04	1.42	1.37
2	B	502	900	O32-C27	2.98	1.42	1.37
2	B	502	900	C12-C13	2.92	1.43	1.38
2	A	501	900	C13-C4	2.81	1.48	1.42
2	A	501	900	C11-C10	2.78	1.42	1.36
2	A	501	900	C5-C6	2.74	1.42	1.36
2	B	502	900	C11-C10	2.69	1.42	1.36
2	B	502	900	C11-C12	2.65	1.43	1.38
2	A	501	900	C6-C1	2.57	1.43	1.38
2	A	501	900	O37-C28	2.54	1.41	1.37
2	B	502	900	C26-C27	2.49	1.41	1.36
2	B	502	900	C5-C6	2.46	1.42	1.36
2	B	502	900	C48-C47	2.25	1.42	1.38
2	A	501	900	C11-C12	2.21	1.42	1.38
2	A	501	900	C22-N21	2.21	1.36	1.32
2	A	501	900	C49-C48	2.16	1.42	1.38
2	B	502	900	C49-C44	2.10	1.42	1.39
2	B	502	900	C4-C3	2.07	1.46	1.43
2	A	501	900	C5-C4	2.03	1.46	1.42
2	A	501	900	C4-C3	2.02	1.46	1.43

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	501	900	O32-C27-C26	-9.12	113.61	125.16
2	B	502	900	O32-C27-C26	-8.30	114.65	125.16
2	B	502	900	O32-C27-C28	7.56	125.66	115.40
2	A	501	900	O32-C27-C28	7.36	125.39	115.40
2	A	501	900	C19-C20-N21	-5.17	117.33	122.82
2	B	502	900	C19-C20-N21	-4.60	117.95	122.82
2	A	501	900	C29-C20-N21	4.44	123.12	118.01
2	B	502	900	C29-C20-N21	4.34	123.00	118.01
2	A	501	900	C18-C19-C20	3.05	122.67	117.60
2	B	502	900	C22-N21-C20	2.71	121.03	116.93
2	B	502	900	O37-C28-C27	2.39	118.64	115.40
2	B	502	900	C18-C19-C20	2.27	121.38	117.60
2	A	501	900	C22-N21-C20	2.26	120.34	116.93
2	B	502	900	C18-O17-C1	-2.20	113.82	118.79
2	A	501	900	C18-O17-C1	-2.13	113.97	118.79
2	A	501	900	C23-C18-C19	-2.09	117.50	121.10

There are no chirality outliers.

All (18) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	B	502	900	C28-C27-O32-C33
2	B	502	900	C26-C27-O32-C33
2	B	502	900	C12-C13-C42-O55
2	B	502	900	C12-C13-C42-N43
2	A	501	900	C26-C27-O32-C33
2	A	501	900	C29-C28-O37-C38
2	B	502	900	C4-C13-C42-O55
2	A	501	900	C28-C27-O32-C33
2	B	502	900	C4-C13-C42-N43
2	B	502	900	C27-C28-O37-C38
2	A	501	900	C27-C28-O37-C38
2	A	501	900	C12-C13-C42-N43
2	B	502	900	C29-C28-O37-C38
2	A	501	900	C4-C13-C42-N43
2	A	501	900	C12-C13-C42-O55
2	A	501	900	C4-C13-C42-O55
2	A	501	900	C45-C44-N43-C42
2	A	501	900	C49-C44-N43-C42


There are no ring outliers.

2 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	502	900	5	0
2	A	501	900	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	292/314 (92%)	-0.39	5 (1%) 69 70	12, 24, 66, 84	0
1	B	271/314 (86%)	0.09	9 (3%) 49 51	14, 38, 68, 79	0
All	All	563/628 (89%)	-0.16	14 (2%) 58 59	12, 31, 68, 84	0

All (14) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	1166	ALA	4.8
1	B	996	TYR	4.0
1	A	845	PHE	3.6
1	B	1084	ILE	2.7
1	B	1067	LEU	2.5
1	B	1117	ARG	2.5
1	A	873	GLY	2.3
1	A	854	PHE	2.3
1	B	854	PHE	2.1
1	B	1078	PHE	2.1
1	A	859	THR	2.1
1	A	819	ARG	2.0
1	B	873	GLY	2.0
1	B	997	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)


There are no monosaccharides in this entry.


6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors($\text{\AA}^2$)	Q<0.9
2	900	A	501	35/35	0.85	0.12	25,29,36,39	0
2	900	B	502	35/35	0.85	0.12	25,30,33,35	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.