

# Full wwPDB X-ray Structure Validation Report (i)

#### Oct 13, 2024 - 04:56 am BST

PDB ID	:	4CO6
Title	:	Crystal structure of the Nipah virus RNA free nucleoprotein- phosphoprotein
		complex
Authors	:	Yabukarksi, F.; Lawrence, P.; Tarbouriech, N.; Bourhis, J.M.; Jensen, M.R.;
		Ruigrok, R.W.H.; Blackledge, M.; Volchkov, V.; Jamin, M.
Deposited on	:	2014-01-27
Resolution	:	2.50  Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
$\mathrm{EDS}$	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY\;DIFFRACTION$ 

The reported resolution of this entry is 2.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive	Similar resolution
	(#Entries)	(#Entries, resolution range(A))
$R_{free}$	164625	$5504 \ (2.50-2.50)$
Clashscore	180529	6282(2.50-2.50)
Ramachandran outliers	177936	$6191 \ (2.50-2.50)$
Sidechain outliers	177891	6193 (2.50-2.50)
RSRZ outliers	164620	5504 (2.50-2.50)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain							
1	А	356	2%	71%		18%	•	7%		
1	В	356	3%	70%		19%	•	9%		
1	С	356	46%	9%	•	44%				
2	D	52	6%	%	13%		23%			
2	Е	52	<sup>2%</sup>	%	13%		25%			



Mol	Chain	Length		Quality of chain	
			6%		
2	F	52	48%	21%	• 29%



## 2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 7650 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace	
1	Λ	330	Total	С	Ν	0	Se	0 1	0		
1	Л	550	2599	1666	443	474	16	0	I	0	
1	Р	204	Total	С	Ν	0	Se	0	0	0	
1	D	324	2574	1649	441	469	15	0	0	0	
1	C	200	Total	С	Ν	0	Se	0	1	0	
	U	C 200	1444	920	248	267	9	0	1	0	

• Molecule 1 is a protein called NUCLEOPROTEIN.

There are 12 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	28	GLY	-	expression tag	UNP Q9IK92
А	29	ALA	-	expression tag	UNP Q9IK92
А	30	MSE	-	expression tag	UNP Q9IK92
А	31	ALA	-	expression tag	UNP Q9IK92
В	28	GLY	-	expression tag	UNP Q9IK92
В	29	ALA	-	expression tag	UNP Q9IK92
В	30	MSE	-	expression tag	UNP Q9IK92
В	31	ALA	-	expression tag	UNP Q9IK92
С	28	GLY	-	expression tag	UNP Q9IK92
С	29	ALA	-	expression tag	UNP Q9IK92
С	30	MSE	-	expression tag	UNP Q9IK92
С	31	ALA	-	expression tag	UNP Q9IK92

• Molecule 2 is a protein called PHOSPHOPROTEIN.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Л	40	Total	С	Ν	Ο	S	0	0	0
	D	40	317	198	55	63	1	0	0	0
0	F	20	Total	С	Ν	Ο	S	0	0	0
	Ľ		309	192	54	62	1	0	0	0
9	Б	27	Total	С	Ν	Ο	S	0	0	0
	2 F	37	299	187	52	59	1	0	0	U



Chain	Residue	Modelled	Actual	Comment	Reference
D	-1	GLY	-	expression tag	UNP Q9IK91
D	0	ALA	-	expression tag	UNP Q9IK91
Е	-1	GLY	-	expression tag	UNP Q9IK91
Е	0	ALA	-	expression tag	UNP Q9IK91
F	-1	GLY	-	expression tag	UNP Q9IK91
F	0	ALA	-	expression tag	UNP Q9IK91

There are 6 discrepancies between the modelled and reference sequences:

• Molecule 3 is CHLORIDE ION (three-letter code: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	А	5	Total Cl 5 5	0	0
3	В	2	Total Cl 2 2	0	0

• Molecule 4 is BROMIDE ION (three-letter code: BR) (formula: Br).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	А	1	Total Br 1 1	0	0
4	С	1	Total Br 1 1	0	0

• Molecule 5 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	А	42	$\begin{array}{cc} \text{Total} & \text{O} \\ 42 & 42 \end{array}$	0	0
5	В	33	Total O 33 33	0	0
5	С	17	Total O 17 17	0	0
5	D	2	Total O 2 2	0	0
5	Е	3	Total O 3 3	0	0
5	F	2	Total O 2 2	0	0



## 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.



• Molecule 1: NUCLEOPROTEIN









## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants	82.89Å 98.96Å 156.91Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $90.00^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	47.19 - 2.50	Depositor
Resolution (A)	47.19 - 2.50	EDS
% Data completeness	99.5 (47.19-2.50)	Depositor
(in resolution range)	99.6 (47.19-2.50)	EDS
$R_{merge}$	0.08	Depositor
R <sub>sym</sub>	(Not available)	Depositor
$< I/\sigma(I) > 1$	$3.00 (at 2.51 \text{\AA})$	Xtriage
Refinement program	PHENIX (PHENIX.REFINE)	Depositor
P. P.	0.192 , $0.259$	Depositor
$\Lambda, \Lambda_{free}$	0.198 , $0.260$	DCC
$R_{free}$ test set	2288 reflections $(5.05%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	46.9	Xtriage
Anisotropy	0.618	Xtriage
Bulk solvent $k_{sol}(e/Å^3), B_{sol}(Å^2)$	0.31, 51.3	EDS
L-test for $twinning^2$	$ < L >=0.48, < L^2>=0.31$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.94	EDS
Total number of atoms	7650	wwPDB-VP
Average B, all atoms $(Å^2)$	61.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 13.52% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

### 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: CL, BR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond	angles
IVIOI	Unam	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	А	0.48	0/2635	0.60	0/3536
1	В	0.47	0/2603	0.58	0/3487
1	С	0.45	0/1458	0.57	0/1958
2	D	0.46	0/319	0.51	0/426
2	Е	0.41	0/311	0.53	0/415
2	F	0.45	0/301	0.54	0/402
All	All	0.47	0/7627	0.58	0/10224

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	2599	0	2669	42	0
1	В	2574	0	2645	42	0
1	С	1444	0	1322	23	0
2	D	317	0	327	3	0
2	Е	309	0	316	4	0
2	F	299	0	308	8	0
3	А	5	0	0	0	0



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	В	2	0	0	1	0
4	А	1	0	0	0	0
4	С	1	0	0	0	0
5	А	42	0	0	0	0
5	В	33	0	0	0	0
5	С	17	0	0	1	0
5	D	2	0	0	0	0
5	Е	3	0	0	0	0
5	F	2	0	0	1	0
All	All	7650	0	7587	115	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (115) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:A:193:ARG:HD2	1:A:194:TRP:H	1.34	0.93
1:A:335[B]:MSE:SE	1:A:348:LEU:HG	2.26	0.85
1:A:32:THR:OG1	1:A:33:THR:N	2.10	0.83
1:C:302:ARG:NH1	2:E:8:ASN:OD1	2.13	0.82
1:B:42:THR:HG23	1:B:44:SER:H	1.48	0.78
1:A:42:THR:HG22	1:A:44:SER:H	1.48	0.78
1:A:113:VAL:HA	1:A:125:MSE:HE1	1.64	0.77
1:C:335[B]:MSE:SE	1:C:348:LEU:HG	2.35	0.77
1:A:109:ASN:HB2	1:A:129:MSE:HE1	1.73	0.70
1:C:361:ARG:NH2	5:C:2017:HOH:O	2.25	0.69
1:C:260:GLU:HG3	1:C:309:PRO:HB3	1.76	0.68
1:B:178:LYS:HB3	1:B:218:ARG:HH12	1.60	0.67
1:B:39:VAL:HG22	1:B:84:PRO:HB2	1.76	0.67
1:B:117:ARG:HA	1:B:121:ALA:HB2	1.78	0.65
1:C:356:GLU:HG3	1:C:359:TYR:HD1	1.62	0.64
1:C:261:GLU:OE1	2:E:3:LYS:NZ	2.25	0.63
1:A:219:ASN:O	1:A:223:GLN:HG2	2.00	0.61
1:C:312:VAL:HG12	1:C:319:GLN:HB2	1.83	0.61
1:A:225:LEU:HD11	1:A:315:GLU:HG3	1.83	0.59
1:B:188:GLU:OE1	1:B:192:ARG:NH1	2.36	0.59
1:B:77:ILE:HG13	1:B:231:MSE:HE2	1.85	0.58
1:A:306:PRO:O	1:A:309:PRO:HD2	2.03	0.58
1:A:225:LEU:HD22	1:A:229:LYS:HG3	1.86	0.58
1:A:280:PRO:HB2	2:D:28:TYR:HB2	1.88	0.56



Atom-1	Atom-2	Interatomic	Clash
Atom-1	Atom-2	distance (Å)	overlap (Å)
1:C:264:MSE:HB2	1:C:267:PHE:HB3	1.86	0.56
1:B:46:GLU:HG2	1:B:155:ILE:O	2.05	0.56
1:B:335:MSE:O	1:B:339:THR:HG23	2.06	0.56
1:B:114:MSE:HE3	1:B:124:GLU:HB3	1.87	0.56
1:B:176:ILE:HG12	1:B:221:LEU:HD21	1.87	0.55
1:C:259:VAL:HA	1:C:262:THR:HG22	1.88	0.55
1:B:181:THR:O	1:B:181:THR:OG1	2.22	0.55
1:B:298:MSE:HB3	2:F:7:VAL:HG13	1.89	0.54
1:A:60:ARG:NH2	1:A:142:LYS:O	2.41	0.54
1:A:193:ARG:HD2	1:A:194:TRP:N	2.13	0.54
1:B:178:LYS:HB3	1:B:218:ARG:NH1	2.23	0.53
1:B:227:VAL:O	1:B:231:MSE:HG3	2.09	0.53
1:B:66:GLU:OE1	1:B:223:GLN:NE2	2.42	0.53
1:B:61:SER:HB2	1:B:135:ALA:HB2	1.90	0.52
2:F:32:SER:HB3	2:F:35:GLN:HG2	1.92	0.52
1:B:92:LEU:HD11	1:B:97:ILE:HD11	1.92	0.52
1:A:97:ILE:HD12	1:A:226:SER:OG	2.10	0.52
1:B:175:LEU:O	1:B:218:ARG:NH1	2.43	0.51
1:C:257:ASN:O	1:C:261:GLU:HG2	2.10	0.51
1:A:173:TRP:HB3	1:A:255:ILE:HG13	1.91	0.51
1:A:269:ALA:HB1	1:A:335[B]:MSE:HE1	1.93	0.51
1:A:272:ARG:O	1:A:276:GLU:HB2	2.11	0.50
1:A:174:ILE:HD13	1:A:193:ARG:HD3	1.93	0.50
1:B:57:ASP:HA	1:B:60:ARG:HD2	1.94	0.49
1:C:212:GLN:O	1:C:212:GLN:HG2	2.12	0.49
1:A:139:SER:OG	1:A:142:LYS:HB2	2.12	0.49
1:B:264:MSE:HA	3:B:1371:CL:CL	2.50	0.49
1:A:236:ILE:HD11	1:A:307:ARG:HG3	1.93	0.49
1:A:256:GLY:O	1:A:260:GLU:HG3	2.11	0.49
1:A:308:ALA:HB3	1:A:309:PRO:HD3	1.95	0.49
1:A:50:GLU:HB2	1:A:107:MSE:HG3	1.95	0.49
1:B:308:ALA:O	1:B:311:MSE:HG2	2.12	0.49
1:A:324:PRO:HA	1:A:327:TYR:CZ	2.48	0.49
1:A:331:TRP:O	1:A:335[A]:MSE:HG3	2.14	0.48
1:C:356:GLU:HG3	1:C:359:TYR:CD1	2.47	0.48
1:C:364:GLN:O	1:C:368:ARG:HG3	2.13	0.48
1:B:311:MSE:HA	1:B:314:LEU:HD22	1.96	0.48
1:A:54:PHE:HZ	1:A:128:LEU:HD22	1.79	0.47
1:C:298:MSE:HB3	2:E:7:VAL:HG13	1.96	0.47
1:B:77:ILE:CG1	1:B:231:MSE:HE2	2.44	0.47
1:B:227:VAL:CG1	1:B:231:MSE:HE3	2.45	0.47



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:294:ILE:O	1:B:298:MSE:HG3	2.14	0.47
2:D:30:ARG:NH1	2:D:35:GLN:O	2.48	0.47
1:C:251:ILE:O	1:C:254:ASP:HB3	2.15	0.47
1:C:295:LYS:HA	1:C:298:MSE:HE2	1.97	0.46
1:C:73:ALA:HB2	1:C:217:MSE:HE1	1.96	0.46
1:A:193:ARG:H	1:A:193:ARG:HG3	1.48	0.45
1:B:258:TYR:CE1	1:B:262:THR:HG21	2.51	0.45
1:B:224:SER:OG	1:B:227:VAL:HG23	2.17	0.45
1:B:255:ILE:O	1:B:259:VAL:HG13	2.16	0.45
1:A:89:ARG:HG2	1:A:101:ILE:HD12	1.99	0.45
2:D:32:SER:O	2:D:35:GLN:HB2	2.17	0.45
1:A:57:ASP:OD1	1:A:60:ARG:HD3	2.17	0.44
1:A:139:SER:O	1:A:141:GLY:N	2.43	0.44
1:B:196:LYS:HE2	1:B:196:LYS:HB3	1.68	0.44
1:A:197:TYR:HB3	1:A:203:VAL:HB	1.99	0.44
2:F:21:GLN:HB3	5:F:2002:HOH:O	2.17	0.44
1:C:228:ARG:HB2	1:C:314:LEU:HD23	2.00	0.44
1:B:217:MSE:HE2	1:B:221:LEU:HD13	1.99	0.43
1:C:356:GLU:CG	1:C:359:TYR:HD1	2.30	0.43
2:F:30:ARG:HD2	2:F:32:SER:O	2.19	0.43
1:B:229:LYS:O	1:B:233:GLU:HG2	2.18	0.43
1:B:271:ILE:HG22	2:F:6:LEU:HD22	2.00	0.43
1:A:245:LYS:O	1:A:249:VAL:HG13	2.19	0.43
1:C:217:MSE:HE3	1:C:217:MSE:HA	2.01	0.43
2:F:4:LEU:HD12	2:F:4:LEU:HA	1.72	0.43
1:A:261:GLU:O	1:A:265:ALA:HB2	2.18	0.43
1:B:57:ASP:OD1	1:B:60:ARG:HD2	2.19	0.42
1:A:114:MSE:HE2	1:A:114:MSE:HB3	1.88	0.42
1:A:178:LYS:HA	1:A:181:THR:HG23	2.00	0.42
2:E:35:GLN:HA	2:E:36:PRO:HD3	1.92	0.42
1:A:204:ASN:HA	1:A:205:PRO:HD3	1.87	0.42
1:A:217:MSE:HE3	1:A:221:LEU:HG	2.02	0.42
1:C:335[A]:MSE:HE2	1:C:348:LEU:O	2.20	0.42
1:B:77:ILE:HD13	1:B:77:ILE:HA	1.81	0.42
1:B:127:GLY:O	1:B:131:ILE:HG13	2.20	0.42
1:B:117:ARG:HD3	1:B:119:ASP:N	2.34	0.42
2:F:13:ILE:O	2:F:17:ILE:HG12	2.19	0.42
1:A:240:LYS:HB3	1:A:241:GLY:HA2	2.01	0.41
1:B:48:ARG:NH2	1:B:81:SER:O	2.53	0.41
1:A:167:THR:HA	1:A:203:VAL:HG22	2.03	0.41
1:B:42:THR:HG22	1:B:47:LEU:HD23	2.03	0.41



4CO6
------

Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:B:281:ALA:O	1:B:284:LEU:HG	2.21	0.41
1:C:324:PRO:HA	1:C:327:TYR:CZ	2.56	0.41
1:A:54:PHE:O	1:A:58:VAL:HG23	2.20	0.41
1:A:305:GLY:HA3	1:A:306:PRO:HD3	1.88	0.41
1:B:272:ARG:O	1:B:276:GLU:HB2	2.20	0.41
1:A:36:ARG:HA	1:A:100:VAL:HG13	2.03	0.40
1:C:311:MSE:SE	1:C:314:LEU:HD12	2.70	0.40
1:B:284:LEU:HD21	2:F:28:TYR:HE2	1.86	0.40
1:B:37:ILE:HG21	1:B:88:ILE:HD13	2.04	0.40

There are no symmetry-related clashes.

#### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percer	ntiles
1	А	325/356~(91%)	314~(97%)	10 (3%)	1 (0%)	37	56
1	В	314/356~(88%)	304~(97%)	9~(3%)	1 (0%)	37	56
1	С	191/356~(54%)	184 (96%)	7~(4%)	0	100	100
2	D	38/52~(73%)	38 (100%)	0	0	100	100
2	Ε	37/52~(71%)	37~(100%)	0	0	100	100
2	F	35/52~(67%)	35~(100%)	0	0	100	100
All	All	940/1224~(77%)	912~(97%)	26~(3%)	2 (0%)	44	64

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	А	140	LYS
1	В	343	ARG



#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the side chain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	А	280/278~(101%)	259~(92%)	21 (8%)	11 23
1	В	279/278~(100%)	257~(92%)	22 (8%)	10 21
1	С	128/278~(46%)	119~(93%)	9~(7%)	12 26
2	D	36/47~(77%)	33~(92%)	3 (8%)	9 19
2	Ε	35/47~(74%)	33~(94%)	2~(6%)	17 35
2	F	34/47~(72%)	31 (91%)	3(9%)	8 17
All	All	792/975~(81%)	732~(92%)	60 (8%)	11 22

All (60) residues with a non-rotameric side chain are listed below:

Mol	Chain	Res	Type
1	А	32	THR
1	А	51	LEU
1	А	56	LEU
1	А	60	ARG
1	А	89	ARG
1	А	97	ILE
1	А	114	MSE
1	А	115	GLU
1	А	142	LYS
1	А	181	THR
1	А	193	ARG
1	А	203	VAL
1	А	225	LEU
1	А	239	LYS
1	А	243	SER
1	А	249	VAL
1	А	277	THR
1	A	291	LEU
1	А	300	LEU
1	А	307	ARG
1	А	352	ARG
1	В	34	LYS



Mol	Chain	Res	Type
1	В	39	VAL
1	В	43	ASN
1	В	60	ARG
1	В	96	ASP
1	В	132	LEU
1	В	133	LYS
1	В	139	SER
1	В	181	THR
1	В	188	GLU
1	В	189	SER
1	В	196	LYS
1	В	223	GLN
1	В	247	ARG
1	В	259	VAL
1	В	260	GLU
1	В	303	GLU
1	В	312	VAL
1	В	314	LEU
1	В	315	GLU
1	В	348	LEU
1	В	368	ARG
1	С	211	GLN
1	С	217	MSE
1	С	220	LEU
1	С	228	ARG
1	С	264	MSE
1	С	307	ARG
1	С	316	GLU
1	С	317	SER
1	С	320	THR
2	D	2	ASP
2	D	6	LEU
2	D	38	ILE
2	Е	2	ASP
2	Е	34	GLN
2	F	1	MET
2	F	15	ASP
2	F	35	GLN

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (3) such side chains are listed below:



Mol	Chain	Res	Type
1	В	122	GLN
1	С	211	GLN
1	С	257	ASN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

#### 5.6 Ligand geometry (i)

Of 9 ligands modelled in this entry, 9 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

#### 5.7 Other polymers (i)

There are no such residues in this entry.

### 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



## 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$\mathbf{OWAB}(\mathrm{\AA}^2)$	Q < 0.9
1	А	315/356~(88%)	-0.07	7 (2%) 62 59	27, 53, 98, 155	0
1	В	309/356~(86%)	-0.00	9 (2%) 54 50	28, 56, 93, 122	0
1	С	190/356~(53%)	0.64	37 (19%) 4 4	31, 81, 131, 165	0
2	D	40/52~(76%)	0.08	3 (7%) 22 20	35, 55, 104, 121	0
2	Ε	39/52~(75%)	0.11	1 (2%) 57 54	43, 58, 96, 114	0
2	F	37/52~(71%)	-0.04	3 (8%) 19 18	34, 55, 97, 106	0
All	All	930/1224~(75%)	0.11	60 (6%) 26 24	27, 56, 117, 165	0

All (60) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	С	255	ILE	6.5
2	D	38	ILE	4.6
1	С	45	PRO	3.7
1	С	237	GLU	3.5
1	С	156	SER	3.5
1	С	43	ASN	3.4
1	В	369	HIS	3.4
1	С	65	ALA	3.4
1	А	182	ALA	3.3
1	В	181	THR	3.2
1	С	46	GLU	3.2
1	С	76	LEU	3.1
1	В	33	THR	3.1
1	С	161	ILE	3.1
2	Е	-1	GLY	3.1
1	А	185	THR	3.0
2	F	2	ASP	3.0
1	С	168	LEU	2.9
1	С	220	LEU	2.9



Mol	Chain	Res	Type	RSRZ
1	С	166	TRP	2.9
1	С	57	ASP	2.8
1	С	252	ILE	2.7
1	В	127	GLY	2.7
1	С	164	GLN	2.7
1	С	238	VAL	2.7
1	А	190	GLU	2.7
1	С	75	THR	2.6
1	С	50	GLU	2.6
1	В	122	GLN	2.6
1	В	344	SER	2.6
1	С	214	LEU	2.5
2	D	0	ALA	2.5
1	А	124	GLU	2.5
1	А	184	ASP	2.5
1	С	251	ILE	2.5
1	В	246	GLY	2.5
1	С	259	VAL	2.4
1	С	66	GLU	2.4
1	С	309	PRO	2.4
1	С	210	THR	2.4
1	В	117	ARG	2.3
2	D	1	MET	2.3
2	F	0	ALA	2.3
1	С	49	TRP	2.3
1	С	74	PHE	2.3
1	С	213	TRP	2.2
1	А	241	GLY	2.2
1	С	211	GLN	2.2
1	С	155	VAL	2.2
1	С	72	ALA	2.2
1	С	157	ALA	2.2
1	С	158	VAL	2.1
1	С	225	LEU	2.1
1	С	154	LEU	2.1
1	В	121	ALA	2.1
1	А	183	PRO	2.1
1	С	207	PHE	2.1
1	C	165	ILE	2.0
2	F	1	MET	2.0
1	С	70	VAL	2.0

Continued from previous page...



#### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median,  $95^{th}$  percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	${f B}$ -factors(Å <sup>2</sup> )	Q<0.9
3	CL	В	1371	1/1	0.95	0.07	56, 56, 56, 56	0
3	CL	А	1377	1/1	0.96	0.06	40,40,40,40	0
3	CL	А	1374	1/1	0.97	0.05	43,43,43,43	0
3	CL	В	1370	1/1	0.97	0.08	40,40,40,40	0
3	CL	А	1375	1/1	0.97	0.07	48,48,48,48	0
3	CL	А	1372	1/1	0.98	0.12	48,48,48,48	0
4	BR	С	1369	1/1	0.98	0.11	66,66,66,66	0
4	BR	A	1376	1/1	0.99	0.03	58,58,58,58	0
3	CL	А	1373	1/1	0.99	0.05	41,41,41,41	0

### 6.5 Other polymers (i)

There are no such residues in this entry.

