



# Full wwPDB X-ray Structure Validation Report i

Jun 16, 2024 – 08:53 PM EDT

PDB ID : 5J96  
Title : Crystal structure of Slow Bee Paralysis Virus at 3.4A resolution  
Authors : Kalynych, S.; Levdansky, Y.; Palkova, L.; Plevka, P.  
Deposited on : 2016-04-08  
Resolution : 3.41 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 3.41 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	1486 (3.50-3.34)
Clashscore	141614	1572 (3.50-3.34)
Ramachandran outliers	138981	1534 (3.50-3.34)
Sidechain outliers	138945	1535 (3.50-3.34)
RSRZ outliers	127900	1395 (3.50-3.34)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 7029 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called VP1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	239	Total	C	N	O	S	0	0	0
			1896	1216	327	345	8			


- Molecule 2 is a protein called VP2.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	252	Total	C	N	O	S	0	0	0
			1954	1260	316	364	14			

- Molecule 3 is a protein called Genome polyprotein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	411	Total	C	N	O	S	0	0	0
			3179	2056	527	588	8			





## 4 Data and refinement statistics i

Property	Value	Source
Space group	I 2 3	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	360.66Å    360.66Å    360.66Å 90.00°      90.00°      90.00°	Depositor
Resolution (Å)	70.70 – 3.41 70.73 – 3.41	Depositor EDS
% Data completeness (in resolution range)	87.4 (70.70-3.41) 87.1 (70.73-3.41)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.20 (at 3.41Å)	Xtriage
Refinement program	PHENIX, CNS 1.3	Depositor
$R$ , $R_{free}$	0.339 , 0.339 0.322 , 0.323	Depositor DCC
$R_{free}$ test set	4570 reflections (4.97%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	66.9	Xtriage
Anisotropy	0.000	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 5.6	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.47$ , $< L^2 > = 0.30$	Xtriage
Estimated twinning fraction	0.026 for -l,-k,-h	Xtriage
$F_o, F_c$ correlation	0.76	EDS
Total number of atoms	7029	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	72.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.34% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.27	0/1948	0.57	1/2655 (0.0%)
2	B	0.25	0/2004	0.49	0/2733
3	C	0.23	0/3274	0.46	1/4483 (0.0%)
All	All	0.25	0/7226	0.50	2/9871 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	264	LYS	N-CA-C	-5.34	96.57	111.00
1	A	30	PHE	N-CA-C	-5.08	97.29	111.00

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1896	0	1832	67	0
2	B	1954	0	1865	43	0
3	C	3179	0	3107	89	0
All	All	7029	0	6804	163	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (163) close contacts within the same asymmetric unit are listed below, sorted by their clash

magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:91:PRO:HG3	3:C:125:THR:HG21	1.55	0.86
2:B:105:ILE:HG22	2:B:106:PRO:HD2	1.56	0.85
2:B:53:LEU:HB3	2:B:106:PRO:HB3	1.59	0.84
1:A:18:THR:HG21	3:C:185:PRO:HB3	1.62	0.81
2:B:90:VAL:HG11	2:B:255:LYS:HE3	1.65	0.78
1:A:45:GLU:HG2	1:A:46:GLY:H	1.52	0.75
1:A:78:VAL:HG21	3:C:268:ILE:HA	1.71	0.72
1:A:174:LEU:HD22	2:B:183:PRO:HB3	1.71	0.72
3:C:270:PHE:HA	3:C:305:LEU:HA	1.75	0.68
3:C:82:HIS:HB3	3:C:216:ILE:HD12	1.74	0.67
3:C:272:SER:HA	3:C:275:PHE:HE1	1.61	0.66
3:C:368:THR:HG23	3:C:371:GLY:H	1.60	0.66
1:A:53:LEU:HD21	1:A:62:LEU:HG	1.79	0.65
2:B:187:CYS:HA	2:B:204:LEU:HD13	1.78	0.65
3:C:281:SER:HB2	3:C:288:SER:HB2	1.77	0.65
3:C:91:PRO:HB3	3:C:242:PHE:HZ	1.62	0.64
1:A:174:LEU:HD21	3:C:47:ASP:HB3	1.80	0.64
1:A:21:ASP:OD2	3:C:126:ARG:NH2	2.28	0.63
1:A:8:ASN:HB3	3:C:61:VAL:HG13	1.81	0.62
1:A:62:LEU:HD13	1:A:203:GLY:HA2	1.82	0.62
2:B:111:GLN:HB2	2:B:244:GLY:HA3	1.82	0.62
3:C:103:THR:HB	3:C:106:LYS:HB2	1.82	0.62
1:A:42:LEU:HD22	1:A:89:GLY:HA3	1.81	0.61
1:A:67:LEU:HD13	1:A:167:VAL:HG11	1.83	0.60
1:A:103:GLY:HA3	1:A:227:PHE:HA	1.84	0.60
2:B:30:ALA:HB3	2:B:177:PRO:HD2	1.83	0.60
2:B:65:TRP:HB3	2:B:76:LEU:HD11	1.84	0.59
3:C:269:SER:HB3	3:C:410:LEU:HD23	1.84	0.59
2:B:13:GLN:HG3	2:B:18:VAL:HG22	1.85	0.58
1:A:81:PRO:O	1:A:85:ILE:HG22	2.02	0.58
1:A:36:LEU:HB3	3:C:53:THR:HB	1.86	0.58
1:A:102:ARG:NH1	3:C:43:GLY:O	2.36	0.58
3:C:312:VAL:HG11	3:C:318:TRP:CH2	2.39	0.57
1:A:12:PRO:HG3	3:C:179:GLU:HB3	1.86	0.56
1:A:174:LEU:HD13	2:B:183:PRO:HG3	1.86	0.55
1:A:157:MET:HB3	1:A:161:ARG:HG2	1.88	0.55
1:A:177:MET:HB3	1:A:195:THR:HG22	1.88	0.55
2:B:132:TRP:HE1	3:C:136:GLY:HA2	1.72	0.55
1:A:45:GLU:HG2	1:A:46:GLY:N	2.19	0.55
2:B:77:VAL:HB	2:B:211:VAL:HG12	1.88	0.55
1:A:146:ARG:NH2	1:A:205:GLU:OE2	2.40	0.55

Continued on next page...

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:226:ASP:HB2	3:C:42:VAL:H	1.73	0.54
3:C:90:HIS:HB2	3:C:91:PRO:HD2	1.89	0.54
3:C:193:TRP:CD1	3:C:209:PRO:HD3	2.42	0.54
3:C:188:THR:HG22	3:C:190:THR:H	1.72	0.54
1:A:72:LEU:HD13	1:A:133:PRO:HD3	1.90	0.54
1:A:15:LEU:HD13	3:C:180:PHE:HD2	1.74	0.52
1:A:121:GLN:HG3	1:A:152:ALA:HB2	1.91	0.52
1:A:54:ARG:HH22	1:A:141:ALA:HA	1.74	0.52
3:C:320:VAL:HG11	3:C:324:THR:HB	1.92	0.51
1:A:181:SER:HA	2:B:145:PHE:HB3	1.92	0.51
2:B:171:GLU:N	2:B:171:GLU:OE1	2.44	0.51
1:A:11:GLN:NE2	3:C:181:VAL:HG11	2.26	0.51
1:A:11:GLN:HE21	3:C:181:VAL:HG11	1.74	0.50
1:A:7:PRO:HD2	1:A:10:MET:HG3	1.93	0.50
1:A:93:VAL:HG21	3:C:121:LEU:HD21	1.94	0.50
1:A:32:ASP:HB2	1:A:34:LYS:HE2	1.94	0.49
2:B:154:ALA:HA	3:C:64:LEU:HB3	1.95	0.49
3:C:142:ASN:HA	3:C:174:LEU:O	2.12	0.49
2:B:81:PHE:HB3	2:B:137:PHE:HE1	1.77	0.49
1:A:127:PRO:HA	1:A:192:LEU:O	2.12	0.49
3:C:107:LEU:HD11	3:C:260:VAL:HB	1.95	0.49
1:A:102:ARG:HD3	3:C:48:ILE:HD13	1.94	0.48
1:A:245:TYR:HA	3:C:263:PRO:HD2	1.95	0.48
1:A:16:LEU:HD13	3:C:183:THR:HB	1.95	0.48
3:C:223:MET:HG2	3:C:226:VAL:HB	1.95	0.48
3:C:124:TYR:HB2	3:C:245:ALA:HB3	1.96	0.48
1:A:64:GLN:O	1:A:66:PRO:HD3	2.13	0.48
3:C:130:LYS:HD3	3:C:239:GLY:HA2	1.95	0.48
3:C:285:PHE:CG	3:C:292:ILE:HD11	2.48	0.48
3:C:127:GLY:HA3	3:C:242:PHE:HA	1.95	0.47
3:C:192:TRP:CE3	3:C:245:ALA:HB2	2.48	0.47
3:C:289:THR:HG21	3:C:392:ARG:NH2	2.29	0.47
2:B:70:SER:HB3	2:B:217:PHE:H	1.79	0.47
1:A:120:VAL:HG12	1:A:202:ILE:HG13	1.96	0.47
1:A:40:TYR:CE1	3:C:21:ALA:HA	2.50	0.47
1:A:122:HIS:NE2	1:A:124:PRO:HG3	2.29	0.47
2:B:139:TYR:CE1	2:B:179:ARG:HB2	2.49	0.47
1:A:78:VAL:HG21	3:C:268:ILE:CA	2.43	0.47
2:B:152:ASN:HD21	3:C:99:ILE:HG21	1.80	0.47
2:B:76:LEU:HD12	2:B:76:LEU:HA	1.75	0.47
2:B:80:LYS:HD3	2:B:259:LEU:HD12	1.97	0.47

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:102:ARG:CD	3:C:48:ILE:HD13	2.45	0.46
3:C:32:THR:HB	3:C:34:ARG:HG3	1.98	0.46
3:C:267:ILE:CB	3:C:411:TRP:HB2	2.46	0.46
2:B:133:LEU:HB2	2:B:164:VAL:HB	1.98	0.46
1:A:99:ARG:HB2	1:A:233:CYS:SG	2.55	0.46
2:B:132:TRP:CD2	3:C:134:LEU:HD21	2.51	0.46
2:B:193:GLY:HA3	2:B:198:THR:O	2.15	0.46
3:C:55:ILE:O	3:C:59:ILE:HG12	2.14	0.46
2:B:23:ASN:ND2	2:B:169:ALA:O	2.48	0.46
3:C:270:PHE:HA	3:C:305:LEU:HD23	1.98	0.45
1:A:85:ILE:HG23	1:A:86:MET:HG2	1.98	0.45
1:A:126:ARG:HD2	1:A:199:ASP:HB2	1.98	0.45
2:B:54:THR:HG21	2:B:240:ALA:HB3	1.97	0.45
3:C:95:LYS:HE3	3:C:197:TYR:CE1	2.51	0.45
1:A:49:LEU:HD23	1:A:214:GLY:HA3	1.98	0.45
2:B:128:PHE:HD1	3:C:226:VAL:HG23	1.81	0.45
3:C:272:SER:HA	3:C:275:PHE:CE1	2.46	0.45
3:C:17:SER:HG	3:C:20:TRP:HE1	1.63	0.45
3:C:190:THR:OG1	3:C:191:MET:N	2.49	0.45
1:A:111:VAL:HG22	1:A:217:ILE:HG13	1.99	0.45
1:A:121:GLN:O	1:A:200:LEU:HD12	2.17	0.45
1:A:172:PRO:HG2	1:A:194:PHE:HE1	1.81	0.45
2:B:179:ARG:NH1	3:C:47:ASP:O	2.50	0.45
3:C:139:PRO:HB2	3:C:140:ARG:NH1	2.32	0.45
1:A:38:ARG:HG3	1:A:40:TYR:HB2	1.98	0.44
1:A:194:PHE:HB3	2:B:181:VAL:HG21	1.99	0.44
1:A:190:ASP:O	1:A:195:THR:HG23	2.17	0.44
3:C:65:LEU:HD22	3:C:93:VAL:HG11	2.00	0.44
3:C:196:LYS:HG3	3:C:206:PHE:O	2.18	0.44
2:B:132:TRP:NE1	3:C:136:GLY:HA2	2.33	0.44
2:B:59:PHE:HB2	2:B:234:PHE:CE2	2.53	0.44
2:B:85:TRP:HH2	2:B:203:PRO:HB2	1.82	0.44
3:C:149:TYR:CD1	3:C:184:VAL:HB	2.52	0.43
2:B:59:PHE:HZ	2:B:62:SER:HB3	1.83	0.43
2:B:65:TRP:CZ3	2:B:217:PHE:HB2	2.54	0.43
2:B:185:MET:HE3	2:B:206:MET:HB2	2.00	0.43
1:A:80:ASN:OD1	1:A:82:ILE:HG22	2.18	0.43
2:B:105:ILE:O	2:B:107:PHE:N	2.49	0.43
1:A:34:LYS:HE3	3:C:245:ALA:O	2.18	0.43
1:A:101:PHE:HA	1:A:228:SER:O	2.19	0.43
2:B:69:ASP:OD2	2:B:74:LYS:HE2	2.18	0.43

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:318:TRP:NE1	3:C:353:VAL:HG23	2.33	0.43
1:A:53:LEU:O	1:A:137:ARG:NE	2.51	0.43
1:A:126:ARG:HH12	1:A:201:LEU:HD21	1.83	0.43
1:A:245:TYR:CD2	3:C:263:PRO:HG3	2.53	0.43
1:A:235:PHE:HB2	2:B:158:GLN:OE1	2.18	0.43
3:C:222:ALA:HB1	3:C:226:VAL:HG12	2.01	0.42
1:A:226:ASP:CB	3:C:42:VAL:H	2.32	0.42
2:B:132:TRP:CD1	2:B:215:ILE:HD12	2.54	0.42
3:C:115:ILE:HD12	3:C:238:ALA:HB2	2.01	0.42
1:A:124:PRO:HB3	1:A:170:TYR:HB2	2.02	0.42
1:A:107:LEU:HD13	1:A:200:LEU:HD22	2.01	0.42
3:C:66:LYS:HA	3:C:67:PRO:HD3	1.89	0.42
3:C:63:GLY:HA3	3:C:113:PRO:HB3	2.02	0.42
3:C:193:TRP:NE1	3:C:209:PRO:HD3	2.35	0.41
1:A:151:ALA:HB1	3:C:33:LEU:HB3	2.02	0.41
1:A:85:ILE:HG13	1:A:244:THR:HG21	2.02	0.41
3:C:91:PRO:HB3	3:C:242:PHE:CZ	2.49	0.41
3:C:153:ILE:O	3:C:211:TYR:HB2	2.20	0.41
1:A:49:LEU:HG	3:C:273:GLY:HA3	2.01	0.41
3:C:124:TYR:HB2	3:C:245:ALA:CB	2.50	0.41
3:C:193:TRP:HA	3:C:194:PRO:HD3	1.86	0.41
3:C:312:VAL:HG11	3:C:318:TRP:HH2	1.83	0.41
2:B:82:PRO:HG3	2:B:117:PHE:CZ	2.55	0.41
3:C:254:LEU:HD23	3:C:254:LEU:HA	1.90	0.41
2:B:101:ILE:HD12	2:B:101:ILE:N	2.35	0.41
3:C:18:HIS:CD2	3:C:29:PRO:HD2	2.56	0.41
1:A:44:TRP:HB2	1:A:219:VAL:O	2.20	0.41
3:C:70:TRP:HB3	3:C:230:VAL:O	2.20	0.41
3:C:268:ILE:HD11	3:C:305:LEU:HB3	2.02	0.41
3:C:89:VAL:HG11	3:C:149:TYR:HE1	1.86	0.40
2:B:116:ASP:HB2	2:B:238:THR:OG1	2.21	0.40
2:B:176:ILE:HA	2:B:177:PRO:HD2	1.96	0.40
3:C:143:ALA:HB2	3:C:220:LEU:HA	2.03	0.40
3:C:198:GLY:HA2	3:C:251:ALA:HB2	2.03	0.40
3:C:276:PRO:HB3	3:C:405:SER:O	2.21	0.40
3:C:342:PRO:HG2	3:C:346:TYR:OH	2.21	0.40
3:C:400:VAL:HG22	3:C:401:ASP:H	1.86	0.40
3:C:246:VAL:HA	3:C:247:PRO:HD3	1.93	0.40
3:C:366:PRO:HB2	3:C:368:THR:HG22	2.04	0.40
1:A:125:ASP:OD1	1:A:150:TYR:OH	2.25	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	235/266 (88%)	225 (96%)	10 (4%)	0	100 100
2	B	248/261 (95%)	236 (95%)	12 (5%)	0	100 100
3	C	405/430 (94%)	378 (93%)	25 (6%)	2 (0%)	29 65
All	All	888/957 (93%)	839 (94%)	47 (5%)	2 (0%)	47 80

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	C	268	ILE
3	C	349	GLY

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	203/230 (88%)	199 (98%)	4 (2%)	55 79
2	B	208/234 (89%)	204 (98%)	4 (2%)	57 80
3	C	344/366 (94%)	341 (99%)	3 (1%)	78 90
All	All	755/830 (91%)	744 (98%)	11 (2%)	65 83

All (11) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	44	TRP
1	A	93	VAL
1	A	143	ASP
2	B	60	TRP
2	B	65	TRP
2	B	105	ILE
2	B	198	THR
3	C	70	TRP
3	C	268	ILE
3	C	340	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	11	GLN
2	B	152	ASN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

### 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	239/266 (89%)	0.39	8 (3%) 46 46	45, 68, 91, 112	0
2	B	252/261 (96%)	0.39	8 (3%) 47 47	44, 63, 100, 109	0
3	C	411/430 (95%)	0.80	66 (16%) 1 2	38, 65, 119, 133	0
All	All	902/957 (94%)	0.58	82 (9%) 9 12	38, 65, 114, 133	0

All (82) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
3	C	291	ALA	6.3
3	C	340	PHE	5.7
3	C	335	ASN	5.0
3	C	279	VAL	4.7
2	B	103	ASN	4.7
3	C	400	VAL	4.5
3	C	336	GLY	4.2
3	C	401	ASP	4.1
3	C	313	ASN	4.0
3	C	346	TYR	3.9
3	C	366	PRO	3.8
3	C	339	TRP	3.8
3	C	337	THR	3.8
3	C	327	PHE	3.7
3	C	411	TRP	3.7
3	C	369	PRO	3.6
3	C	402	SER	3.6
3	C	367	LEU	3.6
2	B	191	LEU	3.6
3	C	354	TRP	3.6
3	C	349	GLY	3.5
3	C	326	LYS	3.5
3	C	292	ILE	3.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
3	C	203	ALA	3.4
2	B	85	TRP	3.2
3	C	391	ILE	3.2
3	C	345	GLU	3.2
3	C	362	MET	3.1
3	C	341	ILE	3.0
3	C	395	ILE	3.0
2	B	192	ARG	3.0
3	C	381	LEU	2.9
3	C	364	PRO	2.9
3	C	312	VAL	2.9
3	C	328	LYS	2.9
3	C	397	ASP	2.8
3	C	390	GLN	2.8
3	C	388	ILE	2.8
3	C	409	ILE	2.8
3	C	389	SER	2.8
2	B	196	LEU	2.7
3	C	1	ASP	2.6
3	C	384	SER	2.6
2	B	19	LEU	2.5
3	C	386	THR	2.5
3	C	332	ASP	2.5
3	C	347	THR	2.5
3	C	325	ILE	2.5
3	C	350	TYR	2.5
3	C	315	LYS	2.5
3	C	368	THR	2.5
3	C	365	TYR	2.5
3	C	410	LEU	2.5
1	A	41	GLN	2.4
3	C	363	VAL	2.4
3	C	338	GLU	2.4
3	C	314	ARG	2.4
1	A	31	ASN	2.4
3	C	109	GLN	2.3
2	B	260	PRO	2.3
3	C	283	HIS	2.3
3	C	348	LEU	2.3
3	C	342	PRO	2.3
1	A	6	THR	2.3
3	C	392	ARG	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	230	ASN	2.3
3	C	204	GLY	2.3
3	C	329	THR	2.2
1	A	11	GLN	2.2
1	A	183	ASN	2.2
3	C	286	PHE	2.2
3	C	263	PRO	2.2
3	C	334	ILE	2.2
2	B	20	GLY	2.1
3	C	321	VAL	2.1
3	C	280	GLY	2.1
3	C	259	ASP	2.1
3	C	382	LEU	2.1
1	A	85	ILE	2.1
3	C	343	GLU	2.0
1	A	33	LEU	2.0
3	C	287	ASP	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.