



Full wwPDB X-ray Structure Validation Report i

Sep 25, 2023 – 07:08 AM EDT

PDB ID : 5W9C
Title : Estrogen Receptor Alpha Ligand Binding Domain C381S, C417S, C530S in Complex with 4-hydroxytamoxifen
Authors : Fanning, S.W.; Greene, G.W.
Deposited on : 2017-06-23
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 2.35.1
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



2 Entry composition (i)

There are 3 unique types of molecules in this entry. The entry contains 7702 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Estrogen receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	233	Total	C	N	O	S	0	3	0
			1819	1170	309	324	16			
1	B	234	Total	C	N	O	S	0	1	0
			1812	1164	308	324	16			
1	C	228	Total	C	N	O	S	0	4	0
			1798	1156	303	323	16			
1	D	227	Total	C	N	O	S	0	1	0
			1771	1146	303	308	14			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	306	MET	-	initiating methionine	UNP P03372
A	381	SER	CYS	engineered mutation	UNP P03372
A	417	SER	CYS	engineered mutation	UNP P03372
A	530	SER	CYS	engineered mutation	UNP P03372
A	536	SER	LEU	conflict	UNP P03372
B	306	MET	-	initiating methionine	UNP P03372
B	381	SER	CYS	engineered mutation	UNP P03372
B	417	SER	CYS	engineered mutation	UNP P03372
B	530	SER	CYS	engineered mutation	UNP P03372
B	536	SER	LEU	conflict	UNP P03372
C	306	MET	-	initiating methionine	UNP P03372
C	381	SER	CYS	engineered mutation	UNP P03372
C	417	SER	CYS	engineered mutation	UNP P03372
C	530	SER	CYS	engineered mutation	UNP P03372
C	536	SER	LEU	conflict	UNP P03372
D	306	MET	-	initiating methionine	UNP P03372
D	381	SER	CYS	engineered mutation	UNP P03372
D	417	SER	CYS	engineered mutation	UNP P03372
D	530	SER	CYS	engineered mutation	UNP P03372
D	536	SER	LEU	conflict	UNP P03372

- Molecule 2 is 4-HYDROXYTAMOXIFEN (three-letter code: OHT) (formula: C₂₆H₂₉NO₂).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total C N O 29 26 1 2	0	0
2	B	1	Total C N O 29 26 1 2	0	0
2	C	1	Total C N O 29 26 1 2	0	0
2	D	1	Total C N O 29 26 1 2	0	0


- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	A	91	Total O 91 91	0	0
3	B	101	Total O 101 101	0	0
3	C	99	Total O 99 99	0	0
3	D	95	Total O 95 95	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Estrogen receptor




- Molecule 1: Estrogen receptor



- Molecule 1: Estrogen receptor



- Molecule 1: Estrogen receptor





4 Data and refinement statistics i

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	58.31Å 58.31Å 276.95Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	19.63 – 1.80 19.63 – 1.80	Depositor EDS
% Data completeness (in resolution range)	58.0 (19.63-1.80) 56.5 (19.63-1.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.27 (at 1.80Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R , R_{free}	0.197, 0.242 0.198, 0.241	Depositor DCC
R_{free} test set	2730 reflections (4.84%)	wwPDB-VP
Wilson B-factor (Å ²)	17.6	Xtriage
Anisotropy	0.058	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.37, 37.5	EDS
L-test for twinning ²	$< L > = 0.48$, $< L^2 > = 0.31$	Xtriage
Estimated twinning fraction	0.478 for -h,-k,l 0.480 for h,-h-k,-l 0.487 for -k,-h,-l	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	7702	wwPDB-VP
Average B, all atoms (Å ²)	27.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.06% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [\(i\)](#)

5.1 Standard geometry [\(i\)](#)

Bond lengths and bond angles in the following residue types are not validated in this section: OHT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/1852	0.43	0/2500
1	B	0.26	0/1845	0.40	0/2498
1	C	0.25	0/1836	0.39	0/2481
1	D	0.24	0/1807	0.39	0/2446
All	All	0.27	0/7340	0.40	0/9925

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1819	0	1829	21	0
1	B	1812	0	1813	20	0
1	C	1798	0	1808	16	0
1	D	1771	0	1790	21	0
2	A	29	0	28	8	0
2	B	29	0	29	8	0
2	C	29	0	28	5	0
2	D	29	0	28	3	0
3	A	91	0	0	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	101	0	0	3	0
3	C	99	0	0	1	0
3	D	95	0	0	0	0
All	All	7702	0	7353	76	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (76) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:533:VAL:O	2:A:601:OHT:H253	1.64	0.97
1:A:535:PRO:HD3	2:A:601:OHT:H262	1.48	0.95
1:B:533:VAL:O	2:B:601:OHT:H242	1.73	0.88
1:D:488:HIS:HE1	1:D:492:LYS:HE3	1.45	0.80
1:B:387:LEU:HB3	2:B:601:OHT:H5	1.65	0.76
1:A:535:PRO:HD3	2:A:601:OHT:C26	2.19	0.72
1:B:533:VAL:O	2:B:601:OHT:H263	1.90	0.71
1:B:528:MET:SD	3:B:784:HOH:O	2.49	0.70
1:C:533:VAL:O	2:C:601:OHT:H253	1.93	0.68
1:A:533:VAL:C	2:A:601:OHT:H253	2.15	0.66
1:D:488:HIS:CE1	1:D:492:LYS:HE3	2.31	0.65
1:B:533:VAL:O	2:B:601:OHT:C24	2.45	0.62
1:B:307:ALA:N	3:B:705:HOH:O	2.32	0.62
1:A:362:LYS:NZ	3:A:703:HOH:O	2.34	0.61
1:B:387:LEU:HB3	2:B:601:OHT:C5	2.31	0.61
1:D:347:THR:HG23	2:D:601:OHT:H232	1.83	0.60
1:C:347:THR:HG23	2:C:601:OHT:H232	1.84	0.59
1:C:533:VAL:O	2:C:601:OHT:C25	2.50	0.59
1:D:310:LEU:O	1:D:481:LYS:NZ	2.36	0.58
1:C:533:VAL:O	2:C:601:OHT:H241	2.03	0.58
1:D:490:MET:HB3	1:D:495:LEU:HD12	1.84	0.58
1:B:379:LEU:HD12	1:B:544:LEU:HD11	1.85	0.58
1:D:379:LEU:HD12	1:D:544:LEU:HD11	1.84	0.57
1:C:316:VAL:HG21	1:C:489:LEU:HD21	1.86	0.55
1:A:333:PRO:C	1:A:335:ARG:H	2.10	0.54
1:A:530:SER:HB2	1:A:533:VAL:HG23	1.90	0.54
1:C:309:SER:N	3:C:710:HOH:O	2.41	0.53
1:D:529:LYS:HD3	1:D:533:VAL:HG23	1.90	0.53
1:A:315:MET:HA	3:A:776:HOH:O	2.10	0.52
1:A:490:MET:HB3	1:A:495:LEU:HD12	1.93	0.51

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:601:OHT:H18	2:B:601:OHT:C6	2.41	0.51
1:D:423:GLU:OE1	1:D:423:GLU:N	2.35	0.50
1:C:379:LEU:HD12	1:C:544:LEU:HD11	1.92	0.50
2:B:601:OHT:C22	2:B:601:OHT:C11	2.89	0.50
2:C:601:OHT:C2	2:C:601:OHT:H91	2.42	0.49
1:C:484:ASP:OD1	1:D:501[A]:HIS:HE1	1.96	0.48
1:C:516:HIS:CE1	1:C:520:LYS:HE3	2.49	0.48
1:D:373:HIS:ND1	1:D:537:TYR:OH	2.37	0.48
1:A:351:ASP:OD1	2:A:601:OHT:N24	2.46	0.48
1:A:455:ASN:ND2	1:B:509:LEU:HB3	2.29	0.47
1:D:353:GLU:OE1	2:D:601:OHT:O4	2.32	0.47
2:A:601:OHT:C6	2:A:601:OHT:H91	2.44	0.47
1:A:337:PHE:O	3:A:701:HOH:O	2.20	0.46
1:C:421:MET:HG2	1:C:425:PHE:CD2	2.51	0.46
1:D:525:LEU:HB3	1:D:533:VAL:CG1	2.46	0.45
1:D:452:ILE:HD11	1:D:511:LEU:HD22	1.99	0.44
1:B:533:VAL:O	2:B:601:OHT:C26	2.64	0.44
1:C:510:ILE:HG12	1:D:459:TYR:OH	2.18	0.44
1:D:533:VAL:O	2:D:601:OHT:H242	2.17	0.44
1:B:435:PHE:HE1	1:B:510:ILE:HG21	1.82	0.44
1:B:396:MET:HE2	1:B:435:PHE:HB3	2.00	0.44
1:C:487:ILE:HA	1:C:490:MET:HE3	2.00	0.44
1:A:510:ILE:HG12	1:B:459:TYR:OH	2.18	0.43
1:A:379:LEU:HD12	1:A:544:LEU:HD11	2.00	0.43
1:A:533:VAL:CA	2:A:601:OHT:H253	2.49	0.43
1:C:423:GLU:O	1:C:427:MET:HG3	2.18	0.43
1:C:434:ARG:HG2	1:D:459:TYR:HE1	1.84	0.43
1:D:497:LEU:O	1:D:501[B]:HIS:ND1	2.51	0.43
1:B:409:LEU:O	3:B:701:HOH:O	2.20	0.43
1:A:533:VAL:HA	2:A:601:OHT:H253	2.01	0.43
1:A:547:HIS:ND1	3:A:706:HOH:O	2.37	0.43
1:B:372:LEU:O	1:B:376:VAL:HG23	2.18	0.43
1:C:376:VAL:HG22	1:C:544:LEU:HD12	2.01	0.42
1:D:498:GLN:HA	1:D:501[A]:HIS:NE2	2.34	0.42
1:A:474:HIS:O	1:A:478:VAL:HG23	2.19	0.42
1:A:506:GLN:O	1:A:510:ILE:HG13	2.19	0.42
1:B:377:HIS:NE2	1:B:457:GLY:O	2.51	0.41
1:D:421:MET:O	1:D:425:PHE:N	2.40	0.41
1:A:310:LEU:HD13	3:A:776:HOH:O	2.20	0.41
1:B:393:TRP:CE3	1:B:396:MET:HE3	2.56	0.41
1:B:310:LEU:O	1:B:481:LYS:NZ	2.40	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:506:GLN:O	1:C:510:ILE:HG13	2.21	0.41
1:D:474:HIS:O	1:D:478:VAL:HG23	2.21	0.40
1:A:455:ASN:HD21	1:B:509:LEU:HB3	1.85	0.40
1:B:530:SER:HB2	1:B:533:VAL:HG23	2.02	0.40
1:D:372:LEU:O	1:D:376:VAL:HG23	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	225/249 (90%)	221 (98%)	3 (1%)	1 (0%)	34 21
1	B	229/249 (92%)	225 (98%)	4 (2%)	0	100 100
1	C	223/249 (90%)	220 (99%)	3 (1%)	0	100 100
1	D	220/249 (88%)	217 (99%)	2 (1%)	1 (0%)	29 15
All	All	897/996 (90%)	883 (98%)	12 (1%)	2 (0%)	47 33

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	334	THR
1	D	336	PRO

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was

analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	197/224 (88%)	196 (100%)	1 (0%)	88 87
1	B	195/224 (87%)	193 (99%)	2 (1%)	76 71
1	C	197/224 (88%)	197 (100%)	0	100 100
1	D	190/224 (85%)	190 (100%)	0	100 100
All	All	779/896 (87%)	776 (100%)	3 (0%)	91 89

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	531	LYS
1	B	463	SER
1	B	465	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	455	ASN
1	D	488	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
2	OHT	C	601	-	31,31,31	1.97	6 (19%)	41,41,41	3.53	11 (26%)
2	OHT	B	601	-	31,31,31	2.21	5 (16%)	41,41,41	3.96	6 (14%)
2	OHT	A	601	-	31,31,31	2.17	7 (22%)	41,41,41	3.50	15 (36%)
2	OHT	D	601	-	31,31,31	2.13	10 (32%)	41,41,41	3.34	12 (29%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	OHT	C	601	-	-	12/24/24/24	0/3/3/3
2	OHT	B	601	-	-	12/24/24/24	0/3/3/3
2	OHT	A	601	-	-	13/24/24/24	0/3/3/3
2	OHT	D	601	-	-	12/24/24/24	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	601	OHT	C7-C8	9.18	1.53	1.35
2	D	601	OHT	C7-C8	8.25	1.51	1.35
2	A	601	OHT	C7-C8	7.91	1.50	1.35
2	C	601	OHT	C7-C8	7.48	1.49	1.35
2	A	601	OHT	C24-C23	-5.32	1.34	1.50
2	B	601	OHT	C17-C7	4.13	1.56	1.49
2	C	601	OHT	O20-C23	-3.89	1.30	1.43
2	D	601	OHT	C17-C7	3.71	1.55	1.49
2	D	601	OHT	O20-C23	-3.67	1.31	1.43
2	A	601	OHT	C16-C11	-3.26	1.33	1.39
2	A	601	OHT	C17-C7	3.06	1.54	1.49
2	B	601	OHT	O20-C20	3.04	1.44	1.37
2	C	601	OHT	C17-C7	2.93	1.54	1.49
2	D	601	OHT	C26-N24	-2.85	1.37	1.46
2	C	601	OHT	C16-C11	-2.47	1.35	1.39
2	C	601	OHT	C26-N24	-2.37	1.38	1.46

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	OHT	C6-C1	-2.22	1.35	1.39
2	A	601	OHT	C25-N24	-2.19	1.39	1.46
2	A	601	OHT	O20-C23	-2.19	1.36	1.43
2	D	601	OHT	C13-C14	-2.17	1.32	1.38
2	D	601	OHT	C16-C11	-2.16	1.35	1.39
2	D	601	OHT	C25-N24	-2.13	1.39	1.46
2	B	601	OHT	C22-C21	2.09	1.42	1.38
2	D	601	OHT	O20-C20	2.09	1.42	1.37
2	B	601	OHT	C14-C15	2.07	1.43	1.38
2	A	601	OHT	C13-C14	-2.04	1.32	1.38
2	D	601	OHT	C18-C17	-2.02	1.35	1.39
2	D	601	OHT	C1-C7	2.01	1.52	1.49

All (44) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	601	OHT	C9-C8-C7	-14.32	108.52	123.47
2	B	601	OHT	C9-C8-C7	-13.50	109.38	123.47
2	A	601	OHT	C9-C8-C7	-13.16	109.74	123.47
2	D	601	OHT	C9-C8-C7	-12.32	110.61	123.47
2	B	601	OHT	C11-C8-C7	-12.07	109.94	122.33
2	B	601	OHT	C17-C7-C8	-11.97	109.48	122.86
2	B	601	OHT	C1-C7-C8	-11.76	109.72	122.86
2	A	601	OHT	C1-C7-C8	-9.16	112.62	122.86
2	D	601	OHT	C1-C7-C8	-8.94	112.87	122.86
2	C	601	OHT	C17-C7-C8	-8.80	113.02	122.86
2	D	601	OHT	C11-C8-C7	-8.13	113.98	122.33
2	C	601	OHT	C11-C8-C7	-7.82	114.31	122.33
2	A	601	OHT	C11-C8-C7	-7.63	114.50	122.33
2	C	601	OHT	C1-C7-C8	-7.41	114.58	122.86
2	D	601	OHT	C17-C7-C8	-7.25	114.75	122.86
2	A	601	OHT	C17-C7-C8	-6.26	115.86	122.86
2	D	601	OHT	C9-C8-C11	-4.92	107.39	114.45
2	A	601	OHT	C23-O20-C20	-4.83	105.30	117.93
2	A	601	OHT	C16-C11-C8	-4.45	115.31	121.01
2	C	601	OHT	O20-C23-C24	-4.13	97.49	107.68
2	A	601	OHT	C9-C8-C11	-4.04	108.65	114.45
2	D	601	OHT	C6-C1-C7	-3.97	114.61	120.91
2	C	601	OHT	C2-C1-C7	3.83	126.99	120.91
2	C	601	OHT	C6-C1-C7	-3.79	114.90	120.91
2	C	601	OHT	C16-C11-C8	-3.58	116.43	121.01
2	B	601	OHT	C9-C8-C11	-3.46	109.49	114.45

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	601	OHT	C25-N24-C24	3.43	124.33	110.74
2	D	601	OHT	C2-C1-C7	3.27	126.10	120.91
2	B	601	OHT	C17-C7-C1	-3.05	109.37	115.43
2	A	601	OHT	C26-N24-C24	-2.98	98.94	110.74
2	C	601	OHT	C9-C8-C11	-2.92	110.27	114.45
2	A	601	OHT	C23-C24-N24	2.83	122.01	114.56
2	D	601	OHT	C10-C9-C8	-2.77	108.82	112.88
2	C	601	OHT	C10-C9-C8	-2.76	108.84	112.88
2	A	601	OHT	C22-C17-C7	-2.64	116.72	120.91
2	A	601	OHT	C17-C7-C1	-2.60	110.26	115.43
2	A	601	OHT	C18-C17-C7	2.49	124.86	120.91
2	A	601	OHT	C10-C9-C8	-2.33	109.47	112.88
2	C	601	OHT	C18-C17-C7	-2.21	117.40	120.91
2	D	601	OHT	C16-C11-C8	-2.21	118.18	121.01
2	A	601	OHT	C12-C11-C16	2.18	121.70	118.59
2	D	601	OHT	C18-C19-C20	2.18	122.40	119.73
2	D	601	OHT	C23-O20-C20	-2.16	112.28	117.93
2	D	601	OHT	C17-C7-C1	-2.10	111.26	115.43

There are no chirality outliers.

All (49) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	601	OHT	C7-C8-C9-C10
2	A	601	OHT	C1-C7-C8-C9
2	A	601	OHT	C17-C7-C8-C11
2	B	601	OHT	C7-C8-C9-C10
2	B	601	OHT	C1-C7-C8-C9
2	B	601	OHT	C17-C7-C8-C11
2	C	601	OHT	C7-C8-C9-C10
2	C	601	OHT	C1-C7-C8-C9
2	C	601	OHT	C17-C7-C8-C11
2	D	601	OHT	C7-C8-C9-C10
2	D	601	OHT	C1-C7-C8-C9
2	D	601	OHT	C17-C7-C8-C11
2	D	601	OHT	C2-C1-C7-C8
2	C	601	OHT	C2-C1-C7-C8
2	C	601	OHT	C6-C1-C7-C8
2	D	601	OHT	C6-C1-C7-C8
2	A	601	OHT	C6-C1-C7-C8
2	A	601	OHT	C2-C1-C7-C8
2	D	601	OHT	C19-C20-O20-C23

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	D	601	OHT	C21-C20-O20-C23
2	B	601	OHT	C19-C20-O20-C23
2	B	601	OHT	C21-C20-O20-C23
2	C	601	OHT	C23-C24-N24-C25
2	A	601	OHT	C19-C20-O20-C23
2	A	601	OHT	C21-C20-O20-C23
2	C	601	OHT	C19-C20-O20-C23
2	D	601	OHT	O20-C23-C24-N24
2	C	601	OHT	C21-C20-O20-C23
2	B	601	OHT	O20-C23-C24-N24
2	A	601	OHT	O20-C23-C24-N24
2	A	601	OHT	C24-C23-O20-C20
2	C	601	OHT	C23-C24-N24-C26
2	C	601	OHT	C24-C23-O20-C20
2	B	601	OHT	C22-C17-C7-C1
2	B	601	OHT	C18-C17-C7-C1
2	D	601	OHT	C18-C17-C7-C8
2	D	601	OHT	C22-C17-C7-C8
2	A	601	OHT	C22-C17-C7-C8
2	A	601	OHT	C18-C17-C7-C8
2	C	601	OHT	C18-C17-C7-C8
2	C	601	OHT	C22-C17-C7-C8
2	B	601	OHT	C18-C17-C7-C8
2	B	601	OHT	C22-C17-C7-C8
2	B	601	OHT	C6-C1-C7-C17
2	D	601	OHT	C16-C11-C8-C9
2	B	601	OHT	C2-C1-C7-C17
2	A	601	OHT	C12-C11-C8-C9
2	A	601	OHT	C16-C11-C8-C9
2	D	601	OHT	C12-C11-C8-C9


There are no ring outliers.


4 monomers are involved in 24 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	601	OHT	5	0
2	B	601	OHT	8	0
2	A	601	OHT	8	0
2	D	601	OHT	3	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In

addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	233/249 (93%)	-0.20	4 (1%) 70 66	12, 25, 53, 61	1 (0%)
1	B	234/249 (93%)	-0.15	5 (2%) 63 59	11, 26, 49, 62	1 (0%)
1	C	228/249 (91%)	-0.17	4 (1%) 68 64	12, 25, 47, 57	2 (0%)
1	D	227/249 (91%)	-0.16	4 (1%) 68 64	11, 25, 51, 60	1 (0%)
All	All	922/996 (92%)	-0.17	17 (1%) 68 64	11, 25, 50, 62	5 (0%)

All (17) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	420	GLY	4.8
1	C	340	ALA	3.2
1	A	340	ALA	3.0
1	C	420	GLY	2.9
1	D	414	GLN	2.8
1	C	335	ARG	2.8
1	B	533	VAL	2.8
1	A	422	VAL	2.7
1	D	337	PHE	2.5
1	B	463	SER	2.5
1	D	418	VAL	2.4
1	B	541	LEU	2.3
1	B	413	ASN	2.2
1	B	337	PHE	2.2
1	A	459	TYR	2.2
1	C	459	TYR	2.1
1	A	309	SER	2.0

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)


There are no monosaccharides in this entry.


6.4 Ligands [\(i\)](#)


In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	OHT	B	601	29/29	0.90	0.14	14,17,29,31	0
2	OHT	C	601	29/29	0.91	0.12	12,20,36,42	0
2	OHT	A	601	29/29	0.93	0.11	13,19,35,38	0
2	OHT	D	601	29/29	0.94	0.11	10,19,29,33	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.









6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.