



# Full wwPDB X-ray Structure Validation Report i

Jan 16, 2024 – 12:10 am GMT

PDB ID : 6RXQ  
Title : Crystal structure of CobB Ac2 (A76G,I131C,V162A) in complex with H4K16Cr-2'OH-ADPr peptide intermediate after soaking  
Authors : Spinck, M.; Gasper, R.; Neumann, H.  
Deposited on : 2019-06-08  
Resolution : 1.70 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references](#) i) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 1.8.4, CSD as541be (2020)  
Xtriage (Phenix) : 1.13  
EDS : 2.36  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 1.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	4298 (1.70-1.70)
Clashscore	141614	4695 (1.70-1.70)
Ramachandran outliers	138981	4610 (1.70-1.70)
Sidechain outliers	138945	4610 (1.70-1.70)
RSRZ outliers	127900	4222 (1.70-1.70)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



*Continued on next page...*

Continued from previous page...



## 2 Entry composition (i)

There are 4 unique types of molecules in this entry. The entry contains 8315 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NAD-dependent protein deacetylase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	224	Total	C	N	O	S	0	1	0
			1747	1106	310	323	8			
1	B	226	Total	C	N	O	S	0	2	0
			1774	1125	313	328	8			
1	C	225	Total	C	N	O	S	0	2	0
			1767	1120	312	327	8			
1	D	226	Total	C	N	O	S	0	2	0
			1766	1117	313	328	8			

There are 68 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-14	MET	-	initiating methionine	UNP P75960
A	-13	GLY	-	expression tag	UNP P75960
A	-12	SER	-	expression tag	UNP P75960
A	-11	SER	-	expression tag	UNP P75960
A	-10	HIS	-	expression tag	UNP P75960
A	-9	HIS	-	expression tag	UNP P75960
A	-8	HIS	-	expression tag	UNP P75960
A	-7	HIS	-	expression tag	UNP P75960
A	-6	HIS	-	expression tag	UNP P75960
A	-5	HIS	-	expression tag	UNP P75960
A	-4	SER	-	expression tag	UNP P75960
A	-3	GLN	-	expression tag	UNP P75960
A	-2	ASP	-	expression tag	UNP P75960
A	-1	PRO	-	expression tag	UNP P75960
A	76	GLY	ALA	engineered mutation	UNP P75960
A	131	CYS	ILE	engineered mutation	UNP P75960
A	161	ALA	VAL	engineered mutation	UNP P75960
B	-14	MET	-	initiating methionine	UNP P75960
B	-13	GLY	-	expression tag	UNP P75960
B	-12	SER	-	expression tag	UNP P75960
B	-11	SER	-	expression tag	UNP P75960

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
B	-10	HIS	-	expression tag	UNP P75960
B	-9	HIS	-	expression tag	UNP P75960
B	-8	HIS	-	expression tag	UNP P75960
B	-7	HIS	-	expression tag	UNP P75960
B	-6	HIS	-	expression tag	UNP P75960
B	-5	HIS	-	expression tag	UNP P75960
B	-4	SER	-	expression tag	UNP P75960
B	-3	GLN	-	expression tag	UNP P75960
B	-2	ASP	-	expression tag	UNP P75960
B	-1	PRO	-	expression tag	UNP P75960
B	76	GLY	ALA	engineered mutation	UNP P75960
B	131	CYS	ILE	engineered mutation	UNP P75960
B	161	ALA	VAL	engineered mutation	UNP P75960
C	26	MET	-	initiating methionine	UNP P75960
C	27	GLY	-	expression tag	UNP P75960
C	28	SER	-	expression tag	UNP P75960
C	29	SER	-	expression tag	UNP P75960
C	30	HIS	-	expression tag	UNP P75960
C	31	HIS	-	expression tag	UNP P75960
C	32	HIS	-	expression tag	UNP P75960
C	33	HIS	-	expression tag	UNP P75960
C	34	HIS	-	expression tag	UNP P75960
C	35	HIS	-	expression tag	UNP P75960
C	36	SER	-	expression tag	UNP P75960
C	37	GLN	-	expression tag	UNP P75960
C	38	ASP	-	expression tag	UNP P75960
C	39	PRO	-	expression tag	UNP P75960
C	76	GLY	ALA	engineered mutation	UNP P75960
C	131	CYS	ILE	engineered mutation	UNP P75960
C	161	ALA	VAL	engineered mutation	UNP P75960
D	26	MET	-	initiating methionine	UNP P75960
D	27	GLY	-	expression tag	UNP P75960
D	28	SER	-	expression tag	UNP P75960
D	29	SER	-	expression tag	UNP P75960
D	30	HIS	-	expression tag	UNP P75960
D	31	HIS	-	expression tag	UNP P75960
D	32	HIS	-	expression tag	UNP P75960
D	33	HIS	-	expression tag	UNP P75960
D	34	HIS	-	expression tag	UNP P75960
D	35	HIS	-	expression tag	UNP P75960
D	36	SER	-	expression tag	UNP P75960
D	37	GLN	-	expression tag	UNP P75960

*Continued on next page...*


*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	38	ASP	-	expression tag	UNP P75960
D	39	PRO	-	expression tag	UNP P75960
D	76	GLY	ALA	engineered mutation	UNP P75960
D	131	CYS	ILE	engineered mutation	UNP P75960
D	161	ALA	VAL	engineered mutation	UNP P75960

- Molecule 2 is a protein called Histone H4.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf	Trace
2	E	9	Total C N O 88 54 24 10	0	2	0
2	F	10	Total C N O 96 60 25 11	0	2	0
2	G	9	Total C N O 88 54 24 10	0	2	0
2	H	8	Total C N O 83 49 24 10	0	2	0

- Molecule 3 is [(2 {R},3 {S},4 {R},5 {R})-5-(6-aminopurin-9-yl)-3,4-bis(oxidanyl)oxolan-2-yl]methoxy-oxidanyl-phosphoryl [(2 {R},3 {R},4 {R},5 {S})-4-[( {E})-but-2-enoxy]-3,5-bis(oxidanyl)oxolan-2-yl]methyl hydrogen phosphate (three-letter code: KMQ) (formula: C<sub>19</sub>H<sub>29</sub>N<sub>5</sub>O<sub>14</sub>P<sub>2</sub>).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	E	1	Total C N O P 80 38 10 28 4	0	1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	F	1	Total C N O P 80 38 10 28 4	0	1
3	G	1	Total C N O P 80 38 10 28 4	0	1
3	H	1	Total C N O P 80 38 10 28 4	0	1


- Molecule 4 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	130	Total O 131 131	0	1
4	B	138	Total O 139 139	0	1
4	C	129	Total O 130 130	0	1
4	D	124	Total O 125 125	0	1
4	E	16	Total O 16 16	0	0
4	F	16	Total O 16 16	0	0
4	G	10	Total O 10 10	0	0
4	H	19	Total O 19 19	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NAD-dependent protein deacylase




- Molecule 1: NAD-dependent protein deacylase




- Molecule 1: NAD-dependent protein deacylase




- Molecule 1: NAD-dependent protein deacylase






- Molecule 2: Histone H4




- Molecule 2: Histone H4



- Molecule 2: Histone H4



- Molecule 2: Histone H4



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	61.38Å 94.07Å 94.06Å 90.00° 90.03° 90.00°	Depositor
Resolution (Å)	45.12 – 1.70 45.12 – 1.70	Depositor EDS
% Data completeness (in resolution range)	99.9 (45.12-1.70) 99.8 (45.12-1.70)	Depositor EDS
$R_{merge}$	0.05	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.27 (at 1.70Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
$R$ , $R_{free}$	0.199, 0.228 0.202, 0.232	Depositor DCC
$R_{free}$ test set	1993 reflections (1.70%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	32.8	Xtriage
Anisotropy	0.393	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.31, 39.7	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.50$ , $< L^2 > = 0.34$	Xtriage
Estimated twinning fraction	0.457 for -h,-l,-k 0.449 for -h,l,k 0.478 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.97	EDS
Total number of atoms	8315	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.46% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality i

### 5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: KMQ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

<b>Mol</b>	<b>Chain</b>	<b>Bond lengths</b>		<b>Bond angles</b>	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.35	0/1791	0.54	0/2429
1	B	0.34	0/1820	0.50	0/2468
1	C	0.35	0/1812	0.54	0/2457
1	D	0.37	0/1817	0.53	0/2465
2	E	0.50	0/91	0.78	0/115
2	F	0.59	0/99	0.86	0/126
2	G	0.49	0/91	0.72	0/115
2	H	0.49	0/83	0.70	0/104
All	All	0.36	0/7604	0.54	0/10279

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

<b>Mol</b>	<b>Chain</b>	<b>#Chirality outliers</b>	<b>#Planarity outliers</b>
2	F	0	1
2	H	0	1
All	All	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

<b>Mol</b>	<b>Chain</b>	<b>Res</b>	<b>Type</b>	<b>Group</b>
2	F	16[B]	LYS	Mainchain
2	H	16[B]	LYS	Mainchain

## 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1747	0	1711	21	0
1	B	1774	0	1735	20	0
1	C	1767	0	1725	16	0
1	D	1766	0	1724	21	0
2	E	88	0	102	14	0
2	F	96	0	112	12	0
2	G	88	0	101	4	0
2	H	83	0	90	3	0
3	E	80	0	0	1	0
3	F	80	0	0	2	0
3	G	80	0	0	1	0
3	H	80	0	0	0	0
4	A	131	0	0	6	0
4	B	139	0	0	4	0
4	C	130	0	0	3	0
4	D	125	0	0	3	0
4	E	16	0	0	2	0
4	F	16	0	0	2	0
4	G	10	0	0	1	0
4	H	19	0	0	2	0
All	All	8315	0	7300	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:83:ARG:HH22	2:E:19:ARG:HH12	1.07	1.00
2:F:19:ARG:HG3	2:F:20:LYS:HE2	1.47	0.94
1:D:157:GLN:HE22	1:D:182:PRO:HD2	1.33	0.94
2:G:19:ARG:HG3	2:G:20:LYS:HD2	1.57	0.85
2:H:19:ARG:O	2:H:20:LYS:HD3	1.83	0.78
1:C:58:ARG:NH2	1:C:68:GLU:OE2	2.21	0.74
2:H:13:GLY:N	4:H:201:HOH:O	2.22	0.73

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:105:GLN:OE1	4:A:301:HOH:O	2.08	0.71
1:A:73:GLU:OE2	2:F:19:ARG:NH2	2.22	0.71
1:B:131[B]:CYS:SG	4:B:329[B]:HOH:O	2.48	0.70
1:D:40:LYS:N	4:D:301:HOH:O	2.24	0.70
1:C:131[B]:CYS:SG	4:C:321[B]:HOH:O	2.50	0.69
1:A:199:GLU:OE1	4:A:302:HOH:O	2.11	0.68
1:B:83:ARG:HH22	2:E:19:ARG:NH1	1.87	0.68
2:F:13:GLY:N	4:F:201:HOH:O	2.28	0.67
1:C:131[B]:CYS:SG	4:C:326:HOH:O	2.52	0.66
1:C:264:GLU:HG3	1:C:268:LYS:NZ	2.10	0.66
1:B:89:GLN:HE22	1:B:185:PRO:HD3	1.61	0.65
2:E:13:GLY:N	4:E:203:HOH:O	2.30	0.65
2:G:13:GLY:N	4:G:201:HOH:O	2.30	0.64
1:B:123:ARG:NH2	1:C:118:ASP:OD1	2.26	0.63
1:B:97:ARG:NH1	4:B:304:HOH:O	2.32	0.63
1:C:267:GLU:OE1	1:C:271:LYS:NZ	2.27	0.62
1:D:97:ARG:NH2	4:D:303:HOH:O	2.33	0.61
1:A:228:GLU:OE1	4:A:303:HOH:O	2.17	0.60
1:B:79:GLU:HB3	2:E:19:ARG:NH2	2.17	0.60
1:C:40:LYS:N	4:C:302:HOH:O	2.33	0.60
1:D:60[A]:PHE:HZ	1:D:72:VAL:HG22	1.67	0.59
1:A:83:ARG:HH12	2:F:19:ARG:HH22	1.51	0.58
2:F:13:GLY:N	4:F:202:HOH:O	2.34	0.58
1:C:155:CYS:SG	1:C:157:GLN:HB2	2.43	0.58
1:C:169:THR:O	1:C:171:GLU:HG3	2.02	0.58
1:D:267:GLU:HB2	1:D:271:LYS:NZ	2.19	0.58
1:B:249:GLU:OE1	4:B:301:HOH:O	2.17	0.57
1:D:60[A]:PHE:CZ	1:D:67:TRP:HB2	2.39	0.57
2:F:17[B]:ARG:HH11	2:F:21:ILE:HD11	1.68	0.57
1:A:79:GLU:OE1	2:F:17[A]:ARG:NH2	2.36	0.56
2:G:17[B]:ARG:HH21	2:G:21:ILE:HD11	1.71	0.56
1:A:89:GLN:NE2	1:A:183:LEU:O	2.38	0.55
1:C:216:SER:N	3:G:101[B]:KMQ:O1B	2.33	0.55
1:D:169:THR:O	1:D:171:GLU:HG3	2.08	0.54
1:B:252:GLU:OE2	1:B:268:LYS:NZ	2.41	0.54
1:A:60:PHE:CZ	1:A:67:TRP:HB2	2.43	0.53
2:E:13:GLY:N	4:E:204:HOH:O	2.41	0.53
1:A:83:ARG:HH12	2:F:19:ARG:NH2	2.06	0.53
1:A:131[B]:CYS:SG	4:A:337:HOH:O	2.59	0.53
1:D:60[A]:PHE:CZ	1:D:72:VAL:HG22	2.45	0.52
1:A:79:GLU:OE2	2:F:17[B]:ARG:NH2	2.36	0.51

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:79:GLU:OE2	2:E:17[B]:ARG:NH2	2.31	0.51
1:D:267:GLU:O	1:D:271:LYS:HD2	2.12	0.50
1:C:264:GLU:HG3	1:C:268:LYS:HZ3	1.77	0.50
1:D:169:THR:O	1:D:171:GLU:N	2.43	0.49
1:C:188:VAL:O	2:G:16[B]:LYS:HE3	2.12	0.49
2:E:17[B]:ARG:HH11	2:E:21:ILE:HD11	1.77	0.49
1:A:83:ARG:NH2	2:F:19:ARG:HH12	2.10	0.48
1:B:79:GLU:OE1	2:E:17[A]:ARG:NH2	2.43	0.48
1:B:131[B]:CYS:SG	4:B:334:HOH:O	2.61	0.48
2:E:19:ARG:HB3	2:E:20:LYS:HE2	1.95	0.48
1:D:40:LYS:HB2	1:D:40:LYS:HE2	1.74	0.47
1:B:147:HIS:HB3	3:F:101[B]:KMQ:C1	2.44	0.46
1:A:187:VAL:HG13	3:E:101[A]:KMQ:C7	2.45	0.46
1:D:267:GLU:HB2	1:D:271:LYS:HZ3	1.80	0.46
2:H:13:GLY:N	4:H:203:HOH:O	2.49	0.45
1:B:80:GLY:HA2	1:B:83:ARG:HH21	1.81	0.45
1:A:64:ASP:OD2	1:A:66:LEU:HG	2.16	0.45
1:A:86:GLU:HG2	4:A:357:HOH:O	2.17	0.45
1:B:131[B]:CYS:SG	1:B:150:LEU:HG	2.57	0.45
1:A:61:ARG:CZ	1:A:64:ASP:HB2	2.47	0.44
1:C:41:PRO:HD2	1:C:273:LEU:HD21	1.99	0.44
1:D:86:GLU:HG2	4:D:322:HOH:O	2.16	0.44
1:D:267:GLU:N	1:D:267:GLU:OE1	2.51	0.44
1:D:157:GLN:NE2	1:D:182:PRO:HD2	2.15	0.44
1:B:60[A]:PHE:HB2	3:F:101[A]:KMQ:O1A	2.18	0.43
4:A:334:HOH:O	2:E:19:ARG:HG3	2.18	0.43
1:B:157:GLN:NE2	1:B:182:PRO:HD2	2.34	0.43
1:C:264:GLU:HG3	1:C:268:LYS:HZ1	1.83	0.43
1:B:83:ARG:NH2	2:E:19:ARG:HH12	1.92	0.43
1:D:263:PRO:O	1:D:267:GLU:OE1	2.37	0.43
1:A:83:ARG:CZ	2:F:19:ARG:HH12	2.32	0.42
1:A:61:ARG:NH2	1:A:64:ASP:HB2	2.33	0.42
1:D:153:VAL:HG21	1:D:183:LEU:HD23	2.01	0.42
1:C:91:PHE:O	1:C:95:ARG:HG2	2.20	0.42
1:A:83:ARG:NH1	2:F:19:ARG:NH1	2.68	0.42
1:A:66:LEU:HD21	1:D:87:LEU:HD12	2.02	0.42
2:E:20:LYS:HA	2:E:20:LYS:HD3	1.89	0.41
1:C:264:GLU:O	1:C:268:LYS:HD3	2.20	0.41
1:A:240:ASN:O	1:A:255:TYR:HA	2.20	0.41
1:D:240:ASN:O	1:D:255:TYR:HA	2.21	0.41
1:D:267:GLU:HB2	1:D:271:LYS:HZ2	1.84	0.41

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:E:19:ARG:HA	2:E:19:ARG:HD3	1.84	0.41
1:B:157:GLN:HE21	1:B:182:PRO:HD2	1.86	0.40
1:B:274:LYS:HE2	1:B:274:LYS:HB3	1.88	0.40
1:D:264:GLU:O	1:D:267:GLU:OE1	2.38	0.40
2:E:19:ARG:O	2:E:20:LYS:HD3	2.21	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	221/254 (87%)	217 (98%)	4 (2%)	0	100 100
1	B	224/254 (88%)	217 (97%)	7 (3%)	0	100 100
1	C	223/254 (88%)	216 (97%)	6 (3%)	1 (0%)	34 18
1	D	224/254 (88%)	220 (98%)	4 (2%)	0	100 100
2	E	9/11 (82%)	8 (89%)	1 (11%)	0	100 100
2	F	10/11 (91%)	10 (100%)	0	0	100 100
2	G	9/11 (82%)	9 (100%)	0	0	100 100
2	H	8/11 (73%)	7 (88%)	1 (12%)	0	100 100
All	All	928/1060 (88%)	904 (97%)	23 (2%)	1 (0%)	51 33

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	157	GLN

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	183/207 (88%)	183 (100%)	0	100 100
1	B	186/207 (90%)	186 (100%)	0	100 100
1	C	185/207 (89%)	185 (100%)	0	100 100
1	D	185/207 (89%)	183 (99%)	2 (1%)	73 63
2	E	8/8 (100%)	7 (88%)	1 (12%)	4 1
2	F	9/8 (112%)	9 (100%)	0	100 100
2	G	8/8 (100%)	8 (100%)	0	100 100
2	H	7/8 (88%)	5 (71%)	2 (29%)	0 0
All	All	771/860 (90%)	766 (99%)	5 (1%)	88 80

All (5) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	60[A]	PHE
1	D	60[B]	PHE
2	E	19	ARG
2	H	19	ARG
2	H	20	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	89	GLN
1	D	160	GLN

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 5.6 Ligand geometry [\(i\)](#)

8 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	KMQ	E	101[B]	2	37,43,43	0.85	1 (2%)	40,64,64	1.42	7 (17%)
3	KMQ	H	101[A]	2	37,43,43	0.85	1 (2%)	40,64,64	1.48	7 (17%)
3	KMQ	F	101[A]	2	37,43,43	0.88	2 (5%)	40,64,64	1.44	7 (17%)
3	KMQ	H	101[B]	2	37,43,43	0.80	1 (2%)	40,64,64	1.40	5 (12%)
3	KMQ	G	101[A]	2	37,43,43	0.87	1 (2%)	40,64,64	1.40	7 (17%)
3	KMQ	G	101[B]	2	37,43,43	0.83	1 (2%)	40,64,64	1.20	5 (12%)
3	KMQ	F	101[B]	2	37,43,43	0.82	1 (2%)	40,64,64	1.45	5 (12%)
3	KMQ	E	101[A]	2	37,43,43	0.80	1 (2%)	40,64,64	1.45	5 (12%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	KMQ	E	101[B]	2	-	1/23/59/59	0/4/4/4
3	KMQ	H	101[A]	2	-	2/23/59/59	0/4/4/4
3	KMQ	F	101[A]	2	-	1/23/59/59	0/4/4/4
3	KMQ	H	101[B]	2	-	8/23/59/59	0/4/4/4

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	KMQ	G	101[A]	2	-	2/23/59/59	0/4/4/4
3	KMQ	G	101[B]	2	-	8/23/59/59	0/4/4/4
3	KMQ	F	101[B]	2	-	7/23/59/59	0/4/4/4
3	KMQ	E	101[A]	2	-	8/23/59/59	0/4/4/4

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	F	101[B]	KMQ	C5-C4	2.43	1.47	1.40
3	G	101[B]	KMQ	C5-C4	2.42	1.47	1.40
3	E	101[A]	KMQ	C5-C4	2.39	1.47	1.40
3	H	101[B]	KMQ	C5-C4	2.38	1.47	1.40
3	G	101[A]	KMQ	C5-C4	2.31	1.47	1.40
3	E	101[B]	KMQ	C5-C4	2.30	1.47	1.40
3	F	101[A]	KMQ	C5-C4	2.30	1.47	1.40
3	H	101[A]	KMQ	C5-C4	2.27	1.46	1.40
3	F	101[A]	KMQ	O2D-C3	2.13	1.48	1.43

All (48) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	F	101[B]	KMQ	C1D-C2D-C3D	-4.94	98.67	104.09
3	E	101[A]	KMQ	C1D-C2D-C3D	-4.86	98.76	104.09
3	H	101[B]	KMQ	C1D-C2D-C3D	-4.82	98.80	104.09
3	H	101[A]	KMQ	O2D-C3-C21	3.90	123.96	110.39
3	H	101[A]	KMQ	N3-C2-N1	-3.87	122.62	128.68
3	G	101[A]	KMQ	O2D-C3-C21	3.86	123.83	110.39
3	F	101[A]	KMQ	N3-C2-N1	-3.86	122.65	128.68
3	F	101[A]	KMQ	O2D-C3-C21	3.78	123.55	110.39
3	E	101[B]	KMQ	N3-C2-N1	-3.75	122.81	128.68
3	E	101[B]	KMQ	O2D-C3-C21	3.59	122.87	110.39
3	G	101[A]	KMQ	N3-C2-N1	-3.50	123.21	128.68
3	E	101[A]	KMQ	N3-C2-N1	-3.48	123.23	128.68
3	F	101[B]	KMQ	N3-C2-N1	-3.46	123.27	128.68
3	H	101[B]	KMQ	N3-C2-N1	-3.46	123.27	128.68
3	H	101[A]	KMQ	C1'-N9-C4	-3.37	120.73	126.64
3	G	101[B]	KMQ	N3-C2-N1	-3.31	123.51	128.68
3	E	101[A]	KMQ	PA-O3A-PB	-3.17	121.94	132.83
3	E	101[B]	KMQ	C1'-N9-C4	-3.10	121.19	126.64
3	F	101[A]	KMQ	C1'-N9-C4	-3.06	121.26	126.64
3	F	101[B]	KMQ	PA-O3A-PB	-2.97	122.62	132.83

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	H	101[B]	KMQ	PA-O3A-PB	-2.92	122.81	132.83
3	H	101[A]	KMQ	C2-N1-C6	2.80	123.55	118.75
3	G	101[B]	KMQ	PA-O3A-PB	-2.70	123.55	132.83
3	E	101[B]	KMQ	C1D-C2D-C3D	-2.70	101.13	104.09
3	H	101[A]	KMQ	C1D-C2D-C3D	-2.63	101.20	104.09
3	G	101[A]	KMQ	C1'-N9-C4	-2.61	122.06	126.64
3	F	101[A]	KMQ	C2-N1-C6	2.59	123.19	118.75
3	E	101[B]	KMQ	C2-N1-C6	2.58	123.16	118.75
3	G	101[B]	KMQ	C4-C5-N7	-2.57	106.72	109.40
3	F	101[A]	KMQ	C4-C5-N7	-2.55	106.75	109.40
3	G	101[A]	KMQ	C2-N1-C6	2.51	123.05	118.75
3	F	101[B]	KMQ	C4-C5-N7	-2.47	106.83	109.40
3	F	101[A]	KMQ	C1D-C2D-C3D	-2.45	101.40	104.09
3	H	101[B]	KMQ	C4-C5-N7	-2.44	106.85	109.40
3	H	101[A]	KMQ	O2D-C2D-C3D	-2.44	104.87	110.94
3	E	101[A]	KMQ	C4-C5-N7	-2.41	106.89	109.40
3	H	101[A]	KMQ	C4-C5-N7	-2.36	106.94	109.40
3	E	101[B]	KMQ	O2D-C2D-C3D	-2.35	105.08	110.94
3	E	101[B]	KMQ	C4-C5-N7	-2.27	107.03	109.40
3	G	101[A]	KMQ	C4-C5-N7	-2.26	107.04	109.40
3	H	101[B]	KMQ	C2-N1-C6	2.18	122.48	118.75
3	G	101[A]	KMQ	C1D-C2D-C3D	-2.15	101.73	104.09
3	E	101[A]	KMQ	C2-N1-C6	2.15	122.43	118.75
3	F	101[A]	KMQ	O2D-C2D-C3D	-2.15	105.59	110.94
3	F	101[B]	KMQ	C2-N1-C6	2.14	122.42	118.75
3	G	101[A]	KMQ	O2D-C2D-C3D	-2.07	105.79	110.94
3	G	101[B]	KMQ	C2-N1-C6	2.03	122.23	118.75
3	G	101[B]	KMQ	O2D-C2D-C3D	-2.02	105.91	110.94

There are no chirality outliers.

All (37) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	E	101[A]	KMQ	C21-C3-O2D-C2D
3	E	101[A]	KMQ	O4D-C4D-C5D-O5D
3	E	101[A]	KMQ	C5D-O5D-PB-O2B
3	E	101[A]	KMQ	C5D-O5D-PB-O1B
3	F	101[B]	KMQ	C21-C3-O2D-C2D
3	F	101[B]	KMQ	C5D-O5D-PB-O3A
3	G	101[B]	KMQ	C21-C3-O2D-C2D
3	H	101[B]	KMQ	C21-C3-O2D-C2D
3	H	101[B]	KMQ	O4D-C4D-C5D-O5D

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
3	H	101[B]	KMQ	C5D-O5D-PB-O2B
3	H	101[B]	KMQ	C5D-O5D-PB-O3A
3	E	101[A]	KMQ	C3D-C4D-C5D-O5D
3	F	101[B]	KMQ	O4D-C4D-C5D-O5D
3	G	101[B]	KMQ	C3D-C4D-C5D-O5D
3	H	101[B]	KMQ	C3D-C4D-C5D-O5D
3	F	101[B]	KMQ	C3D-C4D-C5D-O5D
3	G	101[B]	KMQ	O4D-C4D-C5D-O5D
3	G	101[B]	KMQ	C4'-C5'-O5'-PA
3	E	101[A]	KMQ	C1-C21-C3-O2D
3	F	101[B]	KMQ	C1-C21-C3-O2D
3	G	101[B]	KMQ	C1-C21-C3-O2D
3	H	101[B]	KMQ	C1-C21-C3-O2D
3	G	101[B]	KMQ	PA-O3A-PB-O5D
3	E	101[A]	KMQ	C5D-O5D-PB-O3A
3	G	101[B]	KMQ	C5'-O5'-PA-O3A
3	F	101[B]	KMQ	C5D-O5D-PB-O2B
3	H	101[B]	KMQ	C5D-O5D-PB-O1B
3	E	101[A]	KMQ	O4'-C4'-C5'-O5'
3	H	101[A]	KMQ	PB-O3A-PA-O2A
3	E	101[B]	KMQ	O4'-C4'-C5'-O5'
3	F	101[B]	KMQ	O4'-C4'-C5'-O5'
3	G	101[A]	KMQ	O4'-C4'-C5'-O5'
3	G	101[B]	KMQ	O4'-C4'-C5'-O5'
3	H	101[A]	KMQ	O4'-C4'-C5'-O5'
3	H	101[B]	KMQ	O4'-C4'-C5'-O5'
3	G	101[A]	KMQ	C5D-O5D-PB-O1B
3	F	101[A]	KMQ	O4'-C4'-C5'-O5'


There are no ring outliers.


4 monomers are involved in 4 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	F	101[A]	KMQ	1	0
3	G	101[B]	KMQ	1	0
3	F	101[B]	KMQ	1	0
3	E	101[A]	KMQ	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is

within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data i

### 6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	224/254 (88%)	0.57	17 (7%)	13	16	25, 39, 80, 105
1	B	226/254 (88%)	0.49	12 (5%)	26	29	26, 39, 79, 105
1	C	225/254 (88%)	0.52	12 (5%)	26	29	24, 39, 82, 109
1	D	226/254 (88%)	0.65	20 (8%)	10	11	26, 39, 85, 109
2	E	9/11 (81%)	1.46	3 (33%)	0	0	31, 37, 74, 76
2	F	10/11 (90%)	1.46	2 (20%)	1	0	31, 42, 75, 78
2	G	9/11 (81%)	1.06	3 (33%)	0	0	31, 37, 71, 72
2	H	8/11 (72%)	1.00	1 (12%)	3	4	31, 43, 70, 73
All	All	937/1060 (88%)	0.58	70 (7%)	14	16	24, 39, 82, 109
							0

All (70) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	60[A]	PHE	8.6
2	F	22	LEU	7.4
1	B	62	ALA	7.1
1	B	63	ALA	7.0
1	D	62	ALA	6.8
1	C	65	GLY	6.7
1	B	60[A]	PHE	6.2
1	D	160	GLN	5.6
1	C	155	CYS	5.3
1	A	159	GLY	4.9
1	A	161	ALA	4.9
1	C	162	LEU	4.9
1	A	60	PHE	4.8
1	D	157	GLN	4.6
1	A	158	SER	4.5
1	C	62	ALA	4.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	63	ALA	4.2
2	E	20	LYS	4.0
2	E	19	ARG	3.9
1	D	267	GLU	3.7
1	B	61	ARG	3.6
1	A	160	GLN	3.4
1	A	61	ARG	3.4
1	A	92	TYR	3.4
1	D	271	LYS	3.3
1	C	164	TRP	3.1
1	D	61	ARG	3.1
2	F	19	ARG	3.1
1	B	59	THR	3.1
1	C	60[A]	PHE	3.0
1	C	72	VAL	2.9
1	B	98	GLN	2.9
2	G	19	ARG	2.9
1	A	231	LEU	2.9
1	A	62	ALA	2.9
2	H	20	LYS	2.8
2	G	21	ILE	2.8
1	D	155	CYS	2.8
1	D	181	ALA	2.7
1	D	274	LYS	2.7
1	B	162	LEU	2.7
1	A	59	THR	2.7
1	D	170	PRO	2.7
2	G	20	LYS	2.6
1	C	157	GLN	2.6
1	A	153	VAL	2.6
1	A	142	ASN	2.6
1	A	64	ASP	2.6
1	D	187	VAL	2.6
1	B	155	CYS	2.5
1	A	155	CYS	2.4
1	B	160	GLN	2.4
1	C	170	PRO	2.4
1	D	99	LEU	2.4
1	D	273	LEU	2.4
1	D	156	SER	2.4
1	D	231	LEU	2.4
1	B	64	ASP	2.4

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	164	TRP	2.3
2	E	21	ILE	2.3
1	B	66	LEU	2.2
1	C	83	ARG	2.2
1	A	112	ALA	2.2
1	C	207	ALA	2.2
1	C	98	GLN	2.2
1	D	64	ASP	2.2
1	A	63	ALA	2.2
1	D	219	VAL	2.1
1	A	150	LEU	2.1
1	B	231	LEU	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.




Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å <sup>2</sup> )	Q<0.9
3	KMQ	G	101[A]	40/40	0.92	0.17	23,32,60,62	40
3	KMQ	G	101[B]	40/40	0.92	0.17	26,33,50,59	40
3	KMQ	E	101[A]	40/40	0.93	0.14	26,33,49,54	40
3	KMQ	E	101[B]	40/40	0.93	0.14	23,34,60,67	40
3	KMQ	H	101[A]	40/40	0.94	0.12	22,32,55,65	40
3	KMQ	H	101[B]	40/40	0.94	0.12	26,33,50,55	40
3	KMQ	F	101[A]	40/40	0.95	0.14	23,32,60,64	40
3	KMQ	F	101[B]	40/40	0.95	0.14	26,32,49,55	40

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers




as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.


**Electron density around KMQ G 101 (A):**


2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)


**Electron density around KMQ G 101 (B):**

2mF<sub>o</sub>-DF<sub>c</sub> (at 0.7 rmsd) in gray  
mF<sub>o</sub>-DF<sub>c</sub> (at 3 rmsd) in purple (negative)  
and green (positive)









## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.