



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 5, 2023 – 01:12 AM EDT

PDB ID : 6VPF
Title : Estrogen Receptor Alpha Ligand Binding Domain in Complex with the Selective Estrogen Receptor Modulator Clomiphene
Authors : Fanning, S.W.; Greene, G.L.
Deposited on : 2020-02-03
Resolution : 1.60 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : **FAILED**
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtrriage (Phenix) : 1.13
EDS : **FAILED**
buster-report : 1.1.7 (2018)
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.35.1

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.60 Å.

There are no overall percentile quality scores available for this entry.

MolProbity and EDS failed to run properly - the sequence quality summary graphics cannot be shown.

2 Entry composition i

There are 3 unique types of molecules in this entry. The entry contains 8134 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Estrogen receptor.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	B	243	1923	1237	326	344	16	0	3	0
1	A	236	1875	1205	314	339	17	0	5	0
1	C	237	1873	1205	313	339	16	0	2	0
1	D	236	1902	1220	319	346	17	0	7	0

There are 72 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	292	HIS	-	expression tag	UNP P03372
B	293	HIS	-	expression tag	UNP P03372
B	294	HIS	-	expression tag	UNP P03372
B	295	HIS	-	expression tag	UNP P03372
B	296	HIS	-	expression tag	UNP P03372
B	297	HIS	-	expression tag	UNP P03372
B	298	GLU	-	expression tag	UNP P03372
B	299	ASN	-	expression tag	UNP P03372
B	300	LEU	-	expression tag	UNP P03372
B	301	TYR	-	expression tag	UNP P03372
B	302	PHE	-	expression tag	UNP P03372
B	303	GLN	-	expression tag	UNP P03372
B	304	SER	-	expression tag	UNP P03372
B	305	MET	-	expression tag	UNP P03372
B	381	SER	CYS	conflict	UNP P03372
B	417	SER	CYS	conflict	UNP P03372
B	530	SER	CYS	conflict	UNP P03372
B	536	SER	LEU	conflict	UNP P03372
A	292	HIS	-	expression tag	UNP P03372
A	293	HIS	-	expression tag	UNP P03372
A	294	HIS	-	expression tag	UNP P03372

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
A	295	HIS	-	expression tag	UNP P03372
A	296	HIS	-	expression tag	UNP P03372
A	297	HIS	-	expression tag	UNP P03372
A	298	GLU	-	expression tag	UNP P03372
A	299	ASN	-	expression tag	UNP P03372
A	300	LEU	-	expression tag	UNP P03372
A	301	TYR	-	expression tag	UNP P03372
A	302	PHE	-	expression tag	UNP P03372
A	303	GLN	-	expression tag	UNP P03372
A	304	SER	-	expression tag	UNP P03372
A	305	MET	-	expression tag	UNP P03372
A	381	SER	CYS	conflict	UNP P03372
A	417	SER	CYS	conflict	UNP P03372
A	530	SER	CYS	conflict	UNP P03372
A	536	SER	LEU	conflict	UNP P03372
C	292	HIS	-	expression tag	UNP P03372
C	293	HIS	-	expression tag	UNP P03372
C	294	HIS	-	expression tag	UNP P03372
C	295	HIS	-	expression tag	UNP P03372
C	296	HIS	-	expression tag	UNP P03372
C	297	HIS	-	expression tag	UNP P03372
C	298	GLU	-	expression tag	UNP P03372
C	299	ASN	-	expression tag	UNP P03372
C	300	LEU	-	expression tag	UNP P03372
C	301	TYR	-	expression tag	UNP P03372
C	302	PHE	-	expression tag	UNP P03372
C	303	GLN	-	expression tag	UNP P03372
C	304	SER	-	expression tag	UNP P03372
C	305	MET	-	expression tag	UNP P03372
C	381	SER	CYS	conflict	UNP P03372
C	417	SER	CYS	conflict	UNP P03372
C	530	SER	CYS	conflict	UNP P03372
C	536	SER	LEU	conflict	UNP P03372
D	292	HIS	-	expression tag	UNP P03372
D	293	HIS	-	expression tag	UNP P03372
D	294	HIS	-	expression tag	UNP P03372
D	295	HIS	-	expression tag	UNP P03372
D	296	HIS	-	expression tag	UNP P03372
D	297	HIS	-	expression tag	UNP P03372
D	298	GLU	-	expression tag	UNP P03372
D	299	ASN	-	expression tag	UNP P03372
D	300	LEU	-	expression tag	UNP P03372

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	301	TYR	-	expression tag	UNP P03372
D	302	PHE	-	expression tag	UNP P03372
D	303	GLN	-	expression tag	UNP P03372
D	304	SER	-	expression tag	UNP P03372
D	305	MET	-	expression tag	UNP P03372
D	381	SER	CYS	conflict	UNP P03372
D	417	SER	CYS	conflict	UNP P03372
D	530	SER	CYS	conflict	UNP P03372
D	536	SER	LEU	conflict	UNP P03372

- Molecule 2 is Clomifene (three-letter code: 53Q) (formula: C₂₆H₂₈ClNO) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	
			Total	C	Cl	N			O
2	B	1	Total	C	Cl	N	O	0	0
			29	26	1	1	1		
2	A	1	Total	C	Cl	N	O	0	0
			29	26	1	1	1		
2	C	1	Total	C	Cl	N	O	0	0
			29	26	1	1	1		
2	D	1	Total	C	Cl	N	O	0	0
			29	26	1	1	1		

- Molecule 3 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
3	B	99	Total O 99 99	0	0
3	A	120	Total O 120 120	0	0
3	C	121	Total O 121 121	0	0
3	D	105	Total O 105 105	0	0

MolProbity and EDS failed to run properly - this section is therefore empty.

3 Data and refinement statistics i

EDS failed to run properly - this section is therefore incomplete.

Property	Value	Source
Space group	P 32	Depositor
Cell constants a, b, c, α , β , γ	58.33Å 58.33Å 275.88Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	49.69 – 1.60	Depositor
% Data completeness (in resolution range)	58.5 (49.69-1.60)	Depositor
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.46 (at 1.60Å)	Xtrriage
Refinement program	PHENIX 1.9_1692+SVN	Depositor
R, R_{free}	0.201 , 0.234	Depositor
Wilson B-factor (Å ²)	14.5	Xtrriage
Anisotropy	0.103	Xtrriage
L-test for twinning ²	$\langle L \rangle = 0.51$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	0.478 for -h,-k,l 0.488 for h,-h-k,-l 0.487 for -k,-h,-l	Xtrriage
Total number of atoms	8134	wwPDB-VP
Average B, all atoms (Å ²)	24.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.69% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

4 Model quality [i](#)

4.1 Standard geometry [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.2 Too-close contacts [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3 Torsion angles [i](#)

4.3.1 Protein backbone [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.2 Protein sidechains [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.3.3 RNA [i](#)

MolProbity failed to run properly - this section is therefore empty.

4.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

4.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

4.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond

length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	53Q	D	601	-	31,31,31	2.73	7 (22%)	37,40,40	1.42	6 (16%)
2	53Q	A	601	-	31,31,31	2.74	7 (22%)	37,40,40	1.27	5 (13%)
2	53Q	C	601	-	31,31,31	2.68	7 (22%)	37,40,40	1.29	5 (13%)
2	53Q	B	601	-	31,31,31	2.77	7 (22%)	37,40,40	1.30	5 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	53Q	D	601	-	-	4/26/26/26	0/3/3/3
2	53Q	A	601	-	-	3/26/26/26	0/3/3/3
2	53Q	C	601	-	-	6/26/26/26	0/3/3/3
2	53Q	B	601	-	-	5/26/26/26	0/3/3/3

All (28) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	D	601	53Q	C11-C10	8.64	1.54	1.38
2	B	601	53Q	C11-C10	8.25	1.53	1.38
2	A	601	53Q	C11-C10	8.16	1.53	1.38
2	C	601	53Q	C11-C10	7.97	1.53	1.38
2	B	601	53Q	C8-C9	7.45	1.52	1.39
2	D	601	53Q	C8-C9	7.45	1.52	1.39
2	A	601	53Q	C8-C9	7.40	1.52	1.39
2	C	601	53Q	C8-C9	7.09	1.51	1.39
2	B	601	53Q	C7-C6	6.81	1.52	1.38
2	C	601	53Q	C7-C6	6.81	1.52	1.38
2	A	601	53Q	C7-C6	6.79	1.52	1.38
2	D	601	53Q	C7-C6	6.53	1.51	1.38
2	B	601	53Q	O-C6	4.12	1.47	1.37
2	B	601	53Q	C20-C12	3.99	1.56	1.49
2	A	601	53Q	O-C6	3.99	1.46	1.37
2	C	601	53Q	C20-C12	3.94	1.56	1.49
2	B	601	53Q	C9-C12	3.88	1.56	1.49
2	D	601	53Q	C20-C12	3.85	1.56	1.49

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	C	601	53Q	O-C6	3.83	1.46	1.37
2	D	601	53Q	O-C6	3.71	1.46	1.37
2	A	601	53Q	C20-C12	3.67	1.55	1.49
2	C	601	53Q	C9-C12	3.63	1.55	1.49
2	A	601	53Q	C9-C12	3.38	1.55	1.49
2	D	601	53Q	C9-C12	3.25	1.55	1.49
2	B	601	53Q	C14-C13	3.02	1.53	1.48
2	A	601	53Q	C14-C13	2.84	1.53	1.48
2	D	601	53Q	C14-C13	2.63	1.53	1.48
2	C	601	53Q	C14-C13	2.52	1.53	1.48

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	D	601	53Q	C5-O-C6	-3.79	108.01	117.93
2	C	601	53Q	C25-C20-C12	3.47	126.42	120.91
2	B	601	53Q	C25-C20-C12	3.36	126.23	120.91
2	D	601	53Q	C8-C9-C12	-3.24	115.77	120.91
2	B	601	53Q	C21-C20-C25	-2.99	114.32	118.59
2	D	601	53Q	C21-C20-C25	-2.97	114.35	118.59
2	C	601	53Q	C21-C20-C25	-2.93	114.41	118.59
2	A	601	53Q	C25-C20-C12	2.77	125.31	120.91
2	A	601	53Q	C5-C4-N1	-2.51	106.48	113.31
2	A	601	53Q	C21-C20-C25	-2.48	115.05	118.59
2	B	601	53Q	C24-C25-C20	2.48	123.28	120.34
2	D	601	53Q	O-C5-C4	2.47	113.77	107.68
2	C	601	53Q	C14-C13-CL	2.47	118.22	113.60
2	C	601	53Q	C8-C9-C12	-2.46	117.00	120.91
2	B	601	53Q	C14-C13-CL	2.46	118.19	113.60
2	A	601	53Q	C14-C13-CL	2.43	118.14	113.60
2	D	601	53Q	C21-C20-C12	2.36	124.66	120.91
2	B	601	53Q	O-C5-C4	2.26	113.25	107.68
2	A	601	53Q	C8-C9-C12	-2.18	117.46	120.91
2	C	601	53Q	C24-C25-C20	2.01	122.72	120.34
2	D	601	53Q	C24-C25-C20	2.00	122.71	120.34

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	D	601	53Q	C5-C4-N1-C3
2	C	601	53Q	C5-C4-N1-C3

Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Atoms
2	D	601	53Q	C11-C6-O-C5
2	D	601	53Q	C7-C6-O-C5
2	C	601	53Q	C4-C5-O-C6
2	A	601	53Q	C2-C3-N1-C26
2	B	601	53Q	C27-C26-N1-C3
2	A	601	53Q	C2-C3-N1-C4
2	B	601	53Q	C2-C3-N1-C4
2	B	601	53Q	C27-C26-N1-C4
2	C	601	53Q	C2-C3-N1-C4
2	A	601	53Q	C4-C5-O-C6
2	B	601	53Q	C4-C5-O-C6
2	C	601	53Q	C2-C3-N1-C26
2	B	601	53Q	C2-C3-N1-C26
2	D	601	53Q	N1-C4-C5-O
2	C	601	53Q	C27-C26-N1-C4
2	C	601	53Q	C27-C26-N1-C3


There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









4.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

4.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

5 Fit of model and data

5.1 Protein, DNA and RNA chains

EDS failed to run properly - this section is therefore empty.

5.2 Non-standard residues in protein, DNA, RNA chains

EDS failed to run properly - this section is therefore empty.

5.3 Carbohydrates

EDS failed to run properly - this section is therefore empty.

5.4 Ligands

EDS failed to run properly - this section is therefore empty.

5.5 Other polymers

EDS failed to run properly - this section is therefore empty.