



Full wwPDB X-ray Structure Validation Report i

Aug 23, 2021 – 09:06 pm BST

PDB ID : 7ABW
Title : Crystal structure of siderophore reductase FoxB
Authors : Josts, I.; Tidow, H.
Deposited on : 2020-09-09
Resolution : 3.35 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	2.23.1
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.23.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 3.35 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1558 (3.42-3.30)
Clashscore	141614	1627 (3.42-3.30)
Ramachandran outliers	138981	1599 (3.42-3.30)
Sidechain outliers	138945	1598 (3.42-3.30)
RSRZ outliers	127900	1507 (3.42-3.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5%. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	HEM	A	402	-	-	X	-
2	HEM	B	401	-	-	X	-

2 Entry composition (i)


There are 5 unique types of molecules in this entry. The entry contains 6047 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called PepSY domain-containing protein.


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	360	Total	C 2863	N 1877	O 494	S 484	8	0	0
1	B	365	Total	C 2911	N 1906	O 507	S 490	8	0	0

- Molecule 2 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C 43	Fe 34	N 1	O 4	4	0
2	A	1	Total	C 43	Fe 34	N 1	O 4	4	0
2	B	1	Total	C 43	Fe 34	N 1	O 4	4	0
2	B	1	Total	C 43	Fe 34	N 1	O 4	4	0

- Molecule 3 is 3,6,9,12,15,18,21,24-OCTAOXAHEXACOSAN-1-OL (three-letter code: PE5) (formula: C₁₈H₃₈O₉).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
			Total C O		
3	A	1	17 11 6	0	0

- Molecule 4 is DECYL-BETA-D-MALTOPYRANOSIDE (three-letter code: DMU) (formula: C₂₂H₄₂O₁₁).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
			Total C O		
4	A	1	12 11 1	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C O 33 22 11	0	0
4	B	1	Total C O 12 11 1	0	0
4	B	1	Total C O 12 11 1	0	0
4	B	1	Total C O 12 11 1	0	0

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	2	Total Zn 2 2	0	0
5	B	1	Total Zn 1 1	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: PepSY domain-containing protein



- Molecule 1: PepSY domain-containing protein





4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, α , β , γ	237.06 Å 114.32 Å 64.38 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	46.36 – 3.35 46.31 – 3.35	Depositor EDS
% Data completeness (in resolution range)	59.3 (46.36-3.35) 59.4 (46.31-3.35)	Depositor EDS
R_{merge}	0.06	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.73 (at 3.32 Å)	Xtriage
Refinement program	REFMAC 5.8.0258	Depositor
R , R_{free}	0.265 , 0.299 0.263 , 0.306	Depositor DCC
R_{free} test set	767 reflections (4.99%)	wwPDB-VP
Wilson B-factor (Å ²)	41.6	Xtriage
Anisotropy	0.366	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 40.0	EDS
L-test for twinning ²	$< L > = 0.49$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.81	EDS
Total number of atoms	6047	wwPDB-VP
Average B, all atoms (Å ²)	40.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.58% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, PE5, DMU, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.70	1/2959 (0.0%)	0.95	7/4029 (0.2%)
1	B	0.66	1/3009 (0.0%)	0.92	6/4096 (0.1%)
All	All	0.68	2/5968 (0.0%)	0.94	13/8125 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	B	336	TYR	C-N	8.52	1.50	1.34
1	A	111	GLU	CD-OE1	-6.98	1.18	1.25

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	83	HIS	CB-CA-C	14.21	138.81	110.40
1	A	110	GLY	N-CA-C	-12.23	82.53	113.10
1	A	372	ARG	NE-CZ-NH1	-11.86	114.37	120.30
1	B	199	ARG	NE-CZ-NH2	-11.07	114.76	120.30
1	B	381	GLY	N-CA-C	-10.10	87.86	113.10
1	A	372	ARG	CD-NE-CZ	8.69	135.76	123.60
1	A	333	ARG	NE-CZ-NH1	-7.45	116.57	120.30
1	B	83	HIS	N-CA-C	-6.89	92.40	111.00
1	A	375	ARG	CG-CD-NE	6.62	125.71	111.80

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	20	LEU	CB-CG-CD1	-6.36	100.18	111.00
1	B	381	GLY	C-N-CA	6.12	137.00	121.70
1	A	138	ASN	CB-CA-C	-5.20	100.01	110.40
1	B	71	LEU	CA-CB-CG	5.11	127.05	115.30

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	372	ARG	Sidechain

5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2863	0	2800	134	0
1	B	2911	0	2845	142	0
2	A	86	0	60	33	0
2	B	86	0	60	42	0
3	A	17	0	21	0	0
4	A	45	0	63	1	0
4	B	36	0	63	1	0
5	A	2	0	0	0	0
5	B	1	0	0	0	0
All	All	6047	0	5912	297	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 25.

All (297) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:GLY:CA	2:A:402:HEM:HBB2	1.57	1.33
1:B:378:HIS:O	1:B:381:GLY:O	1.66	1.13
1:B:147:LEU:HD12	1:B:220:ASN:HD22	1.13	1.11

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:24:GLY:HA2	2:A:402:HEM:HBB2	1.13	1.10
1:A:150:MET:O	2:A:402:HEM:HBC1	1.53	1.09
1:A:24:GLY:HA3	2:A:402:HEM:HBB2	1.41	1.01
1:A:24:GLY:CA	2:A:402:HEM:CBB	2.45	0.94
1:B:147:LEU:HD12	1:B:220:ASN:ND2	1.82	0.93
2:B:401:HEM:HBC2	2:B:401:HEM:HHD	1.50	0.93
2:A:401:HEM:HBC2	2:A:401:HEM:HMC2	1.48	0.93
1:B:24:GLY:HA2	2:B:402:HEM:CBB	2.00	0.92
1:B:236:ILE:HD11	1:B:328:GLY:O	1.72	0.88
1:B:275:ILE:HG21	1:B:295:PHE:HD2	1.41	0.85
1:B:154:ALA:HB2	2:B:402:HEM:CBC	2.05	0.85
1:B:45:TYR:HD2	1:B:83:HIS:CE1	1.94	0.84
1:B:154:ALA:HB2	2:B:402:HEM:HBC1	1.59	0.83
2:A:401:HEM:HBC2	2:A:401:HEM:CMC	2.08	0.82
1:A:24:GLY:HA3	2:A:402:HEM:CBB	2.05	0.82
1:B:44:PHE:HD2	1:B:116:ARG:HH21	1.25	0.81
1:A:12:VAL:HG11	1:A:160:ASP:HB2	1.61	0.80
2:A:402:HEM:HBC2	2:A:402:HEM:CMC	2.12	0.80
2:A:402:HEM:HBC2	2:A:402:HEM:HMC1	1.63	0.80
1:A:16:THR:HG22	1:A:20:LEU:HB2	1.62	0.79
1:B:336:TYR:HB3	1:B:337:PRO:HD3	1.64	0.79
1:B:121:CYS:HB3	1:B:127:ASN:HB2	1.64	0.78
1:B:366:GLY:HA2	1:B:369:ILE:HG12	1.64	0.78
1:B:30:LEU:HD21	1:B:133:LEU:HA	1.65	0.78
1:A:24:GLY:HA2	2:A:402:HEM:CBB	2.07	0.77
1:A:150:MET:O	2:A:402:HEM:CBC	2.32	0.77
1:B:241:TYR:HE2	1:B:287:GLU:OE2	1.67	0.77
1:B:13:GLY:O	2:B:401:HEM:CBC	2.32	0.77
1:B:362:LEU:CD2	2:B:401:HEM:CBB	2.63	0.76
1:A:195:PHE:CZ	1:A:199:ARG:HD2	2.20	0.76
1:A:219:LEU:HD21	1:A:336:TYR:HD2	1.50	0.76
1:B:73:TRP:CD1	1:B:90:VAL:HG12	2.22	0.74
1:B:362:LEU:HD23	2:B:401:HEM:HBB2	1.68	0.74
1:A:2:ARG:HB3	1:A:3:PRO:HD3	1.68	0.74
1:A:20:LEU:HD11	1:A:157:TRP:CE3	2.24	0.72
1:B:362:LEU:HD21	2:B:401:HEM:CBB	2.20	0.71
1:B:40:LEU:HB3	1:B:125:PRO:HB3	1.72	0.71
1:B:135:PHE:CD1	1:B:139:LEU:HA	2.25	0.71
1:A:198:HIS:HD1	1:A:365:THR:HG23	1.56	0.71
1:B:362:LEU:CD2	2:B:401:HEM:HBB2	2.21	0.70
1:B:45:TYR:CD2	1:B:83:HIS:HE1	2.10	0.70

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:362:LEU:HD23	2:B:401:HEM:CBB	2.22	0.70
1:B:45:TYR:HD2	1:B:83:HIS:HE1	1.40	0.69
1:B:89:THR:HG21	1:B:103:PHE:HE2	1.57	0.69
1:B:219:LEU:HD12	1:B:339:HIS:ND1	2.07	0.69
1:A:279:ILE:HG12	1:A:295:PHE:CE1	2.28	0.69
1:A:89:THR:HG21	1:A:103:PHE:CE2	2.27	0.69
2:A:401:HEM:HBD1	2:A:401:HEM:HHA	1.74	0.69
1:B:45:TYR:CD2	1:B:83:HIS:CE1	2.80	0.69
1:B:86:LEU:C	1:B:86:LEU:HD23	2.13	0.69
2:B:401:HEM:HBC2	2:B:401:HEM:CHD	2.14	0.69
1:B:373:LYS:HD3	1:B:377:ARG:NH1	2.07	0.68
1:B:86:LEU:HD23	1:B:86:LEU:O	1.93	0.68
2:A:401:HEM:HHA	2:A:401:HEM:HBA2	1.76	0.68
1:B:236:ILE:CD1	1:B:328:GLY:O	2.41	0.68
1:B:152:GLY:HA2	1:B:155:MET:HG2	1.74	0.68
1:B:20:LEU:HD21	1:B:157:TRP:CG	2.29	0.67
1:B:275:ILE:HG21	1:B:295:PHE:CD2	2.26	0.67
1:B:13:GLY:O	2:B:401:HEM:HBC2	1.94	0.67
1:B:91:PRO:HB3	1:B:96:ALA:HB3	1.77	0.67
1:B:135:PHE:HD1	1:B:139:LEU:HA	1.60	0.67
1:B:71:LEU:HD23	1:B:92:ARG:NH1	2.09	0.66
1:A:359:ILE:HG21	2:A:402:HEM:HBB1	1.77	0.66
1:A:150:MET:C	2:A:402:HEM:HBC1	2.16	0.65
1:B:373:LYS:O	1:B:377:ARG:HG3	1.97	0.64
1:B:362:LEU:HD21	2:B:401:HEM:HBB1	1.77	0.64
1:A:89:THR:HG21	1:A:103:PHE:HE2	1.62	0.64
1:A:344:ALA:HB3	1:A:348:GLY:HA3	1.80	0.64
1:A:205:LEU:HD23	2:A:401:HEM:CBB	2.27	0.64
1:B:20:LEU:HD21	1:B:157:TRP:CD2	2.33	0.64
1:A:10:ARG:NH2	2:A:401:HEM:O1A	2.31	0.63
1:B:10:ARG:HG2	2:B:401:HEM:CGD	2.28	0.63
1:B:241:TYR:CE2	1:B:287:GLU:OE2	2.50	0.63
1:A:239:SER:HB2	1:A:242:GLU:H	1.63	0.63
1:A:287:GLU:HG3	1:A:288:TYR:CD2	2.34	0.62
2:B:401:HEM:HHD	2:B:401:HEM:CBC	2.24	0.62
1:B:89:THR:OG1	1:B:101:ASP:O	2.17	0.62
1:A:106:ASP:OD1	1:A:107:PRO:HD2	1.99	0.61
1:A:198:HIS:ND1	1:A:365:THR:HG23	2.15	0.61
1:B:71:LEU:CD2	1:B:92:ARG:NH1	2.64	0.61
1:A:137:HIS:CB	2:A:402:HEM:HMD3	2.29	0.60
1:A:20:LEU:HD11	1:A:157:TRP:CD2	2.35	0.60

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:283:TYR:CZ	1:A:285:SER:OG	2.54	0.60
1:B:55:SER:OG	1:B:260:ASP:OD1	2.17	0.60
1:A:191:TYR:HB2	1:A:372:ARG:HE	1.66	0.60
1:A:137:HIS:HB3	2:A:402:HEM:HMD3	1.83	0.59
1:B:60:VAL:HG21	1:B:259:TYR:CG	2.37	0.59
1:A:289:ASN:OD1	1:A:311:GLY:HA3	2.02	0.59
1:B:197:LEU:HD23	1:B:365:THR:HG21	1.84	0.59
1:A:120:ALA:HB3	1:A:127:ASN:OD1	2.01	0.59
1:A:53:ARG:HB3	1:A:80:ALA:HB2	1.84	0.59
1:B:334:LEU:HD22	1:B:343:ILE:HD11	1.85	0.59
1:A:157:TRP:HH2	2:A:402:HEM:HAB	1.67	0.59
1:B:252:LEU:HD13	1:B:288:TYR:HA	1.83	0.58
2:B:401:HEM:HMD1	2:B:401:HEM:HBD1	1.85	0.58
1:A:245:GLY:HA2	1:A:288:TYR:CE1	2.38	0.58
1:A:284:TYR:HB2	1:A:291:PHE:CE1	2.39	0.58
1:A:41:ASN:ND2	1:A:126:ALA:HA	2.18	0.58
1:A:121:CYS:O	1:A:123:PHE:CD1	2.57	0.57
2:B:402:HEM:HBC2	2:B:402:HEM:CMC	2.33	0.57
1:A:157:TRP:HE1	1:A:209:LEU:HD23	1.68	0.57
1:B:216:SER:HB3	2:B:402:HEM:CBC	2.34	0.57
1:A:234:SER:OG	1:A:235:PRO:HD2	2.05	0.57
1:B:133:LEU:HD21	2:B:402:HEM:O1D	2.03	0.57
1:A:75:MET:HA	1:A:86:LEU:O	2.05	0.57
1:B:129:VAL:HB	1:B:130:PRO:HD3	1.86	0.57
1:B:137:HIS:ND1	2:B:402:HEM:HMD2	2.20	0.57
1:A:165:ALA:O	1:A:169:LEU:HB2	2.05	0.57
1:B:1:MET:O	1:B:1:MET:HG2	2.04	0.56
1:B:6:VAL:HG22	1:B:167:LEU:HD11	1.86	0.56
1:A:146:GLY:HA2	1:A:149:LEU:HB3	1.87	0.56
1:B:144:ASN:HB3	1:B:148:TYR:CD1	2.39	0.56
1:B:16:THR:HB	1:B:20:LEU:HD13	1.88	0.56
1:B:73:TRP:CD1	1:B:88:ALA:O	2.59	0.56
1:A:305:SER:HB3	1:A:321:VAL:HA	1.88	0.56
2:A:402:HEM:CMC	2:A:402:HEM:CBC	2.84	0.56
1:A:324:GLN:HA	1:A:330:ARG:HH21	1.71	0.55
1:A:66:ARG:HB2	1:A:66:ARG:NH2	2.21	0.55
1:A:134:GLU:HG3	1:A:137:HIS:HE1	1.71	0.55
1:A:157:TRP:CH2	2:A:402:HEM:HAB	2.41	0.55
1:B:100:HIS:HB3	1:B:115:LYS:HB2	1.88	0.55
1:B:236:ILE:CG1	1:B:328:GLY:O	2.54	0.55
1:B:313:ASP:HB3	1:B:315:ARG:HG2	1.88	0.55

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:244:ARG:HD2	1:B:247:LEU:HD12	1.88	0.55
1:B:363:SER:O	1:B:367:VAL:HG23	2.07	0.55
2:B:402:HEM:CBC	2:B:402:HEM:CMC	2.84	0.55
1:B:313:ASP:OD2	1:B:315:ARG:HD3	2.06	0.55
1:B:245:GLY:HA2	1:B:288:TYR:CE2	2.42	0.55
1:B:24:GLY:HA2	2:B:402:HEM:HBB1	1.84	0.55
1:A:219:LEU:HD21	1:A:336:TYR:CD2	2.38	0.54
1:B:210:ALA:HB3	1:B:211:PRO:HD3	1.90	0.54
1:A:189:ASN:HB2	1:A:192:ARG:H	1.72	0.54
1:A:67:TYR:OH	1:A:115:LYS:HD3	2.08	0.54
1:B:352:ILE:HG23	2:B:402:HEM:HMB2	1.87	0.54
1:A:134:GLU:HG3	1:A:137:HIS:CE1	2.42	0.54
1:A:37:ASP:OD2	1:A:116:ARG:NH2	2.41	0.54
1:B:21:PHE:CE1	1:B:364:LEU:HD11	2.43	0.54
1:B:339:HIS:NE2	2:B:402:HEM:C1B	2.68	0.54
1:A:189:ASN:HB2	1:A:192:ARG:CB	2.37	0.54
1:A:304:LYS:O	1:A:322:ALA:HB2	2.08	0.54
1:A:37:ASP:O	1:A:41:ASN:N	2.42	0.53
1:A:142:PRO:HD2	1:A:145:TRP:HE3	1.73	0.53
1:A:362:LEU:HD21	2:A:401:HEM:HBB2	1.90	0.53
1:B:245:GLY:HA2	1:B:288:TYR:CZ	2.44	0.53
1:A:240:VAL:HG21	1:A:308:PHE:CG	2.44	0.52
1:B:13:GLY:CA	2:B:401:HEM:HBC2	2.38	0.52
1:B:13:GLY:O	2:B:401:HEM:HBC1	2.10	0.52
1:B:24:GLY:HA2	2:B:402:HEM:HBB2	1.87	0.52
2:A:402:HEM:HMC1	2:A:402:HEM:CBC	2.34	0.52
1:B:161:CYS:HA	1:B:206:TRP:CE3	2.45	0.52
1:B:216:SER:HB3	2:B:402:HEM:HBC2	1.91	0.52
1:B:89:THR:OG1	1:B:89:THR:O	2.28	0.51
1:A:44:PHE:O	1:A:84:PRO:HD2	2.09	0.51
1:B:133:LEU:O	1:B:137:HIS:HB2	2.10	0.51
1:A:203:LEU:O	1:A:207:LEU:HD13	2.11	0.51
1:B:373:LYS:HD3	1:B:377:ARG:HH11	1.73	0.51
1:A:71:LEU:O	1:A:89:THR:HA	2.12	0.50
1:B:72:VAL:HG22	1:B:89:THR:HG22	1.93	0.50
2:B:402:HEM:CBB	2:B:402:HEM:CMB	2.85	0.50
1:A:157:TRP:CZ2	1:A:359:ILE:HD13	2.47	0.50
1:B:291:PHE:O	1:B:308:PHE:HA	2.12	0.50
1:A:367:VAL:O	1:A:370:TRP:HB3	2.11	0.50
1:A:10:ARG:NE	2:A:401:HEM:O1A	2.44	0.50
1:A:230:VAL:HG22	4:A:404:DMU:H10	1.94	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:111:GLU:HA	1:A:111:GLU:OE1	2.12	0.50
1:A:67:TYR:OH	1:A:112:GLU:OE1	2.21	0.49
1:A:208:LEU:O	1:A:211:PRO:HD2	2.12	0.49
1:A:275:ILE:HD12	1:A:307:LEU:HD11	1.94	0.49
1:B:334:LEU:O	1:B:338:ILE:HG13	2.13	0.49
1:B:76:GLU:HG2	1:B:86:LEU:HB3	1.95	0.49
1:B:121:CYS:SG	1:B:124:GLN:HB2	2.53	0.49
1:B:106:ASP:HB3	1:B:109:SER:OG	2.12	0.49
1:B:2:ARG:NH1	1:B:167:LEU:O	2.46	0.49
1:B:208:LEU:O	1:B:211:PRO:HD2	2.13	0.49
1:A:245:GLY:HA2	1:A:288:TYR:CZ	2.48	0.49
1:A:364:LEU:O	1:A:367:VAL:HG12	2.13	0.49
1:B:50:GLY:HA3	1:B:108:VAL:HG21	1.95	0.48
1:B:372:ARG:NH2	1:B:376:ALA:HB2	2.27	0.48
1:B:10:ARG:CG	2:B:401:HEM:CGD	2.91	0.48
1:A:128:LEU:O	1:A:132:VAL:HG23	2.14	0.48
1:B:131:TRP:O	1:B:134:GLU:N	2.45	0.48
1:A:75:MET:HB2	1:A:87:LEU:HG	1.96	0.48
1:A:2:ARG:HA	1:A:2:ARG:HD2	1.74	0.47
1:B:302:MET:HG3	1:B:302:MET:O	2.14	0.47
1:A:20:LEU:HD21	1:A:157:TRP:CE2	2.49	0.47
2:B:401:HEM:HMD1	2:B:401:HEM:CBD	2.44	0.47
1:B:334:LEU:HD22	1:B:343:ILE:CD1	2.45	0.47
1:A:33:HIS:NE2	2:A:402:HEM:O2A	2.48	0.47
1:A:141:LEU:HB3	1:A:142:PRO:CD	2.44	0.47
1:A:143:GLY:C	1:A:145:TRP:N	2.67	0.47
1:A:240:VAL:HG21	1:A:308:PHE:CD2	2.50	0.47
1:B:8:LEU:CD2	1:B:163:VAL:HG21	2.45	0.47
2:B:402:HEM:HBD2	2:B:402:HEM:HHA	1.97	0.47
1:B:169:LEU:HA	1:B:203:LEU:HD22	1.97	0.47
1:A:113:VAL:HG22	1:A:113:VAL:O	2.15	0.47
1:B:25:LEU:HA	1:B:25:LEU:HD12	1.71	0.47
1:B:270:ALA:HB2	1:B:295:PHE:CZ	2.50	0.47
2:B:401:HEM:CBD	2:B:401:HEM:CMD	2.93	0.47
1:B:71:LEU:O	1:B:90:VAL:N	2.40	0.47
1:B:342:ARG:HG3	1:B:349:ARG:HD2	1.97	0.47
1:B:206:TRP:CZ2	2:B:401:HEM:C3B	3.03	0.46
1:A:334:LEU:C	1:A:337:PRO:HD2	2.34	0.46
1:B:7:LEU:HD13	1:B:7:LEU:HA	1.80	0.46
1:A:151:GLY:O	1:A:154:ALA:HB3	2.15	0.46
1:A:364:LEU:HD23	1:A:364:LEU:HA	1.61	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:70:GLN:C	1:B:92:ARG:HG3	2.35	0.46
1:A:120:ALA:O	1:A:127:ASN:HB3	2.15	0.46
2:A:401:HEM:HMC2	2:A:401:HEM:CBC	2.34	0.46
1:B:71:LEU:HD23	1:B:92:ARG:CZ	2.45	0.46
1:B:355:LEU:HD23	1:B:355:LEU:HA	1.77	0.46
1:B:139:LEU:O	1:B:140:THR:OG1	2.27	0.46
1:A:106:ASP:HB3	1:A:109:SER:O	2.16	0.46
1:A:231:SER:HA	1:A:234:SER:O	2.16	0.46
1:A:263:PHE:CE1	1:A:279:ILE:HD12	2.50	0.46
1:A:10:ARG:CZ	2:A:401:HEM:O1A	2.64	0.45
1:B:82:GLY:C	1:B:83:HIS:O	2.54	0.45
1:B:155:MET:HE1	4:B:403:DMU:H9	1.97	0.45
1:A:12:VAL:CG1	1:A:160:ASP:HB2	2.40	0.45
1:A:208:LEU:HD23	1:A:208:LEU:HA	1.63	0.45
1:B:91:PRO:HG3	1:B:98:VAL:CG1	2.46	0.45
1:B:206:TRP:CZ2	2:B:401:HEM:C4B	3.04	0.45
1:A:284:TYR:CE2	1:A:286:PHE:HD1	2.35	0.45
1:B:118:TRP:CD1	1:B:118:TRP:O	2.70	0.45
1:A:109:SER:O	1:A:109:SER:OG	2.35	0.45
1:B:99:GLU:O	1:B:117:LEU:HD13	2.17	0.45
1:A:313:ASP:OD2	1:A:315:ARG:NH2	2.48	0.44
1:B:118:TRP:O	1:B:118:TRP:CG	2.70	0.44
1:B:226:PHE:CE1	1:B:230:VAL:HG21	2.52	0.44
1:B:302:MET:CE	1:B:334:LEU:HD21	2.47	0.44
1:B:348:GLY:O	1:B:351:ALA:HB3	2.17	0.44
1:A:210:ALA:HB3	1:A:211:PRO:HD3	2.00	0.44
1:B:169:LEU:HG	1:B:170:PRO:HD2	2.00	0.44
1:A:20:LEU:HD12	1:A:20:LEU:HA	1.80	0.44
1:A:205:LEU:HD21	1:A:362:LEU:HD21	1.98	0.44
1:A:33:HIS:CD2	2:A:402:HEM:O2A	2.71	0.43
1:A:103:PHE:HE1	1:A:115:LYS:HD2	1.83	0.43
1:B:91:PRO:HG3	1:B:98:VAL:HG11	2.00	0.43
1:B:137:HIS:CD2	1:B:138:ASN:OD1	2.71	0.43
1:B:208:LEU:HA	1:B:208:LEU:HD23	1.77	0.43
1:B:70:GLN:CA	1:B:92:ARG:HG3	2.48	0.43
1:B:121:CYS:CB	1:B:127:ASN:HD22	2.31	0.43
1:B:137:HIS:CE1	2:B:402:HEM:HMD2	2.53	0.43
1:A:150:MET:HE3	2:A:402:HEM:CBC	2.48	0.43
1:A:244:ARG:HD2	1:A:247:LEU:HD12	2.00	0.43
1:A:324:GLN:CA	1:A:330:ARG:HH21	2.31	0.43
1:B:118:TRP:CD2	1:B:130:PRO:HB3	2.53	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:109:SER:O	1:A:111:GLU:N	2.52	0.43
1:A:143:GLY:C	1:A:145:TRP:H	2.22	0.43
1:B:281:GLU:HB3	1:B:306:TRP:CH2	2.53	0.43
1:A:222:PRO:HG2	1:A:223:SER:H	1.84	0.43
2:B:401:HEM:HBB2	2:B:401:HEM:CHC	2.48	0.43
1:A:282:LEU:HD23	1:A:282:LEU:HA	1.82	0.43
1:A:189:ASN:HB2	1:A:192:ARG:HB2	2.00	0.42
1:A:195:PHE:CE2	1:A:199:ARG:HD2	2.54	0.42
1:B:28:SER:O	1:B:31:ALA:HB3	2.19	0.42
1:A:3:PRO:HB3	1:B:276:ALA:HB3	2.01	0.42
1:B:362:LEU:CD2	2:B:401:HEM:HBB1	2.42	0.42
1:B:18:LEU:H	1:B:18:LEU:HD23	1.84	0.42
1:B:56:PRO:O	1:B:60:VAL:HG23	2.20	0.42
1:A:5:LEU:CB	1:A:167:LEU:HD12	2.49	0.42
1:B:234:SER:OG	1:B:235:PRO:HD2	2.19	0.42
2:B:401:HEM:HHA	2:B:401:HEM:HBA1	2.01	0.42
1:A:129:VAL:HB	1:A:130:PRO:HD3	2.00	0.42
1:A:361:GLY:O	1:A:365:THR:HG22	2.20	0.42
1:B:240:VAL:O	1:B:244:ARG:HB2	2.20	0.42
1:A:141:LEU:HB3	1:A:142:PRO:HD2	2.02	0.42
1:A:220:ASN:OD1	2:A:402:HEM:HAC	2.20	0.42
1:A:342:ARG:HE	1:A:349:ARG:HD2	1.85	0.42
1:A:346:LEU:N	1:A:347:PRO:CD	2.83	0.42
1:A:279:ILE:HG12	1:A:295:PHE:CD1	2.55	0.42
1:A:372:ARG:HA	1:A:375:ARG:HD3	2.02	0.42
2:B:401:HEM:CBB	2:B:401:HEM:HHC	2.50	0.42
1:A:158:PHE:CE2	1:A:214:LEU:HD13	2.55	0.41
1:A:270:ALA:HB2	1:A:295:PHE:CE2	2.55	0.41
1:B:208:LEU:HD13	1:B:355:LEU:HD21	2.01	0.41
1:A:41:ASN:ND2	1:A:125:PRO:O	2.53	0.41
2:B:401:HEM:CBB	2:B:401:HEM:CHC	2.98	0.41
1:B:352:ILE:CG2	2:B:402:HEM:HMB2	2.50	0.41
1:A:71:LEU:HD23	1:A:71:LEU:HA	1.77	0.41
1:A:310:HIS:CD2	1:A:315:ARG:NH2	2.89	0.41
1:B:19:PHE:HB3	1:B:153:VAL:HG11	2.03	0.41
1:B:373:LYS:HG2	1:B:377:ARG:HE	1.86	0.41
1:A:3:PRO:HB3	1:B:276:ALA:CB	2.51	0.41
1:A:75:MET:HE3	1:A:75:MET:HB3	1.90	0.41
1:A:283:TYR:OH	1:A:285:SER:OG	2.33	0.41
1:B:129:VAL:N	1:B:130:PRO:CD	2.83	0.41
1:A:144:ASN:HB3	1:A:148:TYR:CE2	2.56	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:295:PHE:O	1:A:304:LYS:HA	2.21	0.41
1:B:282:LEU:HD23	1:B:293:ALA:HA	2.01	0.40
1:A:2:ARG:CB	1:A:3:PRO:HD3	2.46	0.40
1:A:362:LEU:CD2	2:A:401:HEM:HBB2	2.52	0.40
1:A:32:PHE:O	1:A:36:ILE:HG13	2.21	0.40
1:B:203:LEU:O	1:B:207:LEU:HG	2.21	0.40
1:A:161:CYS:HA	1:A:206:TRP:CZ3	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	356/382 (93%)	332 (93%)	24 (7%)	0	100 100
1	B	361/382 (94%)	346 (96%)	15 (4%)	0	100 100
All	All	717/764 (94%)	678 (95%)	39 (5%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	285/303 (94%)	282 (99%)	3 (1%)	73 86

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	B	289/303 (95%)	286 (99%)	3 (1%)	76 87
All	All	574/606 (95%)	568 (99%)	6 (1%)	76 87

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	93	GLU
1	A	140	THR
1	A	333	ARG
1	B	87	LEU
1	B	171	ARG
1	B	327	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	41	ASN
1	A	137	HIS
1	B	83	HIS
1	B	127	ASN
1	B	194	ASN
1	B	220	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

5.6 Ligand geometry (i)

Of 13 ligands modelled in this entry, 3 are monoatomic - leaving 10 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	HEM	A	402	1	27,50,50	2.86	13 (48%)	17,82,82	2.28	6 (35%)
4	DMU	B	404	-	11,11,34	0.54	0	10,10,45	0.78	0
4	DMU	B	405	-	11,11,34	0.69	0	10,10,45	0.40	0
2	HEM	B	401	1	27,50,50	2.86	15 (55%)	17,82,82	2.98	9 (52%)
4	DMU	A	405	-	34,34,34	1.16	3 (8%)	45,45,45	1.90	14 (31%)
2	HEM	B	402	1	27,50,50	3.21	17 (62%)	17,82,82	2.40	6 (35%)
3	PE5	A	403	-	16,16,26	0.50	0	15,15,25	0.38	0
2	HEM	A	401	1	27,50,50	2.16	12 (44%)	17,82,82	2.56	8 (47%)
4	DMU	A	404	-	11,11,34	0.46	0	10,10,45	0.69	0
4	DMU	B	403	-	11,11,34	0.61	0	10,10,45	0.67	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	HEM	A	402	1	-	0/6/54/54	-
4	DMU	B	404	-	-	7/9/9/59	-
4	DMU	B	405	-	-	5/9/9/59	-
2	HEM	B	401	1	-	2/6/54/54	-
4	DMU	A	405	-	-	6/19/59/59	0/2/2/2
2	HEM	B	402	1	-	0/6/54/54	-
3	PE5	A	403	-	-	7/14/14/24	-
2	HEM	A	401	1	-	5/6/54/54	-
4	DMU	A	404	-	-	5/9/9/59	-
4	DMU	B	403	-	-	6/9/9/59	-

All (60) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	402	HEM	C3B-C2B	-8.90	1.28	1.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	HEM	C3B-C2B	-7.74	1.29	1.40
2	A	402	HEM	C3B-C2B	-6.74	1.31	1.40
2	B	402	HEM	C3C-C2C	-5.46	1.32	1.40
2	A	402	HEM	C1D-ND	-5.25	1.25	1.36
2	B	402	HEM	C3B-CAB	-4.95	1.37	1.47
2	A	401	HEM	C3B-C2B	-4.77	1.33	1.40
2	A	402	HEM	C3C-C2C	-4.49	1.34	1.40
2	A	402	HEM	C4B-NB	-4.36	1.27	1.36
2	B	401	HEM	C3B-CAB	-4.21	1.39	1.47
2	B	401	HEM	C1D-ND	-4.20	1.27	1.36
2	A	402	HEM	C1C-C2C	-4.20	1.33	1.42
2	B	401	HEM	CAA-C2A	-4.13	1.46	1.52
2	B	402	HEM	C3C-CAC	-4.08	1.39	1.47
2	A	402	HEM	C3C-CAC	-4.05	1.39	1.47
2	A	401	HEM	C3C-C2C	-3.95	1.34	1.40
2	B	401	HEM	C3C-C2C	-3.89	1.35	1.40
2	B	402	HEM	CMA-C3A	-3.75	1.43	1.51
2	B	401	HEM	C4B-NB	-3.63	1.28	1.36
2	A	401	HEM	C1D-ND	-3.57	1.28	1.36
2	B	401	HEM	CAD-C3D	-3.54	1.46	1.52
2	A	402	HEM	CAD-C3D	-3.48	1.46	1.52
2	B	402	HEM	C4B-NB	-3.37	1.29	1.36
2	B	402	HEM	C1C-C2C	-3.37	1.34	1.42
2	B	402	HEM	C4A-NA	-3.20	1.29	1.36
2	B	402	HEM	C1D-ND	-3.19	1.29	1.36
2	B	402	HEM	C1A-CHA	-3.15	1.32	1.41
2	A	401	HEM	C3D-C2D	-3.11	1.28	1.37
2	B	402	HEM	C2A-C3A	-3.03	1.28	1.37
2	A	402	HEM	C3B-CAB	-2.99	1.41	1.47
2	B	401	HEM	C1A-CHA	-2.96	1.32	1.41
2	A	402	HEM	CMD-C2D	-2.90	1.45	1.51
2	B	401	HEM	C3C-CAC	-2.74	1.42	1.47
2	B	402	HEM	C4A-CHB	-2.61	1.33	1.41
2	A	401	HEM	C1C-C2C	-2.60	1.36	1.42
2	B	402	HEM	C1A-NA	-2.54	1.30	1.36
2	B	401	HEM	CMD-C2D	-2.51	1.46	1.51
2	A	402	HEM	CMA-C3A	-2.50	1.46	1.51
2	A	402	HEM	C3D-C2D	-2.47	1.30	1.37
2	A	401	HEM	C1D-CHD	-2.47	1.34	1.41
2	B	402	HEM	CMD-C2D	-2.44	1.46	1.51
4	A	405	DMU	O4-C7	2.39	1.48	1.43
2	A	401	HEM	C4B-NB	-2.39	1.31	1.36

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	B	401	HEM	C1A-NA	-2.38	1.31	1.36
2	B	402	HEM	CAD-C3D	-2.36	1.48	1.52
2	B	401	HEM	C3D-C2D	-2.35	1.30	1.37
2	B	402	HEM	C1D-CHD	-2.30	1.34	1.41
2	B	402	HEM	C4B-CHC	-2.28	1.34	1.41
2	B	401	HEM	C1C-C2C	-2.28	1.37	1.42
2	A	401	HEM	C3C-CAC	-2.27	1.43	1.47
2	B	401	HEM	C4A-CHB	-2.25	1.34	1.41
4	A	405	DMU	O1-C10	2.24	1.47	1.41
2	B	401	HEM	C1B-C2B	-2.22	1.37	1.42
2	A	401	HEM	C4A-CHB	-2.21	1.34	1.41
2	A	402	HEM	C2A-C3A	-2.18	1.31	1.37
2	A	401	HEM	CMD-C2D	-2.13	1.47	1.51
2	A	401	HEM	C1A-CHA	-2.05	1.35	1.41
4	A	405	DMU	O55-C2	2.05	1.47	1.43
2	A	401	HEM	CAD-C3D	-2.04	1.48	1.52
2	A	402	HEM	C4A-NA	-2.03	1.32	1.36

All (43) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	401	HEM	CAA-CBA-CGA	-7.04	100.86	112.67
2	B	401	HEM	C3B-C4B-NB	-5.27	102.39	109.21
2	B	401	HEM	CBA-CAA-C2A	-5.04	103.19	112.49
2	B	402	HEM	C4C-C3C-C2C	4.68	110.16	106.90
2	B	402	HEM	CMA-C3A-C4A	-4.52	121.52	128.46
2	B	402	HEM	C4A-C3A-C2A	4.48	110.11	107.00
2	A	402	HEM	C3C-C4C-NC	-4.39	102.65	110.94
2	A	402	HEM	C4C-C3C-C2C	4.38	109.96	106.90
2	A	401	HEM	CBA-CAA-C2A	4.22	120.27	112.49
4	A	405	DMU	C7-C8-C9	4.07	117.50	110.24
2	A	401	HEM	CBD-CAD-C3D	4.05	119.94	112.48
2	A	402	HEM	CMC-C2C-C3C	3.95	132.07	124.68
4	A	405	DMU	O5-C6-O16	3.81	119.01	109.97
2	A	401	HEM	CMA-C3A-C4A	-3.63	122.89	128.46
4	A	405	DMU	O16-C6-C1	3.60	113.92	108.30
4	A	405	DMU	C2-C3-C4	3.53	119.02	110.93
4	A	405	DMU	O3-C5-C10	3.52	118.60	110.05
4	A	405	DMU	C10-C5-C7	3.44	117.16	110.00
2	A	401	HEM	C4A-C3A-C2A	3.40	109.36	107.00
2	A	401	HEM	CAD-CBD-CGD	-3.33	107.09	112.67
2	A	401	HEM	CAD-C3D-C2D	-3.27	117.85	127.25

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	B	402	HEM	CMC-C2C-C3C	3.17	130.62	124.68
2	B	401	HEM	C3C-C4C-NC	-3.12	105.05	110.94
2	A	402	HEM	C4A-C3A-C2A	2.99	109.07	107.00
4	A	405	DMU	C18-O16-C6	2.98	118.78	113.84
2	B	401	HEM	CAD-CBD-CGD	-2.91	107.78	112.67
2	B	402	HEM	C3C-C4C-NC	-2.80	105.66	110.94
2	A	402	HEM	C1D-C2D-C3D	2.78	108.93	107.00
4	A	405	DMU	C10-O7-C3	-2.70	111.29	117.96
2	A	401	HEM	CMC-C2C-C3C	2.60	129.55	124.68
2	B	401	HEM	C4C-C3C-C2C	2.60	108.71	106.90
2	B	401	HEM	CAD-C3D-C2D	2.47	134.34	127.25
2	B	401	HEM	C1D-C2D-C3D	-2.47	105.28	107.00
4	A	405	DMU	O5-C4-C3	2.45	114.91	109.75
4	A	405	DMU	O49-C1-C2	-2.37	104.86	110.35
4	A	405	DMU	C1-C2-C3	2.36	115.06	109.68
2	A	401	HEM	CAA-C2A-C3A	-2.33	120.55	127.25
2	B	401	HEM	CMA-C3A-C4A	-2.33	124.89	128.46
2	B	402	HEM	CAD-CBD-CGD	-2.25	108.90	112.67
2	A	402	HEM	CBA-CAA-C2A	2.20	116.55	112.49
4	A	405	DMU	C6-C1-C2	2.14	114.46	110.00
4	A	405	DMU	O49-C1-C6	2.13	115.22	110.05
4	A	405	DMU	O2-C8-C7	-2.07	105.57	110.35

There are no chirality outliers.

All (43) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	HEM	C1A-C2A-CAA-CBA
2	A	401	HEM	C3A-C2A-CAA-CBA
2	A	401	HEM	C2A-CAA-CBA-CGA
2	A	401	HEM	C2D-C3D-CAD-CBD
2	A	401	HEM	C4D-C3D-CAD-CBD
2	B	401	HEM	C2D-C3D-CAD-CBD
2	B	401	HEM	C4D-C3D-CAD-CBD
4	A	405	DMU	C1-C6-O16-C18
3	A	403	PE5	O7-C13-C14-O8
4	B	404	DMU	O16-C18-C19-C22
4	B	403	DMU	O16-C18-C19-C22
4	B	403	DMU	C25-C28-C31-C34
4	B	405	DMU	C25-C28-C31-C34
4	B	403	DMU	C31-C34-C37-C40
4	B	404	DMU	C19-C22-C25-C28

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	A	405	DMU	O5-C6-O16-C18
4	A	404	DMU	C19-C22-C25-C28
4	B	404	DMU	C18-C19-C22-C25
4	A	404	DMU	C19-C18-O16-C6
4	B	404	DMU	C19-C18-O16-C6
4	B	405	DMU	C19-C18-O16-C6
4	B	405	DMU	C22-C25-C28-C31
4	B	403	DMU	C28-C31-C34-C37
4	A	404	DMU	C34-C37-C40-C43
4	A	404	DMU	C25-C28-C31-C34
4	A	405	DMU	C19-C18-O16-C6
4	A	405	DMU	C18-C19-C22-C25
4	A	405	DMU	C22-C25-C28-C31
4	B	404	DMU	C25-C28-C31-C34
3	A	403	PE5	C8-C7-O4-C6
4	A	404	DMU	C31-C34-C37-C40
3	A	403	PE5	C7-C8-O5-C9
4	B	403	DMU	C19-C22-C25-C28
4	B	405	DMU	C34-C37-C40-C43
4	B	404	DMU	C28-C31-C34-C37
4	B	404	DMU	C31-C34-C37-C40
3	A	403	PE5	C11-C12-O7-C13
3	A	403	PE5	O6-C11-C12-O7
3	A	403	PE5	C13-C14-O8-C15
4	B	403	DMU	C34-C37-C40-C43
3	A	403	PE5	O8-C15-C16-O52
4	B	405	DMU	C19-C22-C25-C28
4	A	405	DMU	C34-C37-C40-C43


There are no ring outliers.


6 monomers are involved in 77 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	402	HEM	22	0
2	B	401	HEM	25	0
2	B	402	HEM	17	0
2	A	401	HEM	11	0
4	A	404	DMU	1	0
4	B	403	DMU	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In


addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


















5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	360/382 (94%)	-0.51	3 (0%) 86 89	6, 21, 64, 98	0
1	B	365/382 (95%)	-0.18	7 (1%) 66 70	16, 54, 90, 103	0
All	All	725/764 (94%)	-0.34	10 (1%) 75 78	6, 34, 86, 103	0

All (10) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	378	HIS	3.9
1	B	381	GLY	3.4
1	B	70	GLN	2.7
1	B	248	PRO	2.7
1	B	94	ALA	2.4
1	B	250	GLU	2.4
1	B	90	VAL	2.3
1	A	1	MET	2.2
1	B	71	LEU	2.0
1	A	124	GLN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains i

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates i

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	DMU	A	405	33/33	0.88	0.38	30,54,64,65	0
4	DMU	B	405	12/33	0.89	0.44	27,33,49,49	0
4	DMU	B	404	12/33	0.93	0.16	12,18,32,32	0
3	PE5	A	403	17/27	0.93	0.17	25,38,46,50	0
2	HEM	A	401	43/43	0.96	0.17	20,32,38,49	0
4	DMU	B	403	12/33	0.96	0.21	22,29,34,34	0
2	HEM	A	402	43/43	0.97	0.18	8,16,20,23	0
4	DMU	A	404	12/33	0.97	0.21	12,13,15,17	0
2	HEM	B	401	43/43	0.97	0.17	15,25,33,40	0
2	HEM	B	402	43/43	0.98	0.16	14,23,32,40	0
5	ZN	A	407	1/1	0.98	0.04	67,67,67,67	0
5	ZN	B	406	1/1	0.98	0.04	61,61,61,61	0
5	ZN	A	406	1/1	0.99	0.08	47,47,47,47	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.