



Full wwPDB X-ray Structure Validation Report i

May 17, 2023 – 06:03 PM EDT

PDB ID : 7FSF
Title : CRYSTAL STRUCTURE OF T. MARITIMA REVERSE GYRASE ACTIVE SITE VARIANT Y851F
Authors : Rasche, R.; Kummel, D.; Rudolph, M.G.; Klostermeier, D.
Deposited on : 2023-01-04
Resolution : 2.77 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see references ①) were used in the production of this report:

MolProbity : 4.02b-467
Xtriage (Phenix) : 1.13
EDS : 2.32.2
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac : 5.8.0158
CCP4 : 7.0.044 (Gargrove)
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.32.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	4107 (2.80-2.76)
Clashscore	141614	4575 (2.80-2.76)
Ramachandran outliers	138981	4487 (2.80-2.76)
Sidechain outliers	138945	4489 (2.80-2.76)
RSRZ outliers	127900	4027 (2.80-2.76)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1104	7% 83% 16% . .

2 Entry composition [\(i\)](#)

There are 2 unique types of molecules in this entry. The entry contains 9031 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Reverse gyrase.

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
1	A	1102	Total	C 9029	N 5759	O 1563	S 1681	26	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	851	PHE	TYR	engineered mutation	UNP O51934


- Molecule 2 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	2	Total 2	Zn 2	0

3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Reverse gyrase



4 Data and refinement statistics i

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	183.93Å 103.26Å 95.67Å 90.00° 116.82° 90.00°	Depositor
Resolution (Å)	51.86 – 2.77 85.38 – 2.77	Depositor EDS
% Data completeness (in resolution range)	72.9 (51.86-2.77) 70.9 (85.38-2.77)	Depositor EDS
R_{merge}	0.35	Depositor
R_{sym}	(Not available)	Depositor
$< I/\sigma(I) >$ ¹	1.56 (at 2.77Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R , R_{free}	0.219 , 0.273 0.228 , 0.279	Depositor DCC
R_{free} test set	1475 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	62.8	Xtriage
Anisotropy	0.073	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.29 , 32.9	EDS
L-test for twinning ²	$< L > = 0.48$, $< L^2 > = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	9031	wwPDB-VP
Average B, all atoms (Å ²)	77.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.72% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $< |L| >$, $< L^2 >$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.25	0/9190	0.50	0/12354

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	9029	0	9186	91	0
2	A	2	0	0	0	0
All	All	9031	0	9186	91	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 5.

All (91) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:555:THR:HG21	1:A:846:LYS:HA	1.67	0.76
1:A:688:THR:HG22	1:A:690:SER:H	1.59	0.67

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:566:ARG:HB2	1:A:573:VAL:HG13	1.79	0.64
1:A:305:LEU:HD13	1:A:357:ILE:HD13	1.78	0.63
1:A:964:ILE:HD13	1:A:970:ASN:HD21	1.64	0.61
1:A:329:LEU:HD12	1:A:359:ILE:HD11	1.85	0.58
1:A:375:PRO:HB2	1:A:476:LEU:HD21	1.83	0.58
1:A:413:ILE:HD12	1:A:424:LEU:HD21	1.85	0.58
1:A:785:VAL:HG22	1:A:979:PRO:HD2	1.86	0.57
1:A:825:ILE:HD13	1:A:924:VAL:HG13	1.86	0.57
1:A:482:LYS:HD2	1:A:524:GLU:HB3	1.86	0.56
1:A:33:LEU:HD21	1:A:38:PRO:HG3	1.88	0.56
1:A:381:VAL:HG23	1:A:472:SER:HB3	1.87	0.56
1:A:731:TRP:HB3	1:A:1097:ILE:HG13	1.88	0.56
1:A:1018:ARG:HG3	1:A:1019:PRO:HD2	1.88	0.56
1:A:319:GLU:HG2	1:A:323:LYS:HE2	1.88	0.55
1:A:665:VAL:HG11	1:A:677:SER:HA	1.89	0.54
1:A:597:THR:HG22	1:A:730:ARG:HH12	1.73	0.53
1:A:233:PHE:HA	1:A:236:ILE:HG12	1.90	0.53
1:A:684:LEU:HD12	1:A:691:LEU:HD21	1.90	0.53
1:A:152:PHE:HE1	1:A:165:LYS:HE3	1.74	0.52
1:A:611:PHE:HE2	1:A:1091:ARG:HD2	1.75	0.52
1:A:418:ASN:HB3	1:A:424:LEU:HD11	1.91	0.51
1:A:420:ASP:HB2	1:A:423:GLU:HB2	1.91	0.51
1:A:943:LYS:HE3	1:A:965:LEU:HD21	1.92	0.51
1:A:80:THR:HG23	1:A:83:GLN:H	1.74	0.51
1:A:394:GLU:HG2	1:A:455:LEU:HD13	1.93	0.51
1:A:124:SER:HB3	1:A:199:PHE:HB3	1.91	0.51
1:A:277:THR:HB	1:A:565:SER:H	1.76	0.51
1:A:366:GLY:HA2	1:A:369:THR:HG22	1.92	0.50
1:A:507:GLU:HB2	1:A:701:ARG:NH1	2.27	0.49
1:A:296:ARG:HG2	1:A:384:TRP:CE2	2.48	0.49
1:A:141:LEU:HB3	1:A:151:ILE:HD13	1.96	0.48
1:A:1078:LYS:HB3	1:A:1083:GLU:HB2	1.94	0.48
1:A:755:GLN:HG3	1:A:1025:ILE:HG23	1.95	0.48
1:A:777:THR:HG22	1:A:791:GLY:HA2	1.94	0.48
1:A:904:GLU:O	1:A:908:MET:HG2	2.14	0.48
1:A:1054:SER:O	1:A:1058:GLU:HB2	2.15	0.47
1:A:778:LEU:HD11	1:A:786:ASN:HB2	1.96	0.46
1:A:858:ARG:O	1:A:892:GLU:HB2	2.15	0.46
1:A:134:VAL:HG13	1:A:179:VAL:HG12	1.98	0.46
1:A:78:ASP:OD1	1:A:79:LEU:N	2.45	0.46
1:A:393:LEU:HG	1:A:457:LEU:HB2	1.97	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:559:PHE:HB2	1:A:701:ARG:HG3	1.97	0.46
1:A:611:PHE:CE2	1:A:1091:ARG:HD2	2.50	0.45
1:A:126:LEU:HD12	1:A:179:VAL:HG22	1.99	0.45
1:A:390:ARG:HE	1:A:458:ILE:HG12	1.81	0.45
1:A:698:GLU:HG3	1:A:897:VAL:HG11	1.99	0.45
1:A:739:LYS:HA	1:A:742:LYS:HE2	1.99	0.45
1:A:449:VAL:HG21	1:A:494:ILE:HA	1.98	0.44
1:A:1085:ASP:HB3	1:A:1088:ALA:HB3	2.00	0.44
1:A:543:LEU:HD11	1:A:664:LEU:HG	1.98	0.44
1:A:30:GLU:CD	1:A:30:GLU:H	2.21	0.44
1:A:835:GLU:O	1:A:839:ILE:HG12	2.17	0.44
1:A:82:TYR:CE1	1:A:582:VAL:HG23	2.53	0.44
1:A:684:LEU:HB2	1:A:691:LEU:HD11	2.00	0.44
1:A:507:GLU:HB2	1:A:701:ARG:HH11	1.83	0.43
1:A:852:HIS:HA	1:A:894:ILE:HG12	2.00	0.43
1:A:1007:ILE:O	1:A:1011:MET:HG3	2.19	0.43
1:A:77:LYS:HE2	1:A:77:LYS:HB3	1.76	0.43
1:A:1078:LYS:HA	1:A:1081:ARG:HD2	2.00	0.43
1:A:682:GLN:HA	1:A:685:LEU:HD12	1.99	0.43
1:A:693:ARG:NH1	1:A:694:ILE:O	2.52	0.43
1:A:798:VAL:HG22	1:A:951:VAL:HG22	2.00	0.43
1:A:337:GLY:HA3	1:A:355:ILE:HD13	2.01	0.43
1:A:575:GLU:HG2	1:A:584:LEU:HD22	2.00	0.43
1:A:266:ARG:N	1:A:267:PRO:HD2	2.34	0.42
1:A:616:ASN:HB3	1:A:629:THR:CG2	2.49	0.42
1:A:224:ILE:HD13	1:A:273:LEU:HB3	2.01	0.42
1:A:794:ALA:HA	1:A:991:LYS:HZ2	1.84	0.42
1:A:74:LYS:HA	1:A:74:LYS:HD3	1.90	0.42
1:A:407:LEU:HD22	1:A:412:LEU:HD12	2.01	0.42
1:A:532:SER:HA	1:A:536:LEU:HD11	2.02	0.42
1:A:809:GLU:HG2	1:A:939:ALA:HB3	2.02	0.42
1:A:11:CYS:HB2	1:A:18:ASN:HB2	2.02	0.41
1:A:100:ALA:HB3	1:A:106:LYS:HE3	2.01	0.41
1:A:654:ARG:NH1	1:A:683:TYR:O	2.52	0.41
1:A:290:HIS:HB2	1:A:510:ILE:HA	2.03	0.41
1:A:308:PHE:HE2	1:A:382:ILE:HD11	1.85	0.41
1:A:809:GLU:OE2	1:A:966:ARG:NH2	2.54	0.41
1:A:1061:GLU:HG2	1:A:1065:THR:HG23	2.01	0.41
1:A:964:ILE:HD13	1:A:970:ASN:ND2	2.34	0.41
1:A:451:LYS:HA	1:A:451:LYS:HD3	1.83	0.41
1:A:200:VAL:HB	1:A:253:LEU:HD12	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:20:ASP:OD1	1:A:678:TRP:NE1	2.54	0.41
1:A:50:THR:O	1:A:52:LYS:HG3	2.21	0.41
1:A:159:LYS:HE2	1:A:162:GLU:HG3	2.02	0.41
1:A:339:THR:OG1	1:A:360:GLY:HA2	2.21	0.41
1:A:219:LEU:HD13	1:A:273:LEU:HD12	2.02	0.40
1:A:374:LEU:N	1:A:375:PRO:HD3	2.37	0.40
1:A:712:ARG:NH1	1:A:713:PHE:O	2.53	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	1100/1104 (100%)	1065 (97%)	35 (3%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	992/993 (100%)	966 (97%)	26 (3%)	46 76

All (26) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	8	HIS
1	A	53	GLU
1	A	170	PHE
1	A	205	VAL
1	A	335	ASN
1	A	372	VAL
1	A	452	ASP
1	A	499	LYS
1	A	504	LEU
1	A	619	LYS
1	A	651	ARG
1	A	690	SER
1	A	694	ILE
1	A	777	THR
1	A	785	VAL
1	A	797	VAL
1	A	830	ARG
1	A	842	ASP
1	A	877	GLU
1	A	891	HIS
1	A	952	ASP
1	A	956	MET
1	A	970	ASN
1	A	977	VAL
1	A	1020	SER
1	A	1065	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 2 ligands modelled in this entry, 2 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data i

6.1 Protein, DNA and RNA chains i

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	1102/1104 (99%)	0.47	72 (6%) 18 14	40, 71, 124, 194	0

All (72) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	417	GLU	6.0
1	A	240	LYS	4.8
1	A	151	ILE	4.4
1	A	368	LEU	4.0
1	A	350	PHE	3.7
1	A	949	VAL	3.7
1	A	437	PHE	3.6
1	A	355	ILE	3.5
1	A	1008	VAL	3.5
1	A	634	GLU	3.5
1	A	803	LEU	3.5
1	A	170	PHE	3.5
1	A	393	LEU	3.5
1	A	229	ILE	3.4
1	A	194	GLN	3.4
1	A	154	PHE	3.2
1	A	71	PHE	3.2
1	A	377	ARG	3.2
1	A	67	PHE	3.1
1	A	242	TYR	3.1
1	A	989	LYS	3.0
1	A	91	VAL	3.0
1	A	57	TYR	2.9
1	A	118	ALA	2.9
1	A	241	ILE	2.9
1	A	219	LEU	2.8
1	A	785	VAL	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	418	ASN	2.8
1	A	552	LYS	2.7
1	A	988	ILE	2.7
1	A	416	GLN	2.7
1	A	109	PHE	2.7
1	A	372	VAL	2.7
1	A	46	LEU	2.7
1	A	780	VAL	2.6
1	A	601	ILE	2.6
1	A	448	VAL	2.6
1	A	263	ARG	2.6
1	A	39	SER	2.6
1	A	740	LEU	2.5
1	A	228	ILE	2.5
1	A	413	ILE	2.5
1	A	172	GLU	2.5
1	A	370	ARG	2.5
1	A	981	PHE	2.5
1	A	979	PRO	2.5
1	A	994	TYR	2.5
1	A	779	LEU	2.4
1	A	412	LEU	2.4
1	A	1018	ARG	2.4
1	A	1096	GLU	2.4
1	A	396	ASP	2.4
1	A	1100	LEU	2.4
1	A	990	GLU	2.4
1	A	43	ARG	2.3
1	A	793	ILE	2.3
1	A	529	ARG	2.3
1	A	450	VAL	2.3
1	A	951	VAL	2.2
1	A	591	HIS	2.2
1	A	956	MET	2.2
1	A	175	TYR	2.2
1	A	783	ASN	2.1
1	A	178	LEU	2.1
1	A	60	PHE	2.1
1	A	921	HIS	2.1
1	A	855	ASP	2.1
1	A	185	VAL	2.0
1	A	174	ASP	2.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	836	VAL	2.0
1	A	736	LEU	2.0
1	A	749	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
2	ZN	A	1201	1/1	0.98	0.22	80,80,80,80	0
2	ZN	A	1202	1/1	0.99	0.18	69,69,69,69	0

6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.