

Full wwPDB EM Validation Report (i)

Oct 13, 2024 – 09:43 PM EDT

PDB ID : 7S8V

EMDB ID : EMD-24927

Title: Leg region of a complex of IGF-I with the ectodomain of a hybrid insulin

receptor / type 1 insulin-like growth factor receptor

Authors: Xu, Y.; Lawrence, M.C.

Deposited on : 2021-09-20

Resolution : 3.73 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at $\frac{\text{https://www.wwpdb.org/validation/2017/EMValidationReportHelp}}{\text{with specific help available everywhere you see the } (i) symbol.$

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113

Mogul : 2022.3.0, CSD as543be (2022)

MolProbity : 4.02b-467 buster-report : 1.1.7 (2018)

Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)

MapQ : 1.9.13

Ideal geometry (proteins) : Engh & Huber (2001) Ideal geometry (DNA, RNA) : Parkinson et al. (1996)


Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure: $ELECTRON\ MICROSCOPY$

The reported resolution of this entry is 3.73 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive $(\# \mathrm{Entries})$	${ m EM~structures} \ (\#{ m Entries})$		
Clashscore	210492	15764		
Ramachandran outliers	207382	16835		
Sidechain outliers	206894	16415		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion <40%). The numeric value is given above the bar.

Mol	Chain	Length						
1	A	952	24%	•	7	2%		
2	В	961	11%	45%	9%	46%		
3	С	2			100%			
3	Е	2			100% 100%			
4	D	3			100%			



2 Entry composition (i)

There are 5 unique types of molecules in this entry. The entry contains 12651 atoms, of which 6194 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a protein called Insulin-like growth factor 1 receptor.

Mol	Chain	Residues	Atoms			AltConf	Trace			
1	A	264	Total 4190	C 1355	H 2051	N 371	O 405	S 8	0	0

There are 47 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	906	ARG	-	expression tag	UNP P08069
A	907	MET	-	expression tag	UNP P08069
A	908	LYS	-	expression tag	UNP P08069
A	909	GLN	-	expression tag	UNP P08069
A	910	LEU	-	expression tag	UNP P08069
A	911	GLU	-	expression tag	UNP P08069
A	912	ASP	-	expression tag	UNP P08069
A	913	LYS	-	expression tag	UNP P08069
A	914	VAL	-	expression tag	UNP P08069
A	915	GLU	-	expression tag	UNP P08069
A	916	GLU	-	expression tag	UNP P08069
A	917	LEU	-	expression tag	UNP P08069
A	918	LEU	-	expression tag	UNP P08069
A	919	SER	-	expression tag	UNP P08069
A	920	LYS	-	expression tag	UNP P08069
A	921	ASN	-	expression tag	UNP P08069
A	922	TYR	-	expression tag	UNP P08069
A	923	HIS	-	expression tag	UNP P08069
A	924	LEU	-	expression tag	UNP P08069
A	925	GLU	-	expression tag	UNP P08069
A	926	ASN	-	expression tag	UNP P08069
A	927	GLU	_	expression tag	UNP P08069
A	928	VAL	-	expression tag	UNP P08069
A	929	ALA	_	expression tag	UNP P08069
A	930	ARG	-	expression tag	UNP P08069
A	931	LEU	-	expression tag	UNP P08069
A	932	LYS	-	expression tag	UNP P08069
A	933	LYS	-	expression tag	UNP P08069

Continued on next page...



 $Continued\ from\ previous\ page...$

Chain	Residue	Modelled	Actual	Comment	Reference
A	934	LEU	-	expression tag	UNP P08069
A	935	VAL	-	expression tag	UNP P08069
A	936	GLY	-	expression tag	UNP P08069
A	937	GLU	-	expression tag	UNP P08069
A	938	ARG	-	expression tag	UNP P08069
A	939	SER	-	expression tag	UNP P08069
A	940	SER	-	expression tag	UNP P08069
A	941	SER	-	expression tag	UNP P08069
A	942	GLU	-	expression tag	UNP P08069
A	943	GLN	-	expression tag	UNP P08069
A	944	LYS	-	expression tag	UNP P08069
A	945	LEU	-	expression tag	UNP P08069
A	946	ILE	-	expression tag	UNP P08069
A	947	SER	-	expression tag	UNP P08069
A	948	GLU	-	expression tag	UNP P08069
A	949	GLU	-	expression tag	UNP P08069
A	950	ASP	-	expression tag	UNP P08069
A	951	LEU	-	expression tag	UNP P08069
A	952	ASN	-	expression tag	UNP P08069

• Molecule 2 is a protein called Insulin receptor.

Mol	Chain	Residues	Atoms				AltConf	Trace		
2	В	518	Total 8147	C 2621	H 3994	N 720	O 772	S 40	0	0

There are 33 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
В	929	ARG	-	expression tag	UNP P06213
В	930	MET	-	expression tag	UNP P06213
В	931	LYS	-	expression tag	UNP P06213
В	932	GLN	-	expression tag	UNP P06213
В	933	LEU	-	expression tag	UNP P06213
В	934	GLU	-	expression tag	UNP P06213
В	935	ASP	-	expression tag	UNP P06213
В	936	LYS	-	expression tag	UNP P06213
В	937	VAL	-	expression tag	UNP P06213
В	938	GLU	-	expression tag	UNP P06213
В	939	GLU	-	expression tag	UNP P06213
В	940	LEU	-	expression tag	UNP P06213
В	941	LEU	-	expression tag	UNP P06213

Continued on next page...



Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
В	942	SER	-	expression tag	UNP P06213
В	943	LYS	-	expression tag	UNP P06213
В	944	ASN	-	expression tag	UNP P06213
В	945	TYR	-	expression tag	UNP P06213
В	946	HIS	_	expression tag	UNP P06213
В	947	LEU	-	expression tag	UNP P06213
В	948	GLU	-	expression tag	UNP P06213
В	949	ASN	-	expression tag	UNP P06213
В	950	GLU	-	expression tag	UNP P06213
В	951	VAL	_	expression tag	UNP P06213
В	952	ALA	-	expression tag	UNP P06213
В	953	ARG	-	expression tag	UNP P06213
В	954	LEU	-	expression tag	UNP P06213
В	955	LYS	-	expression tag	UNP P06213
В	956	LYS	_	expression tag	UNP P06213
В	957	LEU	-	expression tag	UNP P06213
В	958	VAL	-	expression tag	UNP P06213
В	959	GLY	-	expression tag	UNP P06213
В	960	GLU	-	expression tag	UNP P06213
В	961	ARG	_	expression tag	UNP P06213

 \bullet Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-a cetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			AltConf	Trace		
3	С	9	Total	С	Η	N	О	0	0
		2	53	16	25	2	10	U	
3	E	9	Total	С	Н	N	О	0	0
3	<u> </u>	2	53	16	25	2	10	U	U


• Molecule 4 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.





Mol	Chain	Residues		At	oms			AltConf	Trace
4	D	2	Total	С	Н	N	О	0	0
4	ש	3	73	22	34	2	15	U	U

• Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues		\mathbf{At}	oms			AltConf
5	Λ	1	Total	С	Н	N	О	0
9	Λ	1	27	8	13	1	5	
5	B	1	Total	С	Η	N	Ο	0
9	Ъ	1	27	8	13	1	5	
5	В	1	Total	С	Η	N	О	0
9	Ъ	1	27 8	8	13	1	5	
5	В	1	Total	С	Η	N	О	0
9	Ъ	1	27	8	13	1	5	
5	B	1	Total	С	Η	N	О	0
9	Ъ	1	27	8	13	1	5	U




3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: Insulin-like growth factor 1 receptor







• Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



Chain C:	100%	
NAG2 NAG2		
• Molecule 3: 2-acetar opyranose	mido-2-deoxy-beta-D-glucopyranose-(1	1-4)-2-acetamido-2-deoxy-beta-D-gluc
	100%	
Chain E:	100%	
NAG2		
• Molecule 4: beta-D-etamido-2-deoxy-beta-	mannopyranose-(1-4)-2-acetamido-2-d -D-glucopyranose	leoxy-beta-D-glucopyranose-(1-4)-2-ac
Chain D:	100%	
NAG1 NAG2 BMA3		



4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	151240	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{Å}^2)$	1.44	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.794	Depositor
Minimum map value	-0.109	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.011	Depositor
Recommended contour level	0.1413	Depositor
Map size (Å)	423.99997, 423.99997, 423.99997	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor



5 Model quality (i)

5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol Chain		Bond	lengths	Bond angles	
IVIOI	Chain	RMSZ	# Z > 5	RMSZ	# Z > 5
1	A	0.26	0/2198	0.44	0/2984
2	В	0.27	0/4257	0.47	0/5778
All	All	0.27	0/6455	0.46	0/8762

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a maintenain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	В	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	В	305	LEU	Peptide

5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.



Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2139	2051	2051	21	0
2	В	4153	3994	3994	49	0
3	С	28	25	25	2	0
3	Е	28	25	25	0	0
4	D	39	34	34	0	0
5	A	14	13	13	0	0
5	В	56	52	52	1	0
All	All	6457	6194	6194	70	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (70) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

A 4 1	A 4 0	Interatomic	Clash
Atom-1			overlap (Å)
2:B:172:THR:OG1	2:B:181:ARG:NE	2.16	0.78
2:B:788:PHE:N	2:B:817:THR:OG1	2.22	0.72
1:A:624:ASP:OD2	2:B:149:LYS:NZ	2.23	0.70
2:B:786:ARG:NE	2:B:849:GLU:OE2	2.26	0.69
2:B:190:LYS:NZ	2:B:191:VAL:O	2.27	0.67
3:C:1:NAG:O3	3:C:2:NAG:O5	2.10	0.67
1:A:628:TYR:O	1:A:853:GLN:NE2	2.28	0.65
2:B:800:GLN:OE1	2:B:806:ARG:NE	2.31	0.64
1:A:584:PRO:O	1:A:789:ASN:ND2	2.29	0.63
2:B:786:ARG:NH1	2:B:789:THR:OG1	2.31	0.63
2:B:845:GLN:NE2	2:B:846:GLU:O	2.31	0.62
1:A:619:GLN:NE2	1:A:745:TYR:O	2.31	0.62
2:B:838:ASN:ND2	2:B:889:LEU:O	2.33	0.61
1:A:766:PHE:N	1:A:795:THR:OG1	2.32	0.56
2:B:247:HIS:HD1	2:B:283:LYS:HB3	1.71	0.56
1:A:829:ASN:O	1:A:879:SER:OG	2.24	0.55
1:A:798:ALA:N	1:A:829:ASN:OD1	2.39	0.54
2:B:48:ASP:OD1	2:B:48:ASP:N	2.41	0.54
2:B:794:GLU:OE2	2:B:796:GLN:NE2	2.41	0.53
2:B:132:ASP:OD2	2:B:135:ARG:NH1	2.39	0.53
5:B:1602:NAG:O7	5:B:1602:NAG:O3	2.22	0.52
1:A:879:SER:OG	1:A:880:LEU:N	2.43	0.52
2:B:772:GLU:OE1	2:B:773:LYS:N	2.43	0.51
2:B:213:LEU:N	2:B:227:ALA:O	2.43	0.51
2:B:798:CYS:HA	2:B:807:CYS:CB	2.42	0.50
3:C:1:NAG:HO3	3:C:2:NAG:C1	2.22	0.49
2:B:631:PHE:HB2	2:B:794:GLU:HB3	1.95	0.48

Continued on next page...



 $Continued\ from\ previous\ page...$

Continued from prei		Interatomic	Clash
Atom-1	Atom-2	${ m distance}({ m \AA})$	overlap (Å)
2:B:173:VAL:HG21	2:B:818:MET:HA	1.96	0.48
1:A:874:ARG:NH1	1:A:876:GLN:HB3	2.29	0.48
2:B:215:ASN:OD1	2:B:216:CYS:N	2.47	0.47
2:B:11:MET:SD	2:B:19:ARG:NH2	2.86	0.47
2:B:44:GLU:HA	2:B:47:ARG:HD2	1.97	0.47
1:A:690:ARG:NH1	2:B:120:GLU:OE2	2.44	0.47
1:A:596:GLN:HA	1:A:760:ILE:O	2.16	0.46
1:A:645:ASP:N	1:A:645:ASP:OD1	2.49	0.45
2:B:58:THR:O	2:B:84:GLY:N	2.49	0.45
2:B:207:CYS:SG	2:B:208:CYS:N	2.88	0.45
2:B:854:ILE:O	2:B:875:ARG:NH1	2.47	0.45
2:B:95:ILE:HG23	2:B:98:MET:HG3	1.98	0.45
2:B:874:SER:OG	2:B:875:ARG:N	2.50	0.45
1:A:840:GLY:HA3	1:A:845:ASP:OD1	2.18	0.44
2:B:73:LYS:NZ	2:B:74:ASP:OD1	2.47	0.44
2:B:256:PHE:O	2:B:260:GLN:HB2	2.18	0.44
2:B:65:ARG:NE	2:B:97:GLU:OE1	2.50	0.44
2:B:798:CYS:HA	2:B:807:CYS:HB3	2.00	0.44
1:A:591:SER:HA	1:A:597:LEU:HD23	1.99	0.44
1:A:788:SER:O	2:B:65:ARG:NH2	2.44	0.43
2:B:613:LEU:HD11	2:B:793:ILE:HG21	2.01	0.43
2:B:294:MET:HA	2:B:301:CYS:HA	2.01	0.43
2:B:806:ARG:HD2	2:B:806:ARG:O	2.19	0.43
2:B:626:THR:H	2:B:799:ASN:HA	1.84	0.43
1:A:644:ALA:O	1:A:647:THR:OG1	2.28	0.42
1:A:598:ILE:HG12	1:A:759:VAL:HG22	2.02	0.42
2:B:57:ILE:HG22	2:B:58:THR:H	1.84	0.42
2:B:265:LYS:O	2:B:269:SER:OG	2.31	0.42
2:B:174:ILE:HG12	2:B:175:ASN:H	1.84	0.42
2:B:275:HIS:HB3	2:B:286:PRO:HB3	2.02	0.42
2:B:605:SER:OG	2:B:818:MET:HG3	2.20	0.42
2:B:133:TRP:HZ3	2:B:143:ASN:HB2	1.84	0.41
2:B:846:GLU:OE1	2:B:857:TYR:OH	2.38	0.41
1:A:618:TRP:CE2	1:A:748:PHE:HB2	2.55	0.41
2:B:293:THR:O	2:B:302:THR:N	2.33	0.41
2:B:605:SER:HB2	2:B:611:ILE:HG12	2.02	0.41
2:B:628:TYR:HB2	2:B:774:VAL:HB	2.02	0.41
1:A:592:ASN:HB2	1:A:598:ILE:HG13	2.03	0.41
2:B:596:SER:HB3	2:B:620:ASP:HB2	2.03	0.40
2:B:835:PHE:HB2	2:B:839:VAL:O	2.20	0.40
1:A:810:TRP:CG	1:A:892:PHE:HB3	2.57	0.40

Continued on next page...



Continued from previous page...

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic} \\ {\rm distance} \ ({\rm \AA}) \end{array}$	$\begin{array}{c} \text{Clash} \\ \text{overlap } (\text{\AA}) \end{array}$
2:B:607:SER:HB3	2:B:610:GLN:HB2	2.03	0.40
1:A:871:TYR:HB3	1:A:892:PHE:CZ	2.56	0.40

There are no symmetry-related clashes.

5.3 Torsion angles (i)

5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	\mathbf{ntiles}
1	A	258/952 (27%)	246 (95%)	12 (5%)	0	100	100
2	В	510/961~(53%)	468 (92%)	42 (8%)	0	100	100
All	All	768/1913 (40%)	714 (93%)	54 (7%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	A	235/852~(28%)	235 (100%)	0	100	100
2	В	474/870 (54%)	471 (99%)	3 (1%)	84	90
All	All	709/1722 (41%)	706 (100%)	3 (0%)	88	93

All (3) residues with a non-rotameric sidechain are listed below:



Mol	Chain	Res	Type
2	В	201	CYS
2	В	274	CYS
2	В	848	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (8) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	864	ASN
2	В	34	GLN
2	В	123	ASN
2	В	230	ASN
2	В	260	GLN
2	В	264	HIS
2	В	298	ASN
2	В	594	ASN

5.3.3 RNA (i)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates (i)

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trino	Chain	Res	Link	Bo	Bond lengths			Bond angles		
IVIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2	
3	NAG	С	1	1,3	14,14,15	0.30	0	17,19,21	0.56	0	
3	NAG	С	2	3	14,14,15	0.19	0	17,19,21	0.44	0	
4	NAG	D	1	4,2	14,14,15	0.22	0	17,19,21	0.55	0	



Mol	Tune	Chain	Res	Link	Bond lengths			Bond angles		
MIOI	Type	Chain	nes	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	D	2	4	14,14,15	0.22	0	17,19,21	0.42	0
4	BMA	D	3	4	11,11,12	0.54	0	15,15,17	0.76	0
3	NAG	Е	1	3,2	14,14,15	0.22	0	17,19,21	0.46	0
3	NAG	Е	2	3	14,14,15	0.20	0	17,19,21	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	С	1	1,3	-	4/6/23/26	0/1/1/1
3	NAG	С	2	3	-	2/6/23/26	0/1/1/1
4	NAG	D	1	4,2	-	0/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	BMA	D	3	4	-	1/2/19/22	0/1/1/1
3	NAG	Е	1	3,2	-	2/6/23/26	0/1/1/1
3	NAG	Е	2	3	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (12) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	Е	1	NAG	O5-C5-C6-O6
3	С	2	NAG	O5-C5-C6-O6
3	С	2	NAG	C4-C5-C6-O6
3	Е	1	NAG	C4-C5-C6-O6
4	D	2	NAG	C4-C5-C6-O6
3	С	1	NAG	O5-C5-C6-O6
4	D	2	NAG	O5-C5-C6-O6
4	D	3	BMA	O5-C5-C6-O6
3	С	1	NAG	C4-C5-C6-O6
3	С	1	NAG	C1-C2-N2-C7
3	С	1	NAG	C3-C2-N2-C7
3	Е	2	NAG	O5-C5-C6-O6


There are no ring outliers.

2 monomers are involved in 2 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	С	2	NAG	2	0
3	С	1	NAG	2	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.











5.6 Ligand geometry (i)

5 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 2 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Trme	Chain	Dag	Link	Bo	Bond lengths		Bond angles		
MIOI	Type	Chain	Res	Lilik	Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	В	1603	2	14,14,15	0.19	0	17,19,21	0.42	0
5	NAG	В	1602	2	14,14,15	0.25	0	17,19,21	0.45	0
5	NAG	A	6101	1	14,14,15	0.23	0	17,19,21	0.59	1 (5%)
5	NAG	В	1604	2	14,14,15	0.20	0	17,19,21	0.48	0
5	NAG	В	1601	2	14,14,15	0.25	0	17,19,21	0.47	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns.



, ,		, 1.	C 11	. 1 . 1		· 1 / · C 1
- means	no	outliers	of tha	t kind	were	identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	В	1603	2	-	0/6/23/26	0/1/1/1
5	NAG	В	1602	2	-	1/6/23/26	0/1/1/1
5	NAG	A	6101	1	-	2/6/23/26	0/1/1/1
5	NAG	В	1604	2	-	2/6/23/26	0/1/1/1
5	NAG	В	1601	2	-	3/6/23/26	0/1/1/1

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	\mathbf{Z}	$Observed(^o)$	$\operatorname{Ideal}({}^{o})$
5	A	6101	NAG	C1-O5-C5	2.03	114.91	112.19

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	В	1601	NAG	C1-C2-N2-C7
5	A	6101	NAG	O5-C5-C6-O6
5	A	6101	NAG	C4-C5-C6-O6
5	В	1604	NAG	C4-C5-C6-O6
5	В	1604	NAG	O5-C5-C6-O6
5	В	1601	NAG	O5-C5-C6-O6
5	В	1602	NAG	C3-C2-N2-C7
5	В	1601	NAG	C3-C2-N2-C7

There are no ring outliers.


1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	В	1602	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less then 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the




average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



















5.7 Other polymers (i)

There are no such residues in this entry.

5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.




6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-24927. These allow visual inspection of the internal detail of the map and identification of artifacts.

No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections (i)


6.1.1 Primary map




The images above show the map projected in three orthogonal directions.

6.2 Central slices (i)


6.2.1 Primary map



X Index: 200



Y Index: 200




Z Index: 200



The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices (i)


6.3.1 Primary map



The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) (i)

6.4.1 Primary map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.1413. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.6 Mask visualisation (i)


This section was not generated. No masks/segmentation were deposited.



7 Map analysis (i)

This section contains the results of statistical analysis of the map.


7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



7.2 Volume estimate (i)




The volume at the recommended contour level is $111~\mathrm{nm}^3$; this corresponds to an approximate mass of $101~\mathrm{kDa}$.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



7.3 Rotationally averaged power spectrum (i)



^{*}Reported resolution corresponds to spatial frequency of 0.268 $\rm \AA^{-1}$



8 Fourier-Shell correlation (i)


This section was not generated. No FSC curve or half-maps provided.



9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-24927 and PDB model 7S8V. Per-residue inclusion information can be found in section 3 on page 7.


9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.1413 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.1413).



9.4 Atom inclusion (i)



At the recommended contour level, 61% of all backbone atoms, 62% of all non-hydrogen atoms, are inside the map.



9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.1413) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.6200	0.2320
A	0.6470	0.2170
В	0.6250	0.2390
С	0.6070	0.2870
D	0.6410	0.3420
E	0.2500	0.2280

