

#### Jun 27, 2024 – 01:06 AM JST

PDB ID	:	8HIM
EMDB ID	:	EMD-34821
Title	:	A cryo-EM structure of B. oleracea RNA polymerase V elongation complex at
		2.73 Angstrom
Authors	:	Hu, H.; Xie, G.; Du, X.; Du, J.
Deposited on	:	2022-11-21
Resolution	:	2.80  Å(reported)
This is	a I	full wwPDB EM Validation Report for a publicly released PDB entry

We welcome your comments at *validation@mail.wwpdb.org* A user guide is available at https://www.wwpdb.org/validation/2017/EMValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

:	0.0.1. dev 92
:	4.02b-467
:	20191225.v01 (using entries in the PDB archive December 25th 2019)
:	1.9.13
:	Engh & Huber (2001)
:	Parkinson et al. (1996)
:	2.37.1
	: : : : :

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $ELECTRON\ MICROSCOPY$ 

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f EM\ structures}\ (\#{f Entries})$		
Clashscore	158937	4297		
Ramachandran outliers	154571	4023		
Sidechain outliers	154315	3826		
RNA backbone	4643	859		

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq=3, 2, 1$  and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq=5\%$  The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion < 40%). The numeric value is given above the bar.

Mol	Chain	Length		Qualit	y of chain			
			35%					
1	Т	34	15%	59%		•	249	%
				50%	-			
2	Ν	34	18%	59	9%		249	%
	Ð		5%					
3	P	20	35%	20%		45%		
		2022	5%					
4	A	2032	37%	•	58%			
_	a	010	<b>•</b>					
5	C	319		82%			8%	• 10%
			6%					
6	F'	144		48%	8%	44%		
-								
1	J	69		90%				• 9%



Conti	nuea fron	i previous	page		
Mol	Chain	Length	Quality of chain		
8	K	116	87%		6% 7%
9	L	51	- 75%	14%	12%
10	Н	146	21%	229	6 •
11	Ι	114	42%	14%	15%
12	Е	230	23%	15%	9%
13	В	1169	73%	9% •	17%



# 2 Entry composition (i)

There are 15 unique types of molecules in this entry. The entry contains 23948 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

• Molecule 1 is a DNA chain called DNA (34-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	Т	26	Total 529	C 253	N 92	0 158	Р 26	0	0

• Molecule 2 is a DNA chain called DNA (34-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
2	N	26	Total 539	C 257	N 100	0 156	Р 26	0	0

• Molecule 3 is a RNA chain called RNA (5'-R(\*UP\*AP\*UP\*AP\*UP\*GP\*CP\*AP\*UP\*AP\* AP\*AP\*GP\*AP\*CP\*CP\*AP\*GP\*GP\*C)-3').

Mol	Chain	Residues	Atoms					AltConf	Trace
3	Р	11	Total 239	C 107	N 49	O 72	Р 11	0	0

• Molecule 4 is a protein called DNA-directed RNA polymerase V largest subunit.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	Λ	818	Total	С	Ν	Ο	$\mathbf{S}$	0	0
4	A	040	6640	4195	1143	1258	44	0	0

• Molecule 5 is a protein called RPOLD domain-containing protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	С	287	Total 2256	C 1418	N 380	0 445	S 13	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
С	2	THR	SER	variant	UNP A0A0D3D418



• Molecule 6 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC2.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	80	Total 660	C 420	N 114	0 122	${S \atop 4}$	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
F	51	GLU	ASP	variant	UNP A0A0D3BZZ8

• Molecule 7 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC5.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	J	63	Total 507	C 324	N 85	0 91	S 7	0	0

• Molecule 8 is a protein called RNA\_pol\_L\_2 domain-containing protein.

Mol	Chain	Residues	Atoms				AltConf	Trace	
8	K	108	Total 890	$\begin{array}{c} \mathrm{C} \\ 565 \end{array}$	N 156	0 167	${S \over 2}$	0	0

• Molecule 9 is a protein called DNA-directed RNA polymerases II, IV and V subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	L	45	Total 365	C 224	N 70	O 67	$\begin{array}{c} \mathrm{S} \\ 4 \end{array}$	0	0

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
L	18	GLU	LYS	variant	UNP A0A0D2ZPP3
L	32	CYS	ARG	variant	UNP A0A0D2ZPP3

• Molecule 10 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC3.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	Н	141	Total 1129	C 729	N 183	O 208	S 9	0	0

• Molecule 11 is a protein called DNA-directed RNA polymerase subunit.



Mol	Chain	Residues	Atoms					AltConf	Trace
11	Ι	97	Total 787	C 482	N 150	0 143	S 12	0	0

• Molecule 12 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC1.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	Е	209	Total 1706	C 1085	N 303	O 316	${ m S} { m 2}$	0	0

• Molecule 13 is a protein called DNA-directed RNA polymerase IV and V subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	В	971	Total 7604	C	N 1264	0	S 4.4	0	0
			7094	4848	1304	1438	44		

• Molecule 14 is MAGNESIUM ION (three-letter code: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
14	А	1	Total Mg 1 1	0

• Molecule 15 is ZINC ION (three-letter code: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	AltConf
15	А	1	Total Zn 1 1	0
15	С	1	Total Zn 1 1	0
15	J	1	Total Zn 1 1	0
15	L	1	Total Zn 1 1	0
15	Ι	2	Total Zn 2 2	0



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA (34-MER)



• Molecule 3: RNA (5'-R(\*UP\*AP\*UP\*AP\*UP\*GP\*CP\*AP\*UP\*AP\*AP\*AP\*GP\*AP\*CP\*CP \*AP\*GP\*GP\*C)-3')



• Molecule 4: DNA-directed RNA polymerase V largest subunit









#### 

#### 

• Molecule 5: RPOLD domain-containing protein







 $\bullet$  Molecule 10: DNA-directed RNA polymerases I, II, and III subunit RPABC3



#### H168 R169 E187 K188 R189 R189 R195 K195 K195 K195 K212 K212 K212 K212

• Molecule 13: DNA-directed RNA polymerase IV and V subunit 2









# 4 Experimental information (i)

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	503124	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE	Depositor
	CORRECTION	
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose $(e^-/\text{\AA}^2)$	1.5625	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 $(6k \ge 4k)$	Depositor
Maximum map value	0.154	Depositor
Minimum map value	-0.069	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.005	Depositor
Recommended contour level	0.0245	Depositor
Map size (Å)	328.5, 328.5, 328.5	wwPDB
Map dimensions	300, 300, 300	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.095, 1.095, 1.095	Depositor



# 5 Model quality (i)

# 5.1 Standard geometry (i)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bo	nd lengths	Bo	ond angles
	Ullalli	RMSZ	# Z  > 5	RMSZ	# Z  > 5
1	Т	0.69	0/591	0.96	2/909~(0.2%)
2	Ν	0.41	0/605	0.81	0/933
3	Р	0.14	0/268	0.65	0/416
4	А	0.38	0/6754	0.58	0/9119
5	С	0.41	0/2286	0.58	0/3087
6	F	0.35	0/673	0.52	0/905
7	J	0.47	0/515	0.60	0/696
8	Κ	0.39	0/908	0.54	0/1224
9	L	0.44	0/369	0.57	0/493
10	Н	0.32	0/1155	0.63	0/1557
11	Ι	0.31	0/804	0.53	0/1081
12	Ε	0.31	0/1732	0.62	0/2332
13	В	0.44	1/7845~(0.0%)	0.56	0/10574
All	All	0.41	1/24505~(0.0%)	0.60	2/33326~(0.0%)

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	В	505	PRO	C-N	-5.04	1.22	1.34

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	$Observed(^{o})$	$Ideal(^{o})$
1	Т	11	DA	P-O3'-C3'	-5.30	113.34	119.70
1	Т	12	DT	P-O3'-C3'	-5.10	113.58	119.70

There are no chirality outliers.

There are no planarity outliers.



# 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	Т	529	0	295	19	0
2	Ν	539	0	295	37	0
3	Р	239	0	122	13	0
4	А	6640	0	6697	82	0
5	С	2256	0	2269	23	0
6	F	660	0	669	11	0
7	J	507	0	512	2	0
8	Κ	890	0	883	10	0
9	L	365	0	365	5	0
10	Н	1129	0	1128	18	0
11	Ι	787	0	737	17	0
12	Ε	1706	0	1759	23	0
13	В	7694	0	7632	79	0
14	А	1	0	0	0	0
15	А	1	0	0	0	0
15	С	1	0	0	0	0
15	Ι	2	0	0	0	0
15	J	1	0	0	0	0
15	L	1	0	0	0	0
All	All	23948	0	23363	292	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

All (292) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:A:885:ARG:HG2	12:E:23:SER:OG	1.62	0.98
4:A:1052:SER:OG	4:A:1068:GLY:HA2	1.72	0.89
4:A:897:TYR:OH	11:I:69:PRO:HG2	1.76	0.84
4:A:1052:SER:HG	4:A:1068:GLY:HA2	1.43	0.81
4:A:1050:TRP:CE3	4:A:1052:SER:HB2	2.18	0.78
2:N:11:DC:H1'	2:N:12:DT:C5	2.18	0.78
4:A:550:PRO:HG3	4:A:592:LYS:HG3	1.66	0.77
4:A:1050:TRP:CZ3	4:A:1052:SER:HB2	2.19	0.77



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
5:C:297:LEU:HD12	8:K:84:MET:HE3	1.67	0.77
4:A:588:ILE:O	4:A:592:LYS:HB2	1.83	0.76
2:N:21:DC:H2"	2:N:22:DG:C8	2.22	0.73
13:B:1013:ARG:HD2	13:B:1022:MET:HG2	1.69	0.73
1:T:27:DT:H2"	1:T:28:DA:C8	2.24	0.72
3:P:15:C:H2'	3:P:16:C:C6	2.24	0.72
4:A:885:ARG:NH1	4:A:886:CYS:HB2	2.04	0.72
1:T:12:DT:H2"	1:T:13:DC:H5'	1.70	0.72
12:E:40:ARG:HD3	12:E:80:ARG:HD3	1.73	0.71
4:A:1057:THR:HB	4:A:1060:ARG:HB2	1.75	0.68
2:N:16:DA:H5"	13:B:243:ARG:HH22	1.58	0.68
2:N:12:DT:H1'	2:N:13:DA:O4'	1.93	0.67
3:P:17:A:H2'	3:P:18:G:C8	2.30	0.67
2:N:8:DA:H4'	2:N:9:DA:H4'	1.76	0.66
2:N:30:DA:H1'	2:N:31:DG:C4	2.31	0.65
3:P:12:A:H2'	3:P:13:G:H8	1.60	0.65
13:B:430:GLY:O	13:B:432:LEU:N	2.29	0.65
2:N:10:DG:N2	2:N:12:DT:H5'	2.11	0.64
4:A:1049:ILE:HG22	4:A:1051:ASN:H	1.61	0.64
4:A:893:GLU:O	4:A:897:TYR:HD2	1.80	0.64
1:T:13:DC:H1'	1:T:14:DG:H5'	1.80	0.63
4:A:1021:LEU:HA	4:A:1024:LEU:HD23	1.80	0.63
2:N:8:DA:H4'	2:N:9:DA:OP1	1.97	0.63
13:B:1013:ARG:HD3	13:B:1014:VAL:H	1.64	0.63
3:P:20:C:H4'	4:A:417:THR:OG1	1.99	0.62
1:T:28:DA:H2'	1:T:29:DC:O4'	2.00	0.62
5:C:297:LEU:HG	8:K:87:TYR:CD2	2.34	0.62
4:A:550:PRO:CG	4:A:592:LYS:HG3	2.31	0.61
2:N:6:DG:H1'	2:N:7:DT:O4'	2.00	0.61
11:I:10:CYS:SG	11:I:31:ASN:ND2	2.74	0.61
1:T:4:DC:H1'	1:T:5:DT:C4	2.36	0.60
4:A:940:HIS:NE2	4:A:989:CYS:SG	2.74	0.60
4:A:885:ARG:CG	12:E:23:SER:OG	2.42	0.60
13:B:496:THR:O	13:B:496:THR:HG23	2.02	0.60
4:A:649:LEU:HD12	4:A:656:GLU:HB3	1.84	0.59
12:E:133:THR:HG22	12:E:135:LYS:H	1.66	0.59
9:L:11:VAL:HG12	9:L:18:GLU:HG2	1.85	0.59
5:C:297:LEU:HD12	8:K:84:MET:CE	2.32	0.59
4:A:885:ARG:HH11	4:A:886:CYS:HB2	1.67	0.59
5:C:184:THR:HG21	7:J:42:ARG:NH1	2.18	0.59
13:B:1013:ARG:HD3	13:B:1014:VAL:N	2.18	0.58



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
2:N:16:DA:H5"	13:B:243:ARG:NH2	2.18	0.58
3:P:12:A:H2	3:P:13:G:C8	2.39	0.58
1:T:17:DG:H1'	1:T:18:DC:H5'	1.84	0.57
4:A:593:GLY:O	6:F:137:TRP:N	2.37	0.57
9:L:25:ASP:OD1	9:L:25:ASP:N	2.37	0.57
13:B:423:GLN:HA	13:B:426:LEU:HD23	1.87	0.57
13:B:750:LYS:O	13:B:985:HIS:HA	2.05	0.57
4:A:1057:THR:HG21	4:A:1063:HIS:NE2	2.20	0.57
2:N:17:DT:H72	13:B:243:ARG:HH11	1.70	0.56
4:A:1021:LEU:HD12	4:A:1024:LEU:HD21	1.85	0.56
12:E:100:THR:HA	12:E:129:GLN:HG2	1.87	0.56
4:A:715:LYS:NZ	4:A:719:GLU:OE2	2.37	0.56
6:F:77:ARG:NH1	6:F:80:GLN:OE1	2.39	0.56
3:P:16:C:H2'	3:P:17:A:H8	1.70	0.56
12:E:187:GLU:HA	12:E:190:LEU:HD12	1.88	0.56
10:H:40:PHE:HB3	10:H:124:ARG:HB2	1.88	0.56
13:B:430:GLY:C	13:B:432:LEU:N	2.57	0.56
11:I:70:ARG:NH1	11:I:83:GLU:OE2	2.39	0.55
1:T:18:DC:H42	3:P:19:G:H1	1.53	0.55
6:F:106:ARG:NH2	6:F:134:GLU:OE2	2.39	0.55
12:E:92:LYS:HG3	12:E:121:ILE:HA	1.86	0.55
3:P:11:A:H2'	3:P:12:A:C8	2.41	0.55
5:C:6:TYR:HB3	8:K:52:ARG:HG3	1.87	0.55
12:E:22:LEU:HA	12:E:25:TYR:HB3	1.87	0.55
4:A:897:TYR:HE2	11:I:86:PHE:HE2	1.55	0.55
4:A:1050:TRP:CE3	11:I:72:LYS:HD3	2.41	0.55
13:B:20:LEU:HD21	13:B:637:LYS:HB3	1.89	0.55
13:B:750:LYS:HE2	13:B:984:ARG:HH12	1.72	0.55
4:A:973:LYS:HG3	4:A:974:LYS:HD3	1.89	0.55
5:C:297:LEU:HG	8:K:87:TYR:CE2	2.42	0.55
13:B:239:THR:HG22	13:B:241:ARG:H	1.71	0.55
13:B:557:MET:SD	13:B:557:MET:N	2.78	0.55
2:N:18:DT:H4'	2:N:19:DG:OP1	2.06	0.54
4:A:372:CYS:HA	4:A:402:ARG:HA	1.89	0.54
2:N:21:DC:H2"	2:N:22:DG:H8	1.70	0.54
12:E:167:ARG:HH12	12:E:216:ARG:HH12	1.55	0.54
4:A:879:LEU:HD22	4:A:1102:ILE:HD11	1.90	0.54
2:N:13:DA·H5"	13:B:240:LVS:HE2	1.89	0.54
4:A:1050:TRP·HE3	11:I:72:LYS·HZ2	1 55	0.54
12:E:33:SEB:OG	12·E·67·ARG·NH2	2.40	0.54
13:B:965:ILE:HD12	13:B:984:ARG·HE	1.72	0.54



Atom 1	Atom 2	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
13:B:714:GLN:HE22	13:B:1035:GLN:HE22	1.54	0.53
2:N:9:DA:H3'	13:B:464:MET:SD	2.48	0.53
4:A:897:TYR:O	4:A:901:ASN:ND2	2.42	0.53
2:N:13:DA:H2"	2:N:14:DG:C5'	2.38	0.53
4:A:1053:PRO:O	4:A:1055:THR:HG23	2.08	0.53
11:I:102:VAL:HB	11:I:111:ARG:HG2	1.90	0.53
4:A:476:ASP:OD1	4:A:476:ASP:N	2.39	0.53
4:A:654:GLU:OE2	4:A:710:LYS:NZ	2.41	0.53
2:N:10:DG:H5'	2:N:10:DG:N3	2.24	0.53
13:B:634:HIS:O	13:B:637:LYS:HG2	2.08	0.53
3:P:16:C:H2'	3:P:17:A:C8	2.44	0.52
2:N:19:DG:H1'	2:N:20:DA:H5'	1.91	0.52
4:A:1057:THR:CB	4:A:1060:ARG:HB2	2.39	0.52
13:B:999:ASP:OD1	13:B:1008:ARG:NH1	2.41	0.52
13:B:430:GLY:C	13:B:432:LEU:H	2.12	0.52
1:T:25:DA:H2"	1:T:26:DT:H5"	1.92	0.52
5:C:62:LEU:HD12	5:C:154:VAL:HG23	1.92	0.52
12:E:29:SER:OG	12:E:30:SER:N	2.43	0.52
2:N:26:DC:H2"	2:N:27:DT:C4	2.45	0.51
4:A:778:LEU:O	4:A:782:LEU:HB2	2.09	0.51
9:L:27:ILE:HB	13:B:886:SER:HB3	1.93	0.51
1:T:15:DT:H2"	1:T:16:DA:C4	2.46	0.51
10:H:111:GLU:HA	10:H:124:ARG:HA	1.93	0.51
13:B:325:ARG:HE	13:B:328:LEU:HD23	1.76	0.51
4:A:374:SER:OG	4:A:375:TYR:N	2.43	0.51
4:A:593:GLY:H	6:F:137:TRP:HB2	1.76	0.51
12:E:38:LEU:HD23	12:E:41:ARG:HD3	1.93	0.51
5:C:59:SER:HB2	5:C:161:GLU:H	1.76	0.50
4:A:487:LEU:O	4:A:490:GLN:NE2	2.43	0.50
5:C:195:ILE:HG22	5:C:256:ILE:HG22	1.94	0.50
5:C:94:ASP:N	5:C:94:ASP:OD1	2.40	0.50
13:B:982:VAL:HG12	13:B:984:ARG:HG2	1.93	0.50
13:B:748:LEU:HB3	13:B:965:ILE:HD11	1.93	0.50
13:B:902:ARG:NH1	13:B:1040:MET:SD	2.84	0.50
1:T:15:DT:C2	1:T:16:DA:C8	2.99	0.50
13:B:487:ARG:NH1	13:B:531:SER:O	2.44	0.50
6:F:122:SER:OG	6:F:123:PHE:N	2.45	0.50
13:B:506:HIS:HD2	13:B:508:SER:H	1.59	0.50
4:A:517:ALA:HB2	4:A:524:LEU:HD13	1.94	0.49
13:B:124:ALA:O	13:B:169:ARG:HA	2.11	0.49
11:I:75:ARG:HA	11:I:82:GLY:HA2	1.94	0.49



Atom-1	Atom-2	Interatomic	Clash
	1100111-2	distance (Å)	overlap (Å)
5:C:54:GLU:OE1	5:C:165:ARG:NH2	2.37	0.49
13:B:831:LYS:HG3	13:B:835:VAL:H	1.78	0.49
13:B:59:GLN:HE22	13:B:94:VAL:H	1.61	0.48
11:I:21:GLU:HG2	11:I:22:GLN:HG3	1.95	0.48
13:B:670:TRP:HB2	13:B:675:LEU:HD22	1.95	0.48
10:H:8:PHE:HB3	10:H:62:MET:HB2	1.95	0.48
13:B:475:GLY:HA3	13:B:481:GLN:HE21	1.79	0.48
10:H:11:ILE:HG13	10:H:59:THR:HB	1.94	0.48
12:E:62:SER:OG	12:E:63:LEU:N	2.46	0.48
13:B:930:ALA:HB1	13:B:1014:VAL:CG1	2.44	0.48
13:B:1013:ARG:NH2	13:B:1013:ARG:HA	2.28	0.48
11:I:75:ARG:HE	11:I:82:GLY:HA3	1.79	0.48
4:A:653:TYR:OH	4:A:1047:ASN:ND2	2.38	0.48
10:H:94:HIS:HE1	10:H:138:ARG:HB3	1.79	0.48
4:A:1021:LEU:HD12	4:A:1024:LEU:CD2	2.44	0.48
1:T:5:DT:H2"	1:T:6:DC:C5	2.49	0.47
4:A:1057:THR:HG21	4:A:1063:HIS:CE1	2.50	0.47
10:H:14:VAL:HG23	10:H:55:GLY:H	1.79	0.47
3:P:10:A:H2'	3:P:11:A:H8	1.80	0.47
4:A:1060:ARG:HG3	4:A:1106:ARG:HH11	1.79	0.47
12:E:195:LYS:HA	12:E:200:VAL:HG11	1.97	0.47
13:B:216:GLN:HE22	13:B:492:GLN:CD	2.18	0.47
4:A:919:TYR:O	11:I:41:ASN:ND2	2.47	0.47
4:A:977:ASP:OD1	4:A:977:ASP:N	2.42	0.47
4:A:1050:TRP:CZ3	4:A:1052:SER:CB	2.95	0.47
10:H:9:GLU:HA	10:H:60:LEU:O	2.15	0.47
4:A:885:ARG:O	4:A:888:LYS:HG2	2.14	0.47
13:B:639:SER:OG	13:B:640:LYS:N	2.48	0.47
5:C:78:SER:O	5:C:275:VAL:HG12	2.15	0.47
13:B:362:THR:HG23	13:B:560:THR:HB	1.96	0.47
1:T:14:DG:H1	2:N:21:DC:H42	1.63	0.46
4:A:671:ALA:HA	4:A:674:MET:HG2	1.98	0.46
13:B:462:ARG:HG2	13:B:465:GLU:OE2	2.15	0.46
13:B:516:LEU:HD13	13:B:711:VAL:HG11	1.97	0.46
10:H:92:VAL:HG12	10:H:142:LEU:HA	1.98	0.46
1:T:14:DG:H2"	1:T:15:DT:OP2	2.16	0.46
2:N:10:DG:H1	2:N:12:DT:H3'	1.79	0.46
2:N:12:DT:C6	2:N:13:DA:C5	3.03	0.46
5:C:182:ALA:HB1	5:C:185:VAL:HG23	1.96	0.46
5:C:184:THR:HG21	7:J:42:ARG:CZ	2.46	0.46
4:A:1057:THR:HB	4:A:1060:ARG:CB	2.44	0.46



Atom-1	Atom-2	Interatomic	Clash
		distance (A)	overlap (A)
9:L:10:TYR:OH	13:B:841:ASP:OD2	2.34	0.46
12:E:92:LYS:HD2	12:E:120:THR:HG23	1.96	0.46
4:A:416:PRO:HA	4:A:419:HIS:HB2	1.97	0.46
4:A:592:LYS:HD2	4:A:592:LYS:HA	1.46	0.46
2:N:7:DT:H5'	2:N:8:DA:O5'	2.16	0.45
4:A:1053:PRO:HB2	4:A:1055:THR:HG23	1.98	0.45
4:A:1172:LEU:HD12	4:A:1173:THR:N	2.31	0.45
13:B:551:SER:OG	13:B:593:ARG:NH1	2.48	0.45
2:N:10:DG:H3'	2:N:12:DT:OP2	2.16	0.45
13:B:404:GLU:OE2	13:B:408:ARG:NH1	2.50	0.45
10:H:29:ARG:HA	10:H:43:LEU:O	2.17	0.45
2:N:26:DC:H2"	2:N:27:DT:C5	2.52	0.45
2:N:18:DT:H2"	2:N:19:DG:H5"	1.98	0.45
4:A:1056:THR:O	4:A:1057:THR:OG1	2.29	0.45
6:F:114:ILE:HG12	6:F:126:TRP:HB3	1.98	0.45
11:I:19:ASP:OD1	11:I:19:ASP:N	2.42	0.45
4:A:893:GLU:O	4:A:897:TYR:CD2	2.67	0.44
12:E:75:ASP:OD1	12:E:78:ARG:NH1	2.50	0.44
13:B:175:LYS:HB2	13:B:201:GLY:HA3	1.99	0.44
2:N:13:DA:H2"	2:N:14:DG:O5'	2.17	0.44
2:N:14:DG:C8	13:B:340:PHE:HB2	2.52	0.44
13:B:286:SER:HB2	13:B:289:GLU:HG2	2.00	0.44
13:B:626:PRO:HA	13:B:656:GLU:O	2.16	0.44
5:C:297:LEU:HG	8:K:87:TYR:HD2	1.79	0.44
10:H:99:LYS:HB3	10:H:113:TYR:HD2	1.83	0.44
10:H:145:LYS:HA	10:H:145:LYS:HD3	1.78	0.44
5:C:14:ILE:HD12	8:K:108:GLU:HB3	1.98	0.44
4:A:897:TYR:OH	11:I:86:PHE:CE2	2.65	0.44
4:A:1059:ILE:HB	4:A:1108:ILE:HD11	2.00	0.44
4:A:1121:LEU:HD11	4:A:1156:THR:HB	2.00	0.44
4:A:989:CYS:SG	4:A:990:SER:N	2.91	0.44
13:B:791:LEU:HD22	13:B:904:PRO:HD2	2.00	0.44
13:B:1046:LYS:HB3	13:B:1046:LYS:HE2	1.76	0.44
3:P:10:A:H2'	3:P:11:A:C8	2.52	0.43
13:B:288:LYS:HE2	13:B:288:LYS:HB2	1.81	0.43
4:A:708:ASP:OD1	4:A:708:ASP:N	2.49	0.43
13:B:599:LEU:HD23	13:B:599:LEU:HA	1.91	0.43
4:A:596:GLU:N	6:F:137:TRP:HE1	2.16	0.43
4:A:885:ARG:HG2	12:E:23:SER:HG	1.76	0.43
10:H:14:VAL:HG13	10:H:58:PHE:HE1	1.83	0.43
4:A:897:TYR:CE2	11:I:86:PHE:HE2	2.35	0.43



A 4 1	A t arra 0	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
4:A:1169:TYR:O	4:A:1173:THR:HB	2.17	0.43
13:B:97:ASP:OD1	13:B:97:ASP:N	2.52	0.43
10:H:89:TYR:HA	10:H:144:ARG:HB3	2.01	0.43
1:T:25:DA:C6	1:T:26:DT:C4	3.07	0.43
2:N:7:DT:H3'	2:N:8:DA:N3	2.34	0.43
4:A:804:SER:HA	12:E:189:GLN:HB3	2.01	0.43
13:B:640:LYS:HA	13:B:640:LYS:HD3	1.74	0.43
13:B:490:ARG:HD3	13:B:492:GLN:CG	2.49	0.43
13:B:670:TRP:O	13:B:672:THR:N	2.49	0.43
13:B:724:GLY:HA3	13:B:764:ASN:HD22	1.84	0.43
4:A:515:GLN:NE2	8:K:61:TYR:O	2.52	0.43
6:F:77:ARG:HA	6:F:77:ARG:HD2	1.81	0.43
13:B:784:ILE:HG22	13:B:942:ILE:HG22	2.00	0.43
10:H:30:ILE:O	10:H:42:HIS:HA	2.19	0.43
13:B:300:ASP:HB3	13:B:303:ILE:HG12	2.01	0.43
4:A:553:LEU:HD13	4:A:592:LYS:HG2	2.01	0.42
5:C:262:ASP:N	5:C:262:ASP:OD1	2.47	0.42
13:B:745:GLN:NE2	13:B:767:ASN:H	2.17	0.42
5:C:56:GLU:OE1	5:C:163:LYS:NZ	2.42	0.42
5:C:296:ARG:C	5:C:297:LEU:HD23	2.39	0.42
12:E:96:VAL:HB	12:E:126:LEU:HD23	2.01	0.42
2:N:10:DG:H22	13:B:463:LYS:HD2	1.83	0.42
12:E:169:ARG:HH21	12:E:212:LYS:HD3	1.84	0.42
4:A:522:ARG:NH1	4:A:565:SER:O	2.53	0.42
6:F:87:VAL:HG12	6:F:89:VAL:H	1.85	0.42
13:B:346:VAL:HA	13:B:349:CYS:HB2	2.01	0.42
13:B:965:ILE:HG22	13:B:1000:GLN:HE22	1.84	0.42
3:P:14:A:H2'	3:P:15:C:C6	2.54	0.42
5:C:12:VAL:HG11	8:K:105:PHE:HD1	1.85	0.42
13:B:204:PHE:O	13:B:210:GLU:HA	2.20	0.42
13:B:237:SER:OG	13:B:238:GLU:N	2.51	0.42
2:N:10:DG:N7	2:N:11:DC:C6	2.87	0.42
2:N:12:DT:H72	2:N:13:DA:H62	1.85	0.42
1:T:8:DA:H2"	1:T:9:DG:C8	2.55	0.42
2:N:6:DG:O3'	2:N:7:DT:H4'	2.20	0.42
10:H:100:ILE:HG22	10:H:135:LEU:HD13	2.01	0.42
13:B:498:ARG:HA	13:B:498:ARG:HD2	1.76	0.42
2:N:19:DG:OP2	13:B:494:LEU:HD22	2.19	0.42
4:A:596:GLU:H	6:F:137:TRP:HE1	1.66	0.42
1:T:6:DC:H2"	1:T:7:DA:C8	2.54	0.41
4:A:947:GLU:O	11:I:92:ARG:NH2	2.53	0.41



	At arra 0	Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
2:N:13:DA:H2'	2:N:14:DG:C2	2.55	0.41
13:B:673:LYS:HA	13:B:673:LYS:HD3	1.81	0.41
13:B:496:THR:O	13:B:496:THR:CG2	2.68	0.41
3:P:15:C:H2'	3:P:16:C:H6	1.82	0.41
4:A:772:LEU:HD23	4:A:772:LEU:HA	1.94	0.41
4:A:431:HIS:HD2	4:A:433:ASP:H	1.67	0.41
4:A:897:TYR:CE2	11:I:86:PHE:CE2	3.09	0.41
13:B:277:VAL:HG11	13:B:330:TYR:HD2	1.85	0.41
4:A:885:ARG:CB	12:E:23:SER:OG	2.69	0.41
5:C:40:VAL:HG21	5:C:288:LEU:HD13	2.01	0.41
12:E:108:ILE:HA	12:E:111:VAL:HG12	2.02	0.41
4:A:937:GLY:O	4:A:1006:MET:HA	2.20	0.41
5:C:297:LEU:HD11	8:K:33:PHE:CE2	2.56	0.41
2:N:12:DT:H72	13:B:340:PHE:CE1	2.56	0.41
4:A:709:LYS:HA	4:A:709:LYS:HD3	1.82	0.41
5:C:148:GLN:HB3	5:C:149:ARG:H	1.66	0.41
10:H:77:PHE:O	10:H:79:PRO:HD3	2.21	0.41
10:H:110:ALA:N	10:H:125:GLY:O	2.51	0.41
11:I:75:ARG:HH11	11:I:82:GLY:HA3	1.85	0.41
13:B:786:MET:HG3	13:B:920:LEU:HD13	2.02	0.41
1:T:6:DC:H1'	1:T:7:DA:H5'	2.03	0.41
1:T:27:DT:H5"	13:B:450:ARG:NH1	2.35	0.40
4:A:687:LYS:HE3	4:A:687:LYS:HB2	1.89	0.40
4:A:1229:LEU:HD23	6:F:114:ILE:HG22	2.04	0.40
13:B:251:ASN:OD1	13:B:260:LYS:NZ	2.52	0.40
4:A:364:GLN:HA	4:A:367:VAL:HG12	2.04	0.40
13:B:394:LYS:O	13:B:395:ARG:NH1	2.49	0.40
13:B:1013:ARG:HH22	13:B:1026:LEU:HA	1.87	0.40
4:A:885:ARG:HE	12:E:22:LEU:N	2.20	0.40
9:L:29:CYS:SG	9:L:30:ARG:N	2.94	0.40
10:H:42:HIS:CD2	10:H:122:LEU:HB3	2.57	0.40
1:T:21:DG:H2'	1:T:22:DG:C8	2.56	0.40
2:N:11:DC:H1'	2:N:12:DT:C6	2.55	0.40
4:A:646:VAL:HG23	4:A:659:LEU:HD11	2.03	0.40
4:A:965:ASN:HA	4:A:968:VAL:HG12	2.03	0.40
13:B:225:TRP:HB2	13:B:236:ARG:HH12	1.87	0.40
13:B:604:GLU:OE1	13:B:622:ARG:NH1	2.47	0.40
13:B:970:GLN:HE21	13:B:972:LYS:HE2	1.87	0.40

There are no symmetry-related clashes.



# 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
4	А	840/2032~(41%)	795~(95%)	44 (5%)	1 (0%)	51	81
5	С	283/319~(89%)	272 (96%)	10 (4%)	1 (0%)	34	66
6	F	78/144 (54%)	71 (91%)	7 (9%)	0	100	100
7	J	61/69~(88%)	60 (98%)	1 (2%)	0	100	100
8	K	106/116~(91%)	102 (96%)	4 (4%)	0	100	100
9	L	43/51~(84%)	37~(86%)	6 (14%)	0	100	100
10	Н	139/146~(95%)	119 (86%)	20 (14%)	0	100	100
11	Ι	93/114 (82%)	86 (92%)	7 (8%)	0	100	100
12	Е	207/230~(90%)	198 (96%)	9 (4%)	0	100	100
13	В	959/1169 (82%)	907~(95%)	51 (5%)	1 (0%)	51	81
All	All	2809/4390~(64%)	2647 (94%)	159 (6%)	3 (0%)	54	81

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
13	В	431	ASP
4	А	592	LYS
5	С	184	THR

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent side chain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.



Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
4	А	753/1709~(44%)	749 (100%)	4 (0%)	88	96
5	С	253/276~(92%)	252 (100%)	1 (0%)	91	97
6	F	72/128~(56%)	72 (100%)	0	100	100
7	J	56/62~(90%)	56 (100%)	0	100	100
8	K	98/105~(93%)	98 (100%)	0	100	100
9	L	40/46~(87%)	40 (100%)	0	100	100
10	Н	123/127~(97%)	123 (100%)	0	100	100
11	Ι	85/101 (84%)	85 (100%)	0	100	100
12	Е	190/209~(91%)	188 (99%)	2(1%)	73	92
13	В	849/1026~(83%)	841 (99%)	8 (1%)	78	94
All	All	2519/3789~(66%)	2504 (99%)	15 (1%)	86	96

All (15) residues with a non-rotameric sidechain are listed below:

Mol	Chain	$\operatorname{Res}$	Type
4	А	591	GLU
4	А	592	LYS
4	А	1024	LEU
4	А	1173	THR
5	С	297	LEU
12	Е	44	LEU
12	Е	167	ARG
13	В	426	LEU
13	В	462	ARG
13	В	463	LYS
13	В	464	MET
13	В	637	LYS
13	В	984	ARG
13	В	1014	VAL
13	В	1048	ARG

Sometimes side chains can be flipped to improve hydrogen bonding and reduce clashes. All (35) such side chains are listed below:

Mol	Chain	Res	Type
4	А	358	HIS
4	А	401	HIS
4	А	421	HIS
4	А	424	GLN



Mol	Chain	Res	Type
4	А	431	HIS
4	А	611	HIS
4	А	693	ASN
4	А	781	ASN
4	А	942	ASN
4	А	1011	ASN
4	А	1083	GLN
4	А	1114	GLN
4	А	1147	HIS
5	С	279	GLN
8	K	29	ASN
8	K	89	GLN
10	Н	94	HIS
11	Ι	31	ASN
13	В	59	GLN
13	В	216	GLN
13	В	506	HIS
13	В	596	GLN
13	В	679	GLN
13	В	684	HIS
13	В	705	HIS
13	В	714	GLN
13	В	720	GLN
13	В	721	GLN
13	В	745	GLN
13	В	758	GLN
13	В	764	ASN
13	В	767	ASN
13	В	780	GLN
13	В	970	GLN
13	В	1000	GLN

### 5.3.3 RNA (i)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
3	Р	10/20~(50%)	4 (40%)	0

All (4) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
3	Р	11	А



 $Continued \ from \ previous \ page...$ 

Mol	Chain	Res	Type
3	Р	13	G
3	Р	14	А
3	Р	19	G

There are no RNA pucker outliers to report.

# 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry (i)

Of 7 ligands modelled in this entry, 7 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

# 5.7 Other polymers (i)

There are no such residues in this entry.

# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Map visualisation (i)

This section contains visualisations of the EMDB entry EMD-34821. These allow visual inspection of the internal detail of the map and identification of artifacts.

Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

# 6.1 Orthogonal projections (i)

#### 6.1.1 Primary map



6.1.2 Raw map



The images above show the map projected in three orthogonal directions.



# 6.2 Central slices (i)

### 6.2.1 Primary map



X Index: 150



Y Index: 150



Z Index: 150

#### 6.2.2 Raw map



X Index: 150

Y Index: 150

Z Index: 150

The images above show central slices of the map in three orthogonal directions.



# 6.3 Largest variance slices (i)

### 6.3.1 Primary map



X Index: 140



Y Index: 162



Z Index: 133

#### 6.3.2 Raw map



X Index: 140

Y Index: 162



The images above show the largest variance slices of the map in three orthogonal directions.



# 6.4 Orthogonal standard-deviation projections (False-color) (i)

### 6.4.1 Primary map



6.4.2 Raw map



The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



# 6.5 Orthogonal surface views (i)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0245. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

#### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.

### 6.6 Mask visualisation (i)

This section was not generated. No masks/segmentation were deposited.



# 7 Map analysis (i)

This section contains the results of statistical analysis of the map.

# 7.1 Map-value distribution (i)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



# 7.2 Volume estimate (i)



The volume at the recommended contour level is  $139 \text{ nm}^3$ ; this corresponds to an approximate mass of 125 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



# 7.3 Rotationally averaged power spectrum (i)



\*Reported resolution corresponds to spatial frequency of 0.357  ${\rm \AA^{-1}}$ 



# 8 Fourier-Shell correlation (i)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

#### 8.1 FSC (i)



\*Reported resolution corresponds to spatial frequency of 0.357  $\mathrm{\AA^{-1}}$ 



# 8.2 Resolution estimates (i)

$\begin{array}{ c c c c c c c c c c c c c c c c c c c$	Estimation criterion (FSC cut-off)		
Resolution estimate (A)	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.53	4.29	3.71

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.53 differs from the reported value 2.8 by more than 10 %



# 9 Map-model fit (i)

This section contains information regarding the fit between EMDB map EMD-34821 and PDB model 8HIM. Per-residue inclusion information can be found in section 3 on page 7.

# 9.1 Map-model overlay (i)



The images above show the 3D surface view of the map at the recommended contour level 0.0245 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.



### 9.2 Q-score mapped to coordinate model (i)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

#### 9.3 Atom inclusion mapped to coordinate model (i)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0245).



# 9.4 Atom inclusion (i)



At the recommended contour level, 86% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.



1.0

0.0 <0.0

# 9.5 Map-model fit summary (i)

The table lists the average atom inclusion at the recommended contour level (0.0245) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.7710	0.5430
А	0.7570	0.5420
В	0.8780	0.5980
С	0.8830	0.6000
Ε	0.5810	0.4520
F	0.7330	0.5190
Н	0.6230	0.4640
Ι	0.4590	0.4160
J	0.9560	0.6430
Κ	0.8860	0.6020
L	0.8600	0.5760
Ν	0.3010	0.2580
Р	0.7700	0.4450
Т	0.4200	0.3020

