



# Full wwPDB X-ray Structure Validation Report i

Jun 4, 2024 – 01:06 pm BST

PDB ID : 8POQ  
Title : Crystal structure of wolbachia leucyl-tRNA synthetase editing domain  
Authors : Palencia, A.; Lukarska, M.  
Deposited on : 2023-07-05  
Resolution : 3.00 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)  
A user guide is available at  
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>  
with specific help available everywhere you see the i symbol.

The types of validation reports are described at  
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467  
Xtriage (Phenix) : 1.13  
EDS : 2.36.2  
Percentile statistics : 20191225.v01 (using entries in the PDB archive December 25th 2019)  
Refmac : 5.8.0158  
CCP4 : 7.0.044 (Gargrove)  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.36.2


# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*


The reported resolution of this entry is 3.00 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	2092 (3.00-3.00)
Clashscore	141614	2416 (3.00-3.00)
Ramachandran outliers	138981	2333 (3.00-3.00)
Sidechain outliers	138945	2336 (3.00-3.00)
RSRZ outliers	127900	1990 (3.00-3.00)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



## 2 Entry composition (i)

There are 2 unique types of molecules in this entry. The entry contains 5114 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Leucine-tRNA ligase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	161	Total	C	N	O	S	0	0	0
			1258	815	203	234	6			
1	B	162	Total	C	N	O	S	0	0	0
			1269	825	205	233	6			
1	C	162	Total	C	N	O	S	0	0	0
			1276	830	206	234	6			
1	D	167	Total	C	N	O	S	0	0	0
			1300	840	212	242	6			

There are 108 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	216	GLY	-	expression tag	UNP Q5GS31
A	217	ALA	-	expression tag	UNP Q5GS31
A	218	MET	-	expression tag	UNP Q5GS31
A	?	-	ILE	deletion	UNP Q5GS31
A	?	-	PRO	deletion	UNP Q5GS31
A	?	-	ALA	deletion	UNP Q5GS31
A	?	-	CYS	deletion	UNP Q5GS31
A	?	-	ASP	deletion	UNP Q5GS31
A	?	-	GLN	deletion	UNP Q5GS31
A	?	-	GLY	deletion	UNP Q5GS31
A	?	-	SER	deletion	UNP Q5GS31
A	?	-	TYR	deletion	UNP Q5GS31
A	?	-	THR	deletion	UNP Q5GS31
A	?	-	GLY	deletion	UNP Q5GS31
A	?	-	SER	deletion	UNP Q5GS31
A	?	-	GLN	deletion	UNP Q5GS31
A	?	-	CYS	deletion	UNP Q5GS31
A	?	-	GLN	deletion	UNP Q5GS31
A	?	-	ALA	deletion	UNP Q5GS31
A	?	-	THR	deletion	UNP Q5GS31
A	?	-	ARG	deletion	UNP Q5GS31

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
A	?	-	MET	deletion	UNP Q5GS31
A	?	-	ALA	deletion	UNP Q5GS31
A	?	-	ASP	deletion	UNP Q5GS31
A	?	-	GLY	deletion	UNP Q5GS31
A	?	-	LEU	deletion	UNP Q5GS31
A	?	-	ASN	deletion	UNP Q5GS31
B	216	GLY	-	expression tag	UNP Q5GS31
B	217	ALA	-	expression tag	UNP Q5GS31
B	218	MET	-	expression tag	UNP Q5GS31
B	?	-	ILE	deletion	UNP Q5GS31
B	?	-	PRO	deletion	UNP Q5GS31
B	?	-	ALA	deletion	UNP Q5GS31
B	?	-	CYS	deletion	UNP Q5GS31
B	?	-	ASP	deletion	UNP Q5GS31
B	?	-	GLN	deletion	UNP Q5GS31
B	?	-	GLY	deletion	UNP Q5GS31
B	?	-	SER	deletion	UNP Q5GS31
B	?	-	TYR	deletion	UNP Q5GS31
B	?	-	THR	deletion	UNP Q5GS31
B	?	-	GLY	deletion	UNP Q5GS31
B	?	-	SER	deletion	UNP Q5GS31
B	?	-	GLN	deletion	UNP Q5GS31
B	?	-	CYS	deletion	UNP Q5GS31
B	?	-	GLN	deletion	UNP Q5GS31
B	?	-	ALA	deletion	UNP Q5GS31
B	?	-	THR	deletion	UNP Q5GS31
B	?	-	ARG	deletion	UNP Q5GS31
B	?	-	MET	deletion	UNP Q5GS31
B	?	-	ALA	deletion	UNP Q5GS31
B	?	-	ASP	deletion	UNP Q5GS31
B	?	-	GLY	deletion	UNP Q5GS31
B	?	-	LEU	deletion	UNP Q5GS31
B	?	-	ASN	deletion	UNP Q5GS31
C	216	GLY	-	expression tag	UNP Q5GS31
C	217	ALA	-	expression tag	UNP Q5GS31
C	218	MET	-	expression tag	UNP Q5GS31
C	?	-	ILE	deletion	UNP Q5GS31
C	?	-	PRO	deletion	UNP Q5GS31
C	?	-	ALA	deletion	UNP Q5GS31
C	?	-	CYS	deletion	UNP Q5GS31
C	?	-	ASP	deletion	UNP Q5GS31
C	?	-	GLN	deletion	UNP Q5GS31

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
C	?	-	GLY	deletion	UNP Q5GS31
C	?	-	SER	deletion	UNP Q5GS31
C	?	-	TYR	deletion	UNP Q5GS31
C	?	-	THR	deletion	UNP Q5GS31
C	?	-	GLY	deletion	UNP Q5GS31
C	?	-	SER	deletion	UNP Q5GS31
C	?	-	GLN	deletion	UNP Q5GS31
C	?	-	CYS	deletion	UNP Q5GS31
C	?	-	GLN	deletion	UNP Q5GS31
C	?	-	ALA	deletion	UNP Q5GS31
C	?	-	THR	deletion	UNP Q5GS31
C	?	-	ARG	deletion	UNP Q5GS31
C	?	-	MET	deletion	UNP Q5GS31
C	?	-	ALA	deletion	UNP Q5GS31
C	?	-	ASP	deletion	UNP Q5GS31
C	?	-	GLY	deletion	UNP Q5GS31
C	?	-	LEU	deletion	UNP Q5GS31
C	?	-	ASN	deletion	UNP Q5GS31
D	216	GLY	-	expression tag	UNP Q5GS31
D	217	ALA	-	expression tag	UNP Q5GS31
D	218	MET	-	expression tag	UNP Q5GS31
D	?	-	ILE	deletion	UNP Q5GS31
D	?	-	PRO	deletion	UNP Q5GS31
D	?	-	ALA	deletion	UNP Q5GS31
D	?	-	CYS	deletion	UNP Q5GS31
D	?	-	ASP	deletion	UNP Q5GS31
D	?	-	GLN	deletion	UNP Q5GS31
D	?	-	GLY	deletion	UNP Q5GS31
D	?	-	SER	deletion	UNP Q5GS31
D	?	-	TYR	deletion	UNP Q5GS31
D	?	-	THR	deletion	UNP Q5GS31
D	?	-	GLY	deletion	UNP Q5GS31
D	?	-	SER	deletion	UNP Q5GS31
D	?	-	GLN	deletion	UNP Q5GS31
D	?	-	CYS	deletion	UNP Q5GS31
D	?	-	GLN	deletion	UNP Q5GS31
D	?	-	ALA	deletion	UNP Q5GS31
D	?	-	THR	deletion	UNP Q5GS31
D	?	-	ARG	deletion	UNP Q5GS31
D	?	-	MET	deletion	UNP Q5GS31
D	?	-	ALA	deletion	UNP Q5GS31
D	?	-	ASP	deletion	UNP Q5GS31

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
D	?	-	GLY	deletion	UNP Q5GS31
D	?	-	LEU	deletion	UNP Q5GS31
D	?	-	ASN	deletion	UNP Q5GS31


- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	1	Total O 1 1	0	0
2	B	2	Total O 2 2	0	0
2	C	3	Total O 3 3	0	0
2	D	5	Total O 5 5	0	0


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Leucine-tRNA ligase




- Molecule 1: Leucine-tRNA ligase



- Molecule 1: Leucine-tRNA ligase



- Molecule 1: Leucine-tRNA ligase



## 4 Data and refinement statistics (i)

Property	Value	Source
Space group	P 43	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	53.64Å 53.64Å 267.33Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.78 – 3.00 49.78 – 3.00	Depositor EDS
% Data completeness (in resolution range)	99.2 (49.78-3.00) 99.8 (49.78-3.00)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) >$ <sup>1</sup>	1.65 (at 3.01Å)	Xtriage
Refinement program	PHENIX (1.13_2998: ???)	Depositor
$R$ , $R_{free}$	0.276 , 0.326 0.276 , 0.327	Depositor DCC
$R_{free}$ test set	747 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	124.7	Xtriage
Anisotropy	0.460	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.27 , 79.8	EDS
L-test for twinning <sup>2</sup>	$<  L  > = 0.51$ , $< L^2 > = 0.35$	Xtriage
Estimated twinning fraction	0.479 for h,-k,-l	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	5114	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	146.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.91% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $< |L| >$ ,  $< L^2 >$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [\(i\)](#)

### 5.1 Standard geometry [\(i\)](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z  > 5$	RMSZ	# $ Z  > 5$
1	A	0.25	0/1281	0.45	0/1728
1	B	0.24	0/1293	0.44	0/1744
1	C	0.24	0/1300	0.43	0/1753
1	D	0.24	0/1324	0.43	0/1788
All	All	0.24	0/5198	0.44	0/7013

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [\(i\)](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1258	0	1269	9	0
1	B	1269	0	1282	7	0
1	C	1276	0	1297	10	0
1	D	1300	0	1305	12	0
2	A	1	0	0	0	0
2	B	2	0	0	0	0
2	C	3	0	0	0	0
2	D	5	0	0	0	0
All	All	5114	0	5153	38	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (38) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:313:LEU:HD13	1:B:316:TYR:HB2	1.67	0.75
1:D:273:LEU:HD12	1:D:289:ILE:HD13	1.72	0.71
1:D:256:ALA:HB3	1:D:314:MET:HG2	1.79	0.65
1:D:273:LEU:HD13	1:D:273:LEU:O	2.00	0.62
1:A:230:ILE:HD11	1:A:237:LEU:HB2	1.86	0.57
1:B:309:ALA:HB3	1:B:312:VAL:HG23	1.84	0.57
1:C:256:ALA:HB3	1:C:314:MET:HG2	1.87	0.57
1:D:273:LEU:HD12	1:D:289:ILE:CD1	2.35	0.56
1:B:230:ILE:HD11	1:B:237:LEU:HB2	1.86	0.56
1:A:222:GLU:HB3	1:A:394:ILE:HG23	1.87	0.56
1:A:233:LEU:HD12	1:A:235:LYS:HB2	1.88	0.55
1:A:353:ILE:HG22	1:A:358:ASN:HB2	1.91	0.51
1:D:252:PHE:CZ	1:D:323:GLY:HA3	2.44	0.51
1:B:232:GLY:HA3	1:B:293:LEU:HD13	1.92	0.50
1:A:232:GLY:HA3	1:A:293:LEU:HD13	1.93	0.50
1:A:313:LEU:HD12	1:A:313:LEU:O	2.10	0.50
1:A:309:ALA:HB3	1:A:312:VAL:HG23	1.94	0.50
1:C:359:ASN:HB2	1:C:372:THR:OG1	2.13	0.49
1:D:273:LEU:HD13	1:D:273:LEU:C	2.33	0.49
1:C:258:GLU:HB2	1:C:314:MET:HG3	1.96	0.48
1:C:262:VAL:O	1:C:266:MET:HB2	2.15	0.47
1:C:354:GLU:O	1:C:359:ASN:HA	2.15	0.46
1:A:222:GLU:HA	1:A:394:ILE:HA	1.96	0.46
1:C:325:PRO:HB3	1:C:332:PHE:HA	1.98	0.46
1:C:317:ARG:HB3	1:C:318:GLU:H	1.60	0.45
1:D:262:VAL:O	1:D:266:MET:HB2	2.17	0.45
1:D:321:ILE:O	1:D:321:ILE:HD12	2.17	0.45
1:B:233:LEU:HD12	1:B:235:LYS:HB2	1.99	0.44
1:D:317:ARG:HB3	1:D:318:GLU:H	1.57	0.43
1:B:359:ASN:HB2	1:B:372:THR:HB	2.00	0.43
1:D:313:LEU:HG	1:D:316:TYR:HB3	2.01	0.42
1:A:317:ARG:HB3	1:A:318:GLU:H	1.80	0.41
1:C:276:SER:OG	1:C:277:ILE:HD12	2.20	0.41
1:B:233:LEU:CD1	1:B:235:LYS:HB2	2.52	0.40
1:D:252:PHE:CZ	1:D:334:PHE:HD1	2.39	0.40
1:D:359:ASN:HB2	1:D:372:THR:OG1	2.21	0.40
1:C:227:GLU:HG2	1:C:238:LYS:HG2	2.03	0.40
1:C:327:HIS:CE1	1:C:346:ILE:HB	2.56	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [\(i\)](#)

### 5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	155/179 (87%)	151 (97%)	4 (3%)	0	100 100
1	B	156/179 (87%)	151 (97%)	5 (3%)	0	100 100
1	C	156/179 (87%)	150 (96%)	6 (4%)	0	100 100
1	D	163/179 (91%)	154 (94%)	8 (5%)	1 (1%)	25 64
All	All	630/716 (88%)	606 (96%)	23 (4%)	1 (0%)	47 82

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	D	278	LYS

### 5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	139/155 (90%)	134 (96%)	5 (4%)	35 70
1	B	139/155 (90%)	134 (96%)	5 (4%)	35 70
1	C	141/155 (91%)	139 (99%)	2 (1%)	67 88
1	D	142/155 (92%)	138 (97%)	4 (3%)	43 77
All	All	561/620 (90%)	545 (97%)	16 (3%)	42 76

All (16) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	233	LEU
1	A	314	MET
1	A	317	ARG
1	A	334	PHE
1	A	351	LEU
1	B	233	LEU
1	B	313	LEU
1	B	317	ARG
1	B	334	PHE
1	B	359	ASN
1	C	313	LEU
1	C	355	GLU
1	D	229	LYS
1	D	313	LEU
1	D	316	TYR
1	D	350	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

### 5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [\(i\)](#)

There are no ligands in this entry.

### 5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [\(i\)](#)

### 6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2		OWAB(Å <sup>2</sup> )	Q<0.9
1	A	161/179 (89%)	-0.07	9 (5%)	24	8	106, 133, 189, 207
1	B	162/179 (90%)	-0.01	9 (5%)	24	8	104, 132, 199, 217
1	C	162/179 (90%)	0.18	9 (5%)	24	8	97, 149, 222, 247
1	D	167/179 (93%)	0.11	9 (5%)	25	9	91, 151, 205, 228
All	All	652/716 (91%)	0.05	36 (5%)	25	9	91, 141, 200, 247

All (36) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	357	THR	10.4
1	C	357	THR	9.9
1	C	358	ASN	6.7
1	B	278	LYS	6.6
1	D	358	ASN	6.0
1	C	276	SER	5.7
1	B	315	GLU	5.3
1	A	277	ILE	4.7
1	A	314	MET	4.5
1	A	315	GLU	4.3
1	C	265	LEU	4.0
1	D	276	SER	4.0
1	C	349	ALA	3.9
1	B	277	ILE	3.9
1	B	314	MET	3.8
1	D	349	ALA	3.6
1	B	274	ILE	3.4
1	B	263	GLN	3.3
1	D	260	PRO	3.1
1	A	266	MET	2.9
1	A	358	ASN	2.8

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	D	228	PHE	2.8
1	C	228	PHE	2.7
1	D	240	PHE	2.6
1	A	318	GLU	2.6
1	C	264	ASP	2.6
1	A	274	ILE	2.6
1	D	287	VAL	2.5
1	D	288	GLY	2.5
1	C	313	LEU	2.4
1	B	313	LEU	2.3
1	B	264	ASP	2.2
1	A	265	LEU	2.2
1	B	265	LEU	2.1
1	C	288	GLY	2.1
1	A	264	ASP	2.1

## 6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [\(i\)](#)

There are no ligands in this entry.

## 6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.