

# Full wwPDB X-ray Structure Validation Report (i)

#### Jun 11, 2025 – 12:10 PM JST

PDB ID	:	$8$ ZWN / pdb_00008zwn
Title	:	Crystal structure of DNA-binding transcriptional activator EvgA from Es-
		cherichia coli str. K-12 substr. MG1655
Authors	:	Teng, Y.; Liu, R.; Luo, B.
Deposited on	:	2024-06-13
Resolution	:	2.90 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org A user guide is available at https://www.wwpdb.org/validation/2017/XrayValidationReportHelp with specific help available everywhere you see the (i) symbol.

The types of validation reports are described at http://www.wwpdb.org/validation/2017/FAQs#types.

The following versions of software and data (see references (1)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber $(2001)$
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.43.1

# 1 Overall quality at a glance (i)

The following experimental techniques were used to determine the structure:  $X\text{-}RAY \, DIFFRACTION$ 

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	$egin{array}{c} { m Whole \ archive} \ (\#{ m Entries}) \end{array}$	${f Similar\ resolution}\ (\#{ m Entries,\ resolution\ range}({ m \AA}))$
$R_{free}$	164625	2335 (2.90-2.90)
Clashscore	180529	2564 (2.90-2.90)
Ramachandran outliers	177936	2514 (2.90-2.90)
Sidechain outliers	177891	2516 (2.90-2.90)
RSRZ outliers	164620	2337 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for >=3, 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions <=5% The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain		
1	А	224	<sup>2%</sup> 75%	17%	8%
1	В	224	74%	17%	8%
1	С	224	74%	17%	9%
1	D	224	70%	21%	9%



#### 8ZWN

# 2 Entry composition (i)

There is only 1 type of molecule in this entry. The entry contains 6294 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	Δ	205	Total	С	Ν	0	$\mathbf{S}$	0	0	0
	A	205	1566	989	265	303	9	0		
1	В	205	Total	С	Ν	0	S	0	0	0
	D	205	1587	1003	271	304	9	0	0	U
1	C	204	Total	С	Ν	0	S	0	0	0
	204	1575	995	269	303	8	0	U		
1 D	204	Total	С	Ν	0	S	0	0	0	
	204	1566	990	267	300	9		U	0	

• Molecule 1 is a protein called DNA-binding transcriptional activator EvgA.

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
А	-19	MET	-	initiating methionine	UNP P0ACZ4
А	-18	GLY	-	expression tag	UNP P0ACZ4
А	-17	SER	-	expression tag	UNP P0ACZ4
А	-16	SER	-	expression tag	UNP P0ACZ4
А	-15	HIS	-	expression tag	UNP P0ACZ4
А	-14	HIS	-	expression tag	UNP P0ACZ4
А	-13	HIS	-	expression tag	UNP P0ACZ4
А	-12	HIS	-	expression tag	UNP P0ACZ4
А	-11	HIS	-	expression tag	UNP P0ACZ4
А	-10	HIS	-	expression tag	UNP P0ACZ4
А	-9	SER	-	expression tag	UNP P0ACZ4
А	-8	SER	-	expression tag	UNP P0ACZ4
А	-7	GLY	-	expression tag	UNP P0ACZ4
А	-6	GLU	-	expression tag	UNP P0ACZ4
А	-5	ASN	-	expression tag	UNP P0ACZ4
А	-4	LEU	-	expression tag	UNP P0ACZ4
А	-3	TYR	-	expression tag	UNP P0ACZ4
A	-2	PHE	-	expression tag	UNP P0ACZ4
А	-1	GLN	-	expression tag	UNP P0ACZ4
А	0	GLY	-	expression tag	UNP P0ACZ4
В	-19	MET	-	initiating methionine	UNP P0ACZ4



8ZWN
------

Chain	Residue	Modelled	Actual	Comment	Reference
В	-18	GLY	-	expression tag	UNP P0ACZ4
В	-17	SER	_	expression tag	UNP P0ACZ4
В	-16	SER	-	expression tag	UNP P0ACZ4
В	-15	HIS	_	expression tag	UNP P0ACZ4
В	-14	HIS	_	expression tag	UNP P0ACZ4
В	-13	HIS	_	expression tag	UNP P0ACZ4
В	-12	HIS	_	expression tag	UNP P0ACZ4
В	-11	HIS	-	expression tag	UNP P0ACZ4
В	-10	HIS	-	expression tag	UNP P0ACZ4
В	-9	SER	-	expression tag	UNP P0ACZ4
В	-8	SER	-	expression tag	UNP P0ACZ4
В	-7	GLY	-	expression tag	UNP P0ACZ4
В	-6	GLU	-	expression tag	UNP P0ACZ4
В	-5	ASN	-	expression tag	UNP P0ACZ4
В	-4	LEU	-	expression tag	UNP P0ACZ4
В	-3	TYR	-	expression tag	UNP P0ACZ4
В	-2	PHE	-	expression tag	UNP P0ACZ4
В	-1	GLN	-	expression tag	UNP P0ACZ4
В	0	GLY	-	expression tag	UNP P0ACZ4
С	-19	MET	-	initiating methionine	UNP P0ACZ4
С	-18	GLY	-	expression tag	UNP P0ACZ4
С	-17	SER	-	expression tag	UNP P0ACZ4
С	-16	SER	-	expression tag	UNP P0ACZ4
С	-15	HIS	-	expression tag	UNP P0ACZ4
С	-14	HIS	-	expression tag	UNP P0ACZ4
С	-13	HIS	-	expression tag	UNP P0ACZ4
С	-12	HIS	-	expression tag	UNP P0ACZ4
C	-11	HIS	-	expression tag	UNP P0ACZ4
C	-10	HIS	-	expression tag	UNP P0ACZ4
C	-9	SER	-	expression tag	UNP P0ACZ4
C	-8	SER	-	expression tag	UNP P0ACZ4
C	-7	GLY	-	expression tag	UNP P0ACZ4
C	-6	GLU	-	expression tag	UNP P0ACZ4
С	-5	ASN	-	expression tag	UNP P0ACZ4
C	-4	LEU	-	expression tag	UNP P0ACZ4
С	-3	TYR	-	expression tag	UNP P0ACZ4
C	-2	PHE	-	expression tag	UNP P0ACZ4
C	-1	GLN	-	expression tag	UNP P0ACZ4
C	0	GLY	-	expression tag	UNP P0ACZ4
D	-19	MET	-	initiating methionine	UNP P0ACZ4
D	-18	GLY	-	expression tag	UNP P0ACZ4
D	-17	SER	-	expression tag	UNP P0ACZ4

Continued from previous page...



Reference
UNP P0ACZ4

Continu	Continued from previous page							
Chain	Residue	Modelled	Actual	Comment	Reference			
D	-16	SER	-	expression tag	UNP P0ACZ4			
D	-15	HIS	-	expression tag	UNP P0ACZ4			
D	-14	HIS	-	expression tag	UNP P0ACZ4			
D	-13	HIS	-	expression tag	UNP P0ACZ4			
D	-12	HIS	-	expression tag	UNP P0ACZ4			
D	-11	HIS	-	expression tag	UNP P0ACZ4			
D	-10	HIS	-	expression tag	UNP P0ACZ4			
D	-9	SER	-	expression tag	UNP P0ACZ4			
D	-8	SER	-	expression tag	UNP P0ACZ4			
D	-7	GLY	-	expression tag	UNP P0ACZ4			
D	-6	GLU	-	expression tag	UNP P0ACZ4			
D	-5	ASN	-	expression tag	UNP P0ACZ4			
D	-4	LEU	-	expression tag	UNP P0ACZ4			
D	-3	TYR	-	expression tag	UNP P0ACZ4			
D	-2	PHE	-	expression tag	UNP P0ACZ4			
D	-1	GLN	-	expression tag	UNP P0ACZ4			
D	0	GLY	-	expression tag	UNP P0ACZ4			



# 3 Residue-property plots (i)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density (RSRZ > 2). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

• Molecule 1: DNA-binding transcriptional activator EvgA





# G74 175 176 176 176 176 176 176 176 85 85 86 85 86 86 87 81 <tr



# 4 Data and refinement statistics (i)

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants	164.38Å 109.06Å 106.67Å	Depositor
a, b, c, $\alpha$ , $\beta$ , $\gamma$	$90.00^{\circ}$ $125.39^{\circ}$ $90.00^{\circ}$	Depositor
Bosolution(A)	46.20 - 2.90	Depositor
Resolution (A)	46.20 - 2.90	EDS
% Data completeness	67.7 (46.20-2.90)	Depositor
(in resolution range)	67.8 (46.20-2.90)	EDS
$R_{merge}$	0.11	Depositor
$R_{sym}$	(Not available)	Depositor
$< I/\sigma(I) > 1$	$2.19 (at 2.91 \text{\AA})$	Xtriage
Refinement program	PHENIX v1.0	Depositor
B B.	0.199 , $0.259$	Depositor
$\Pi, \Pi_{free}$	0.200 , $0.257$	DCC
$R_{free}$ test set	32135 reflections $(8.62%)$	wwPDB-VP
Wilson B-factor $(Å^2)$	55.3	Xtriage
Anisotropy	0.069	Xtriage
Bulk solvent $k_{sol}(e/A^3)$ , $B_{sol}(A^2)$	0.34 , $45.9$	EDS
L-test for $twinning^2$	$ < L >=0.49, < L^2>=0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.93	EDS
Total number of atoms	6294	wwPDB-VP
Average B, all atoms $(Å^2)$	49.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: The largest off-origin peak in the Patterson function is 5.02% of the height of the origin peak. No significant pseudotranslation is detected.

<sup>&</sup>lt;sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.



<sup>&</sup>lt;sup>1</sup>Intensities estimated from amplitudes.

# 5 Model quality (i)

## 5.1 Standard geometry (i)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with |Z| > 5 is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mal	Chain	Bond	lengths	Bond angles		
Moi Chain		RMSZ	# Z  > 5	RMSZ	# Z  > 5	
1	А	0.15	0/1586	0.35	0/2141	
1	В	0.12	0/1607	0.29	0/2165	
1	С	0.12	0/1595	0.30	0/2151	
1	D	0.14	0/1586	0.31	0/2140	
All	All	0.13	0/6374	0.31	0/8597	

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts (i)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	А	1566	0	1564	29	0
1	В	1587	0	1612	27	0
1	С	1575	0	1592	27	1
1	D	1566	0	1578	37	1
All	All	6294	0	6346	111	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (111) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.



1:D:6:ILE:HG12

Atom 1	Atom 2	Interatomic	Clash	
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)	
1:A:15:ALA:HA	1:D:192:MET:HE1	1.71	0.73	
1:D:68:ARG:NH1	1:D:95:GLY:O	2.22	0.72	
1:D:19:LEU:HD22	1:D:106:MET:HG3	1.71	0.71	
1:A:52:ASP:OD2	1:A:102:LYS:NZ	2.24	0.71	
1:C:154:TYR:HE2	1:C:167:LYS:HD2	1.57	0.69	
1:D:152:MET:HE2	1:D:186:LEU:HD11	1.74	0.69	
1:B:77:ILE:HG23	1:B:98:GLY:HA3	1.74	0.68	
1:C:84:ASP:OD2	1:C:153:ARG:NH1	2.28	0.67	
1:D:28:LEU:HB3	1:D:44:LEU:HD23	1.78	0.66	
1:C:134:LEU:HD11	1:C:200:ARG:HG2	1.79	0.65	
1:A:71:GLN:HE21	1:B:131:VAL:HG13	1.60	0.64	
1:B:127:LEU:HD22	1:B:131:VAL:HB	1.80	0.62	
1:C:147:GLN:OE1	1:C:147:GLN:N	2.29	0.62	
1:C:41:VAL:HG12	1:C:72:TYR:HE1	1.65	0.61	
1:B:134:LEU:HD21	1:B:200:ARG:HD2	1.83	0.60	
1:A:71:GLN:NE2	1:B:131:VAL:HG13	2.16	0.59	
1:A:19:LEU:HD22	1:A:106:MET:HB3	1.86	0.57	
1:D:4:ILE:HD11	1:D:46:PRO:HG2	1.86	0.57	
1:B:40:ARG:HH21	1:B:44:LEU:HD11	1.69	0.57	
1:D:76:ILE:N	1:D:97:ASN:OD1	2.20	0.57	
1:D:68:ARG:NH2	1:D:74:GLY:O	2.39	0.56	
1:A:7:ASP:O	1:A:13:ILE:HD11	2.06	0.55	
1:A:152:MET:HB2	1:A:182:LEU:HD11	1.89	0.54	
1:C:179:LYS:O	1:C:183:MET:HG2	2.08	0.54	
1:D:4:ILE:HD12	1:D:41:VAL:HG22	1.91	0.53	
1:C:37:ALA:O	1:C:41:VAL:HG23	2.09	0.53	
1:C:156:LEU:HD21	1:C:194:LEU:HG	1.91	0.53	
1:D:64:LEU:HD23	1:D:76:ILE:HG21	1.89	0.53	
1:C:136:SER:OG	1:C:140:LYS:NZ	2.42	0.52	
1:B:164:ILE:HG22	1:B:168:MET:HE2	1.91	0.52	
1:A:54:ASP:OD1	1:A:153:ARG:NH2	2.43	0.52	
1:A:144:LEU:HD11	1:A:186:LEU:HD11	1.92	0.51	
1:C:2:ASN:N	1:C:2:ASN:OD1	2.44	0.51	
1:D:49:VAL:HB	1:D:76:ILE:HG12	1.91	0.51	
1:A:28:LEU:HB3	1:A:44:LEU:HD23	1.92	0.51	
1:A:147:GLN:O	1:A:151:VAL:HG23	2.10	0.51	
1:A:58:VAL:HG13	1:A:62:GLN:HB3	1.92	0.50	
1:A:199:GLN:HE22	1:D:105:GLY:HA2	1.76	0.50	
1:C:67:LEU:HD22	1:C:72:TYR:HD1	1.75	0.50	
1:D:19:LEU:HD21	1:D:110:ILE:HB	1.93	0.50	
1:A:140:LYS:HE2	1:A:187:GLU:OE2	2.12	0.50	

Continued on next page...

0.50



1.94

1:D:31:LEU:HB2

		Interatomic	Clash	
Atom-1	Atom-2	distance (Å)	overlap (Å)	
1:A:79:VAL:HB	1:A:102:LYS:HD3	1.94	0.49	
1:D:4:ILE:HG23	1:D:29:ALA:HB3	1.93	0.49	
1:B:170:ILE:HD12	1:B:174:THR:HB	1.95	0.49	
1:C:125:PHE:HE2	1:C:130:PHE:CE1	2.30	0.49	
1:D:12:ALA:O	1:D:16:ILE:HG12	2.13	0.49	
1:A:199:GLN:NE2	1:D:105:GLY:HA2	2.29	0.48	
1:B:7:ASP:OD2	1:B:102:LYS:NZ	2.43	0.48	
1:D:4:ILE:CD1	1:D:46:PRO:HG2	2.43	0.48	
1:D:77:ILE:HD12	1:D:112:ALA:HB1	1.95	0.48	
1:D:129:ARG:NH1	1:D:142:ASP:OD2	2.47	0.48	
1:B:152:MET:HB2	1:B:182:LEU:HD21	1.95	0.47	
1:B:40:ARG:O	1:B:44:LEU:HD12	2.14	0.47	
1:A:6:ILE:HG22	1:A:55:ILE:HG21	1.97	0.46	
1:D:47:ASP:O	1:D:75:ILE:HB	2.16	0.46	
1:A:10:PRO:HD2	1:D:158:GLY:HA2	1.97	0.46	
1:B:40:ARG:NH2	1:B:44:LEU:HD11	2.30	0.46	
1:B:125:PHE:HE2	1:B:127:LEU:HG	1.81	0.46	
1:B:160:ASP:OD1	1:B:160:ASP:N	2.43	0.46	
1:D:6:ILE:HG22	1:D:55:ILE:HG21	1.98	0.46	
1:B:54:ASP:OD2	1:B:153:ARG:NH2	2.37	0.45	
1:B:122:TYR:C	1:B:123:PHE:HD1	2.24	0.45	
1:B:144:LEU:HD11	1:B:186:LEU:HD21	1.98	0.45	
1:C:154:TYR:CE2	1:C:167:LYS:HD2	2.45	0.44	
1:C:53:VAL:HG21	1:C:87:TYR:CE2	2.53	0.44	
1:C:168:MET:HB2	1:C:170:ILE:HG12	2.00	0.44	
1:D:155:ILE:HD11	1:D:179:LYS:HG3	2.00	0.44	
1:B:28:LEU:HD23	1:B:46:PRO:HB3	1.99	0.44	
1:D:160:ASP:O	1:D:164:ILE:HG13	2.18	0.44	
1:B:155:ILE:HD11	1:B:179:LYS:HE2	1.99	0.44	
1:A:8:ASP:OD2	1:A:8:ASP:C	2.61	0.44	
1:A:141:LEU:HD21	1:A:152:MET:HE1	1.99	0.44	
1:C:180:SER:O	1:C:184:GLU:HG3	2.18	0.44	
1:B:4:ILE:HD11	1:B:44:LEU:HD13	2.00	0.43	
1:D:183:MET:HE1	1:D:191:LEU:HD23	2.01	0.43	
1:C:72:TYR:HD2	1:C:73:SER:N	2.16	0.43	
1:A:128:ASN:OD1	1:A:128:ASN:N	2.51	0.43	
1:A:52:ASP:HA	1:A:79:VAL:HG23	2.01	0.43	
1:A:152:MET:O	1:A:155:ILE:N	2.52	0.43	
1:B:82:LYS:HD3	1:B:153:ARG:NH2	2.34	0.43	
1:A:191:LEU:HB3	1:D:11:LEU:HD12	2.01	0.43	
1:A:8:ASP:O	1:A:10:PRO:HD3	2.19	0.42	

Continued from previous page...



		Interatomic	Clash
Atom-1	Atom-2	distance $(\text{\AA})$	overlap (Å)
1:A:82:LYS:O	1:A:101:SER:OG	2.28	0.42
1:A:15:ALA:HA	1:D:192:MET:CE	2.44	0.42
1:A:141:LEU:CD2	1:A:152:MET:HE1	2.50	0.42
1:C:162:ASN:OD1	1:C:162:ASN:N	2.52	0.42
1:D:1:MET:SD	1:D:117:LYS:HE2	2.60	0.42
1:D:31:LEU:HD21	1:D:40:ARG:HD3	2.02	0.42
1:D:37:ALA:O	1:D:41:VAL:HG23	2.20	0.42
1:D:90:HIS:NE2	1:D:142:ASP:HA	2.35	0.42
1:C:72:TYR:HD2	1:C:74:GLY:H	1.67	0.42
1:B:3:ALA:HB2	1:B:48:ILE:HB	2.01	0.41
1:B:6:ILE:HG22	1:B:55:ILE:HG21	2.02	0.41
1:D:4:ILE:CG1	1:D:46:PRO:HG2	2.50	0.41
1:B:1:MET:HE1	1:B:48:ILE:HD11	2.03	0.41
1:C:137:ASP:CG	1:C:197:PHE:HE2	2.29	0.41
1:B:2:ASN:HB2	1:B:28:LEU:HD21	2.02	0.41
1:C:2:ASN:HB2	1:C:28:LEU:HD13	2.03	0.41
1:C:125:PHE:CE1	1:D:97:ASN:ND2	2.88	0.41
1:D:7:ASP:OD1	1:D:8:ASP:N	2.53	0.41
1:C:171:SER:HB3	1:C:174:THR:OG1	2.20	0.41
1:A:64:LEU:HD12	1:A:68:ARG:HG2	2.02	0.41
1:D:52:ASP:O	1:D:55:ILE:HG12	2.21	0.41
1:B:125:PHE:CE2	1:B:127:LEU:HG	2.56	0.41
1:C:13:ILE:H	1:C:13:ILE:HG13	1.67	0.40
1:C:90:HIS:CE1	1:C:149:ILE:HD11	2.56	0.40
1:D:4:ILE:HG13	1:D:46:PRO:HG2	2.02	0.40
1:B:181:ARG:H	1:B:181:ARG:HG3	1.63	0.40
1:C:54:ASP:OD1	1:C:153:ARG:NH2	2.55	0.40
1:C:73:SER:O	1:C:73:SER:OG	2.33	0.40

Continued from previous page...

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	$\begin{array}{c} {\rm Interatomic}\\ {\rm distance}~({\rm \AA}) \end{array}$	Clash overlap (Å)
1:C:171:SER:OG	1:D:133:SER:OG[2_656]	2.19	0.01



### 5.3 Torsion angles (i)

#### 5.3.1 Protein backbone (i)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Perce	ntiles
1	А	203/224~(91%)	190 (94%)	13~(6%)	0	100	100
1	В	203/224~(91%)	198~(98%)	5(2%)	0	100	100
1	С	202/224~(90%)	194 (96%)	8 (4%)	0	100	100
1	D	202/224~(90%)	198 (98%)	4(2%)	0	100	100
All	All	810/896~(90%)	780 (96%)	30 (4%)	0	100	100

There are no Ramachandran outliers to report.

#### 5.3.2 Protein sidechains (i)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Perce	ntiles
1	А	168/192~(88%)	166~(99%)	2(1%)	67	89
1	В	173/192~(90%)	171~(99%)	2(1%)	67	89
1	С	171/192~(89%)	170 (99%)	1 (1%)	84	95
1	D	169/192~(88%)	168~(99%)	1 (1%)	84	95
All	All	681/768~(89%)	675 (99%)	6 (1%)	75	92

All (6) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	А	49	VAL
1	А	145	SER



Continued from previous page...

Mol	Chain	Res	Type
1	В	130	PHE
1	В	196	THR
1	С	28	LEU
1	D	16	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	А	71	GLN
1	А	83	ASN
1	А	161	ASN
1	А	199	GLN
1	В	162	ASN
1	В	172	ASN
1	С	83	ASN
1	С	139	GLN
1	D	199	GLN

#### 5.3.3 RNA (i)

There are no RNA molecules in this entry.

#### 5.4 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

#### 5.5 Carbohydrates (i)

There are no oligosaccharides in this entry.

#### 5.6 Ligand geometry (i)

There are no ligands in this entry.

### 5.7 Other polymers (i)

There are no such residues in this entry.



# 5.8 Polymer linkage issues (i)

There are no chain breaks in this entry.



# 6 Fit of model and data (i)

### 6.1 Protein, DNA and RNA chains (i)

In the following table, the column labelled '#RSRZ> 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median,  $95^{th}$  percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q< 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	$\langle RSRZ \rangle$	#RSRZ>2	$OWAB(Å^2)$	Q<0.9
1	А	205/224 (91%)	-0.16	4 (1%) 64 58	22, 50, 82, 102	0
1	В	205/224 (91%)	-0.44	0 100 100	20, 39, 64, 85	0
1	С	204/224 (91%)	-0.09	0 100 100	30, 60, 79, 87	0
1	D	204/224 (91%)	-0.44	0 100 100	25, 41, 58, 69	0
All	All	818/896 (91%)	-0.28	4 (0%) 87 84	20, 47, 77, 102	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	А	204	GLY	3.0
1	А	169	PHE	2.6
1	А	170	ILE	2.5
1	А	174	THR	2.3

### 6.2 Non-standard residues in protein, DNA, RNA chains (i)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates (i)

There are no monosaccharides in this entry.

### 6.4 Ligands (i)

There are no ligands in this entry.



# 6.5 Other polymers (i)

There are no such residues in this entry.

