



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 23, 2025 – 08:03 AM EDT

PDB ID : 9CBQ / pdb_00009cbq
Title : Methionine synthase from *Thermus thermophilus* HB8, Folate demethylation state (Fol-on)
Authors : Yamada, K.; Mendoza, J.; Koutmos, M.
Deposited on : 2024-06-19
Resolution : 2.87 Å (reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 2022.3.0, CSD as543be (2022)
Xtrriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.006 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.87 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3316 (2.90-2.86)
Clashscore	180529	3609 (2.90-2.86)
Ramachandran outliers	177936	3529 (2.90-2.86)
Sidechain outliers	177891	3532 (2.90-2.86)
RSRZ outliers	164620	3319 (2.90-2.86)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	511	

2 Entry composition [i](#)

There are 7 unique types of molecules in this entry. The entry contains 4030 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Methionine synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	496	3869	2471	676	708	14	0	0	0

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	762	GLY	ASP	engineered mutation	UNP Q5SKM5

- Molecule 2 is COBALAMIN (CCD ID: B12) (formula: $C_{62}H_{89}CoN_{13}O_{14}P$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
			Total	C	Co	N	O			P
2	A	1	91	62	1	13	14	1	0	0

- Molecule 3 is SULFATE ION (CCD ID: SO4) (formula: O_4S).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	O	S	0	0
			5	4	1		
3	A	1	Total	O	S	0	0
			5	4	1		

- Molecule 4 is 2-[N-CYCLOHEXYLAMINO]ETHANE SULFONIC ACID (CCD ID: NHE) (formula: C₈H₁₇NO₃S).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
4	A	1	Total	C	N	O	S	0	0
			13	8	1	3	1		

- Molecule 5 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total Cl 1 1	0	0

- Molecule 6 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	1	Total Zn 1 1	0	0


- Molecule 7 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	45	Total O 45 45	0	0

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Methionine synthase



4 Data and refinement statistics

Property	Value	Source
Space group	P 61 2 2	Depositor
Cell constants a, b, c, α , β , γ	95.16Å 95.16Å 274.34Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	52.72 – 2.87 52.72 – 2.87	Depositor EDS
% Data completeness (in resolution range)	99.8 (52.72-2.87) 99.8 (52.72-2.87)	Depositor EDS
R_{merge}	0.12	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.09 (at 2.86Å)	Xtrriage
Refinement program	REFMAC 5.8.0425	Depositor
R, R_{free}	0.208 , 0.268 0.217 , 0.268	Depositor DCC
R_{free} test set	904 reflections (5.12%)	wwPDB-VP
Wilson B-factor (Å ²)	100.5	Xtrriage
Anisotropy	0.480	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 104.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.52$, $\langle L^2 \rangle = 0.35$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	4030	wwPDB-VP
Average B, all atoms (Å ²)	131.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.55% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, B12, NHE, SO4, CL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	1.06	9/3932 (0.2%)	1.60	39/5308 (0.7%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	5

All (9) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	502	THR	C-N	10.88	1.47	1.33
1	A	608	LYS	C-N	6.93	1.42	1.33
1	A	608	LYS	C-O	6.73	1.36	1.23
1	A	503	ARG	C-N	-6.37	1.25	1.33
1	A	756	VAL	C-O	-5.36	1.16	1.24
1	A	531	ASP	CG-OD2	5.25	1.35	1.25
1	A	500	ALA	C-O	-5.24	1.17	1.23
1	A	498	GLY	C-O	5.19	1.27	1.24
1	A	507	VAL	C-N	5.12	1.40	1.33

All (39) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	711	ASP	CA-CB-CG	11.19	123.79	112.60
1	A	769	ASP	CA-CB-CG	8.67	121.27	112.60
1	A	846	GLU	CB-CG-CD	7.87	125.98	112.60
1	A	581	ARG	NE-CZ-NH2	7.87	126.28	119.20

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	495	ASP	CA-CB-CG	7.56	120.16	112.60
1	A	861	PHE	CA-CB-CG	-7.11	106.69	113.80
1	A	541	ASP	CA-CB-CG	7.10	119.70	112.60
1	A	765	LYS	N-CA-CB	7.04	120.21	110.01
1	A	853	ASN	OD1-CG-ND2	6.70	129.30	122.60
1	A	785	LYS	CG-CD-CE	6.67	126.64	111.30
1	A	859	ASP	CA-CB-CG	6.66	119.26	112.60
1	A	520	HIS	CB-CA-C	6.46	120.91	110.96
1	A	563	PRO	CA-C-N	-6.46	115.75	123.44
1	A	563	PRO	C-N-CA	-6.46	115.75	123.44
1	A	685	GLU	CB-CA-C	-6.37	100.84	110.90
1	A	391	ASP	CA-CB-CG	6.05	118.65	112.60
1	A	596	LYS	CB-CG-CD	6.02	125.14	111.30
1	A	543	GLU	N-CA-CB	5.95	118.96	110.16
1	A	437	THR	OG1-CB-CG2	-5.83	97.65	109.30
1	A	531	ASP	CA-CB-CG	5.79	118.39	112.60
1	A	527	ASP	CA-CB-CG	5.78	118.38	112.60
1	A	551	THR	OG1-CB-CG2	-5.77	97.77	109.30
1	A	813	THR	CA-CB-OG1	5.66	118.10	109.60
1	A	644	TYR	O-C-N	-5.66	116.13	122.75
1	A	502	THR	OG1-CB-CG2	5.64	120.58	109.30
1	A	581	ARG	NE-CZ-NH1	-5.64	115.86	121.50
1	A	810	VAL	N-CA-C	-5.63	105.36	110.82
1	A	829	THR	CA-CB-OG1	-5.58	101.23	109.60
1	A	843	TYR	CB-CA-C	-5.47	101.55	110.85
1	A	501	LYS	CB-CG-CD	5.43	123.78	111.30
1	A	526	GLU	CB-CG-CD	5.39	121.77	112.60
1	A	608	LYS	O-C-N	5.31	130.75	122.67
1	A	696	ASP	CA-CB-CG	5.23	117.83	112.60
1	A	464	ASN	CA-C-N	5.19	131.46	121.54
1	A	464	ASN	C-N-CA	5.19	131.46	121.54
1	A	550	GLU	CB-CG-CD	5.17	121.39	112.60
1	A	388	PHE	N-CA-CB	5.07	117.57	110.12
1	A	761	HIS	CB-CG-CD2	5.01	137.72	131.20
1	A	760	VAL	CA-C-O	-5.01	114.95	119.91

There are no chirality outliers.

All (5) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	384	ARG	Sidechain
1	A	400	ARG	Sidechain

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Group
1	A	465	SER	Peptide
1	A	561	ARG	Sidechain
1	A	778	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3869	0	3989	21	0
2	A	91	0	88	9	0
3	A	10	0	0	0	0
4	A	13	0	17	0	0
5	A	1	0	0	0	0
6	A	1	0	0	0	0
7	A	45	0	0	1	0
All	All	4030	0	4094	28	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (28) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:762:GLY:HA3	7:A:1027:HOH:O	1.42	1.16
1:A:503:ARG:HH21	1:A:557:GLU:HB2	1.62	0.65
2:A:901:B12:H552	2:A:901:B12:H531	1.80	0.64
2:A:901:B12:H491	2:A:901:B12:H533	1.80	0.63
2:A:901:B12:H362	2:A:901:B12:H351	1.84	0.59
1:A:807:GLY:O	1:A:836:GLY:HA3	2.03	0.58
1:A:420:ASP:O	1:A:423:GLU:HG2	2.05	0.57
1:A:556:GLU:HG3	1:A:559:ARG:HH21	1.70	0.56
1:A:761:HIS:CE1	2:A:901:B12:H202	2.42	0.54
1:A:539:GLN:HG2	1:A:720:LEU:HD22	1.93	0.50
1:A:374:ARG:HD2	1:A:398:LEU:HD11	1.96	0.48
1:A:552:LEU:HB3	1:A:597:ARG:CD	2.44	0.48
1:A:504:GLU:H	1:A:504:GLU:CD	2.22	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:760:VAL:HG22	2:A:901:B12:O44	2.15	0.46
1:A:552:LEU:HB3	1:A:597:ARG:HD3	1.97	0.46
1:A:839:LEU:O	1:A:856:TYR:CE2	2.69	0.45
2:A:901:B12:H531	2:A:901:B12:C55	2.46	0.45
1:A:720:LEU:N	1:A:721:PRO:CD	2.78	0.45
1:A:429:LEU:HD13	1:A:453:ALA:HA	1.98	0.45
1:A:720:LEU:O	1:A:723:VAL:HB	2.19	0.43
2:A:901:B12:H262	2:A:901:B12:H91	1.89	0.43
1:A:718:MET:HE3	1:A:722:PHE:HB3	2.01	0.42
2:A:901:B12:H411	2:A:901:B12:H363	1.87	0.42
1:A:441:MET:HA	1:A:462:LEU:O	2.20	0.41
1:A:709:VAL:HG13	1:A:718:MET:HE2	2.01	0.41
1:A:368:LEU:HD21	1:A:595:ARG:HG3	2.03	0.41
1:A:476:ASP:OD1	1:A:521:HIS:NE2	2.47	0.41
2:A:901:B12:N29	2:A:901:B12:H3	2.34	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	490/511 (96%)	470 (96%)	18 (4%)	2 (0%)	30 58

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	465	SER
1	A	533	LEU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	404/414 (98%)	403 (100%)	1 (0%)	92 98

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	657	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	520	HIS
1	A	761	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 6 ligands modelled in this entry, 2 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	SO4	A	902	-	4,4,4	0.47	0	6,6,6	0.28	0
4	NHE	A	903	-	13,13,13	1.00	1 (7%)	16,17,17	1.50	5 (31%)
2	B12	A	901	-	91,101,101	2.06	20 (21%)	140,166,166	2.07	37 (26%)
3	SO4	A	906	-	4,4,4	0.17	0	6,6,6	0.26	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '2' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NHE	A	903	-	-	4/7/15/15	0/1/1/1
2	B12	A	901	-	-	11/52/223/223	0/3/11/11

All (21) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	B12	C19-N24	-9.83	1.36	1.49
2	A	901	B12	C54-C17	7.70	1.67	1.54
2	A	901	B12	O58-C57	6.28	1.35	1.23
2	A	901	B12	O2-C3R	-3.80	1.31	1.44
2	A	901	B12	C27-N29	3.45	1.44	1.32
2	A	901	B12	P-O3	3.41	1.69	1.59
2	A	901	B12	C5M-C5B	3.35	1.57	1.51
2	A	901	B12	C8-C9	3.11	1.57	1.51
2	A	901	B12	C43-N45	3.04	1.42	1.32
2	A	901	B12	C60-C18	2.97	1.60	1.54
2	A	901	B12	O51-C50	2.85	1.32	1.23
2	A	901	B12	C55-C56	-2.77	1.46	1.53
4	A	903	NHE	O3-S	2.54	1.56	1.47
2	A	901	B12	P-O4	2.34	1.58	1.50
2	A	901	B12	C1R-N1B	2.26	1.55	1.49
2	A	901	B12	O28-C27	2.19	1.30	1.23
2	A	901	B12	O6R-C1R	2.18	1.43	1.40
2	A	901	B12	C10-C11	-2.14	1.31	1.37
2	A	901	B12	C56-C57	2.13	1.55	1.51
2	A	901	B12	O8R-C5R	2.12	1.51	1.42

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	901	B12	O44-C43	2.04	1.30	1.23

All (42) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	B12	C1-C19-N24	8.63	115.86	106.25
2	A	901	B12	O63-C61-C60	-6.31	107.68	120.87
2	A	901	B12	C1P-N59-C57	-5.91	110.00	122.69
2	A	901	B12	C18-C19-N24	5.63	110.79	102.33
2	A	901	B12	C56-C57-N59	-5.55	106.22	116.34
2	A	901	B12	O58-C57-N59	4.79	132.43	123.03
2	A	901	B12	C60-C61-N62	4.15	126.13	116.19
2	A	901	B12	O3-C2P-C1P	4.14	115.14	106.94
2	A	901	B12	C13-C14-N23	3.60	113.96	109.09
2	A	901	B12	O34-C32-C31	3.59	131.89	121.04
2	A	901	B12	C36-C7-C8	-3.47	105.64	112.05
2	A	901	B12	C9-N22-C6	-3.38	101.22	105.28
2	A	901	B12	C5-C6-N22	-3.37	118.78	123.88
2	A	901	B12	C18-C17-C16	-3.18	96.85	100.69
2	A	901	B12	C20-C1-N21	3.16	115.49	110.26
2	A	901	B12	O6R-C4R-C5R	-2.84	103.21	109.22
2	A	901	B12	C7-C6-N22	2.79	113.02	107.94
2	A	901	B12	C36-C7-C6	2.77	126.75	112.41
2	A	901	B12	C20-C1-C19	-2.74	106.72	109.35
2	A	901	B12	C4B-C9B-C8B	-2.72	118.32	121.10
2	A	901	B12	O34-C32-N33	-2.70	115.32	122.53
4	A	903	NHE	O2-S-C2	2.60	110.66	106.73
2	A	901	B12	C15-C14-N23	-2.48	123.27	126.26
2	A	901	B12	C3R-C2R-C1R	2.45	105.28	99.89
2	A	901	B12	O2-P-O3	-2.45	96.03	102.87
2	A	901	B12	C4R-O6R-C1R	2.44	112.16	109.92
2	A	901	B12	C6M-C6B-C5B	2.43	125.72	120.76
4	A	903	NHE	O1-S-C2	2.39	110.34	106.73
2	A	901	B12	C7-C8-C9	-2.37	97.89	100.89
2	A	901	B12	C47-C12-C46	-2.35	105.51	109.41
2	A	901	B12	C49-C48-C13	-2.29	108.16	114.65
4	A	903	NHE	C5'-C6'-C1'	2.29	115.20	111.09
4	A	903	NHE	C6'-C1'-C2'	2.26	114.71	110.80
2	A	901	B12	C10-C11-N23	-2.26	120.59	124.42
2	A	901	B12	C41-C8-C9	-2.25	107.26	111.19
2	A	901	B12	C48-C13-C12	-2.24	110.13	116.52
4	A	903	NHE	C1-N-C1'	2.23	118.48	114.18

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	901	B12	C7B-C6B-C5B	-2.19	116.30	119.85
2	A	901	B12	C5M-C5B-C4B	-2.18	115.44	120.43
2	A	901	B12	C12-C13-C14	-2.17	98.69	102.26
2	A	901	B12	C60-C18-C17	-2.14	109.97	115.82
2	A	901	B12	C12-C11-C10	2.13	126.15	123.40

There are no chirality outliers.

All (15) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	901	B12	C18-C60-C61-N62
2	A	901	B12	C1P-C2P-O3-P
2	A	901	B12	C42-C41-C8-C9
2	A	901	B12	C42-C41-C8-C7
2	A	901	B12	C14-C13-C48-C49
2	A	901	B12	C3-C30-C31-C32
2	A	901	B12	C18-C60-C61-O63
4	A	903	NHE	C1-C2-S-O3
4	A	903	NHE	C1-C2-S-O1
4	A	903	NHE	C1-C2-S-O2
4	A	903	NHE	C2-C1-N-C1'
2	A	901	B12	C19-C18-C60-C61
2	A	901	B12	C3P-C2P-O3-P
2	A	901	B12	C2P-O3-P-O4
2	A	901	B12	C2P-O3-P-O5


There are no ring outliers.

1 monomer is involved in 9 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	901	B12	9	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier.

The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled '#RSRZ > 2' contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled 'Q < 0.9' lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	496/511 (97%)	-0.32	4 (0%) 82 79	65, 123, 205, 276	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	597	ARG	3.3
1	A	763	ILE	3.3
1	A	838	ALA	2.2
1	A	665	LEU	2.2

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
4	NHE	A	903	13/13	0.80	0.13	118,171,224,238	0
3	SO4	A	902	5/5	0.88	0.09	124,187,223,251	0
3	SO4	A	906	5/5	0.89	0.06	132,156,166,180	0


Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	ZN	A	905	1/1	0.93	0.07	172,172,172,172	0
2	B12	A	901	91/91	0.97	0.08	80,101,121,179	0
5	CL	A	904	1/1	0.98	0.16	97,97,97,97	1

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.





6.5 Other polymers [i](#)

There are no such residues in this entry.