



Full wwPDB X-ray Structure Validation Report i

Nov 5, 2024 – 03:42 am GMT

PDB ID : 9F07
Title : TUBULIN:STATHMIN:DARPIN:TAU MTBR3 COMPLEX
Authors : Ammar Khodja, L.; Campanacci, V.; Gigant, b.
Deposited on : 2024-04-15
Resolution : 2.21 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org
A user guide is available at
<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>
with specific help available everywhere you see the i symbol.

The types of validation reports are described at
<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references](#) ①) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 1.8.4, CSD as541be (2020)
Xtriage (Phenix) : 1.13
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION


The reported resolution of this entry is 2.21 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7167 (2.24-2.20)
Clashscore	180529	8096 (2.24-2.20)
Ramachandran outliers	177936	8010 (2.24-2.20)
Sidechain outliers	177891	8011 (2.24-2.20)
RSRZ outliers	164620	7166 (2.24-2.20)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.



Continued on next page...

Continued from previous page...



The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	PGE	D	401	-	-	X	-

2 Entry composition [\(i\)](#)

There are 13 unique types of molecules in this entry. The entry contains 17447 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tubulin alpha chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	425	3283	2082	556	624	21	0	1	0
1	E	426	3310	2097	563	628	22	0	1	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	232	SER	GLY	conflict	UNP D0VWZ0
A	340	SER	THR	conflict	UNP D0VWZ0
E	232	SER	GLY	conflict	UNP D0VWZ0
E	340	SER	THR	conflict	UNP D0VWZ0

- Molecule 2 is a protein called Tubulin beta chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
2	B	431	3385	2126	579	653	27	0	1	0
2	F	431	3408	2143	580	658	27	0	4	0

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	203	CYS	SER	conflict	UNP D0VWY9
B	318	ILE	VAL	conflict	UNP D0VWY9
F	203	CYS	SER	conflict	UNP D0VWY9
F	318	ILE	VAL	conflict	UNP D0VWY9

- Molecule 3 is a protein called Stathmin-4.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	C	83	Total	C	N	O	S	0	0	0
			637	399	114	122	2			
3	G	81	Total	C	N	O	S	0	0	0
			629	397	113	118	1			

There are 76 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	204	MET	-	initiating methionine	UNP Q9H169
C	205	ALA	-	expression tag	UNP Q9H169
C	215	ALA	CYS	engineered mutation	UNP Q9H169
C	221	TRP	PHE	engineered mutation	UNP Q9H169
C	266	PHE	LEU	engineered mutation	UNP Q9H169
C	292	GLY	-	expression tag	UNP Q9H169
C	293	GLY	-	expression tag	UNP Q9H169
C	294	GLY	-	expression tag	UNP Q9H169
C	295	GLY	-	expression tag	UNP Q9H169
C	296	SER	-	expression tag	UNP Q9H169
C	297	GLY	-	expression tag	UNP Q9H169
C	298	GLY	-	expression tag	UNP Q9H169
C	299	GLY	-	expression tag	UNP Q9H169
C	300	GLY	-	expression tag	UNP Q9H169
C	301	SER	-	expression tag	UNP Q9H169
C	302	GLY	-	expression tag	UNP Q9H169
C	303	GLY	-	expression tag	UNP Q9H169
C	304	GLY	-	expression tag	UNP Q9H169
C	305	SER	-	expression tag	UNP Q9H169
C	306	VAL	-	expression tag	UNP Q9H169
C	307	GLN	-	expression tag	UNP Q9H169
C	308	ILE	-	expression tag	UNP Q9H169
C	309	VAL	-	expression tag	UNP Q9H169
C	310	TYR	-	expression tag	UNP Q9H169
C	311	LYS	-	expression tag	UNP Q9H169
C	312	PRO	-	expression tag	UNP Q9H169
C	313	VAL	-	expression tag	UNP Q9H169
C	314	ASP	-	expression tag	UNP Q9H169
C	315	LEU	-	expression tag	UNP Q9H169
C	316	SER	-	expression tag	UNP Q9H169
C	317	LYS	-	expression tag	UNP Q9H169
C	318	VAL	-	expression tag	UNP Q9H169
C	319	THR	-	expression tag	UNP Q9H169
C	320	SER	-	expression tag	UNP Q9H169
C	321	LYS	-	expression tag	UNP Q9H169

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	322	SER	-	expression tag	UNP Q9H169
C	323	GLY	-	expression tag	UNP Q9H169
C	324	SER	-	expression tag	UNP Q9H169
G	204	MET	-	initiating methionine	UNP Q9H169
G	205	ALA	-	expression tag	UNP Q9H169
G	215	ALA	CYS	engineered mutation	UNP Q9H169
G	221	TRP	PHE	engineered mutation	UNP Q9H169
G	266	PHE	LEU	engineered mutation	UNP Q9H169
G	292	GLY	-	expression tag	UNP Q9H169
G	293	GLY	-	expression tag	UNP Q9H169
G	294	GLY	-	expression tag	UNP Q9H169
G	295	GLY	-	expression tag	UNP Q9H169
G	296	SER	-	expression tag	UNP Q9H169
G	297	GLY	-	expression tag	UNP Q9H169
G	298	GLY	-	expression tag	UNP Q9H169
G	299	GLY	-	expression tag	UNP Q9H169
G	300	GLY	-	expression tag	UNP Q9H169
G	301	SER	-	expression tag	UNP Q9H169
G	302	GLY	-	expression tag	UNP Q9H169
G	303	GLY	-	expression tag	UNP Q9H169
G	304	GLY	-	expression tag	UNP Q9H169
G	305	SER	-	expression tag	UNP Q9H169
G	306	VAL	-	expression tag	UNP Q9H169
G	307	GLN	-	expression tag	UNP Q9H169
G	308	ILE	-	expression tag	UNP Q9H169
G	309	VAL	-	expression tag	UNP Q9H169
G	310	TYR	-	expression tag	UNP Q9H169
G	311	LYS	-	expression tag	UNP Q9H169
G	312	PRO	-	expression tag	UNP Q9H169
G	313	VAL	-	expression tag	UNP Q9H169
G	314	ASP	-	expression tag	UNP Q9H169
G	315	LEU	-	expression tag	UNP Q9H169
G	316	SER	-	expression tag	UNP Q9H169
G	317	LYS	-	expression tag	UNP Q9H169
G	318	VAL	-	expression tag	UNP Q9H169
G	319	THR	-	expression tag	UNP Q9H169
G	320	SER	-	expression tag	UNP Q9H169
G	321	LYS	-	expression tag	UNP Q9H169
G	322	SER	-	expression tag	UNP Q9H169
G	323	GLY	-	expression tag	UNP Q9H169
G	324	SER	-	expression tag	UNP Q9H169

- Molecule 4 is a protein called D2-R3.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	D	155	Total	C 1132	N 715	O 191	S 224	2	0	0
4	H	146	Total	C 1072	N 673	O 183	S 214	2	0	0

- Molecule 5 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula: C₁₀H₁₆N₅O₁₄P₃).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
5	A	1	Total	C 32	N 10	O 5	P 14	3	0	0
5	E	1	Total	C 32	N 10	O 5	P 14	3	0	0

- Molecule 6 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	1	Total Mg 1 1		0	0
6	E	1	Total Mg 1 1		0	0

- Molecule 7 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: C₁₀H₁₅N₅O₁₁P₂).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
			Total	C	N	O	P		
7	B	1	28	10	5	11	2	0	0
7	F	1	28	10	5	11	2	0	0

- Molecule 8 is GLYCEROL (three-letter code: GOL) (formula: C₃H₈O₃).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
8	B	1	6	3	3	0	0
8	B	1	6	3	3	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
8	B	1	Total C O 6 3 3	0	0
8	B	1	Total C O 6 3 3	0	0
8	F	1	Total C O 6 3 3	0	0
8	F	1	Total C O 6 3 3	0	0
8	F	1	Total C O 6 3 3	0	0

- Molecule 9 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: C₄H₁₀O₃).




Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
9	B	1	Total C O 7 4 3	0	0
9	F	1	Total C O 7 4 3	0	0

- Molecule 10 is PENTAETHYLENE GLYCOL (three-letter code: 1PE) (formula: C₁₀H₂₂O₆).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
10	B	1	16	10	6	0	0

- Molecule 11 is HEXAETHYLENE GLYCOL (three-letter code: P6G) (formula: C₁₂H₂₆O₇).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
			Total	C	O		
11	B	1	19	12	7	0	0

- Molecule 12 is TRIETHYLENE GLYCOL (three-letter code: PGE) (formula: C₆H₁₄O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
12	B	1	Total C O 10 6 4	0	0
12	D	1	Total C O 10 6 4	0	0
12	F	1	Total C O 10 6 4	0	0
12	F	1	Total C O 10 6 4	0	0
12	H	1	Total C O 10 6 4	0	0

- Molecule 13 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	A	36	Total O 36 36	0	0
13	B	110	Total O 110 110	0	0
13	C	2	Total O 2 2	0	0
13	D	15	Total O 15 15	0	0
13	E	51	Total O 51 51	0	0
13	F	99	Total O 99 99	0	0
13	G	4	Total O 4 4	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
13	H	11	Total O 11 11	0	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Tubulin alpha chain




- Molecule 1: Tubulin alpha chain





- Molecule 2: Tubulin beta chain







- Molecule 2: Tubulin beta chain




- Molecule 3: Stathmin-4




- Molecule 3: Stathmin-4



- Molecule 4: D2-R3





4 Data and refinement statistics i

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	52.30 Å 222.25 Å 227.66 Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	159.03 – 2.21 159.03 – 2.21	Depositor EDS
% Data completeness (in resolution range)	60.6 (159.03-2.21) 60.6 (159.03-2.21)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle^1$	1.47 (at 2.20 Å)	Xtriage
Refinement program	BUSTER 2.10.4	Depositor
R , R_{free}	0.200 , 0.234 0.194 , 0.230	Depositor DCC
R_{free} test set	4073 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	32.6	Xtriage
Anisotropy	0.026	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 51.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	0.000 for -h,l,k	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	17447	wwPDB-VP
Average B, all atoms (Å ²)	44.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.28% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality i

5.1 Standard geometry i

Bond lengths and bond angles in the following residue types are not validated in this section: PEG, P6G, MG, 1PE, GTP, GDP, PGE, GOL

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/3357	0.55	0/4561
1	E	0.34	0/3385	0.55	0/4596
2	B	0.44	0/3463	0.60	0/4690
2	F	0.44	0/3493	0.60	0/4732
3	C	0.34	0/646	0.49	0/867
3	G	0.35	0/636	0.47	0/852
4	D	0.35	0/1148	0.53	0/1560
4	H	0.36	0/1087	0.54	0/1476
All	All	0.39	0/17215	0.56	0/23334

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts i

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3283	0	3174	31	0
1	E	3310	0	3216	26	0
2	B	3385	0	3259	45	0
2	F	3408	0	3285	33	0
3	C	637	0	608	5	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	629	0	621	6	0
4	D	1132	0	1104	1	0
4	H	1072	0	1047	6	0
5	A	32	0	12	0	0
5	E	32	0	12	0	0
6	A	1	0	0	0	0
6	E	1	0	0	0	0
7	B	28	0	12	1	0
7	F	28	0	12	1	0
8	B	24	0	32	1	0
8	F	18	0	24	2	0
9	B	7	0	10	0	0
9	F	7	0	10	1	0
10	B	16	0	22	5	0
11	B	19	0	26	1	0
12	B	10	0	14	1	0
12	D	10	0	14	7	0
12	F	20	0	28	3	0
12	H	10	0	14	3	0
13	A	36	0	0	0	0
13	B	110	0	0	0	0
13	C	2	0	0	0	0
13	D	15	0	0	1	0
13	E	51	0	0	0	0
13	F	99	0	0	1	0
13	G	4	0	0	0	0
13	H	11	0	0	0	0
All	All	17447	0	16556	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:H:249:THR:HG22	4:H:252:HIS:ND1	1.92	0.83
2:F:163:ASP:HA	8:F:504:GOL:H31	1.66	0.77
4:H:195:GLU:H	4:H:195:GLU:CD	1.90	0.74
4:H:259:HIS:NE2	12:H:401:PGE:H3	2.04	0.72
2:B:401:ARG:HD2	12:D:401:PGE:H5	1.72	0.69
1:E:276:ILE:HD13	1:E:283:HIS:CE1	2.27	0.69

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:276:ILE:HD13	1:E:283:HIS:NE2	2.09	0.67
2:F:16[A]:ILE:HD12	2:F:231:VAL:HG11	1.77	0.67
2:F:319:PHE:HB2	2:F:355:VAL:HG22	1.76	0.66
2:F:2:ARG:NH1	2:F:48:ARG:HH21	1.92	0.66
2:F:66:ILE:HG12	2:F:121:VAL:HG12	1.78	0.66
1:A:270:ALA:HB3	1:A:302:MET:HG3	1.77	0.65
2:B:66:ILE:HG12	2:B:121:VAL:HG12	1.79	0.65
2:B:1:MET:HB3	2:B:50:ASN:ND2	2.12	0.64
1:A:167:LEU:HD22	1:A:200:CYS:HB3	1.79	0.64
2:B:109:THR:HA	10:B:507:1PE:H262	1.79	0.62
1:E:167:LEU:HD22	1:E:200:CYS:HB3	1.79	0.62
2:B:161:TYR:HB3	2:B:164:ARG:HG3	1.79	0.62
2:B:269:MET:HG3	2:B:303:ALA:HB3	1.82	0.62
1:E:247:ALA:HB1	3:G:213:ASN:HB2	1.81	0.61
2:B:172:MET:HG3	2:B:387:LEU:HD11	1.83	0.61
2:F:390:ARG:HB2	8:F:502:GOL:H2	1.82	0.61
2:F:88:ARG:CZ	12:F:506:PGE:H5	2.31	0.61
1:E:210:TYR:HE1	1:E:214:ARG:HH11	1.50	0.60
2:F:269:MET:HG3	2:F:303:ALA:HB3	1.82	0.60
2:F:172:MET:HG3	2:F:387:LEU:HD11	1.82	0.60
2:B:264:ARG:NH2	2:B:424:ASN:OD1	2.35	0.60
1:E:328:VAL:HG11	1:E:353:VAL:HG11	1.84	0.60
1:A:210:TYR:HE1	1:A:214:ARG:HH11	1.50	0.59
2:F:264:ARG:NH2	2:F:424:ASN:OD1	2.36	0.59
4:D:265:VAL:HA	4:D:268:LYS:HG2	1.84	0.58
1:A:274:PRO:HG2	1:A:371:VAL:HG11	1.84	0.58
1:A:328:VAL:HG11	1:A:353:VAL:HG11	1.86	0.58
1:E:209:ILE:HG23	1:E:230:LEU:HD23	1.86	0.58
4:H:265:VAL:HA	4:H:268:LYS:HG2	1.85	0.57
2:B:398:MET:HA	12:D:401:PGE:H52	1.85	0.57
2:B:401:ARG:CD	12:D:401:PGE:H5	2.34	0.57
1:A:175:PRO:HA	1:A:178:SER:HB2	1.87	0.56
2:F:88:ARG:NH1	12:F:506:PGE:H5	2.21	0.56
1:E:175:PRO:HA	1:E:178:SER:HB2	1.88	0.55
1:E:172:TYR:HB3	1:E:205:ASP:HA	1.89	0.55
1:A:172:TYR:HB3	1:A:205:ASP:HA	1.88	0.55
3:G:212:LEU:HG	3:G:221:TRP:HA	1.90	0.55
1:A:209:ILE:HG23	1:A:230:LEU:HD23	1.88	0.54
2:B:113:GLU:CG	10:B:507:1PE:H152	2.38	0.54
2:B:66:ILE:HD13	2:B:122:VAL:HG12	1.89	0.54
2:F:297:ASP:HA	9:F:507:PEG:H31	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:6:HIS:CD2	2:F:21:TRP:HE1	2.26	0.54
2:B:106:GLY:O	2:B:111:GLY:HA3	2.09	0.53
3:C:212:LEU:HG	3:C:221:TRP:HA	1.90	0.53
2:F:23:VAL:HG21	2:F:232:SER:HB2	1.91	0.53
2:B:6:HIS:CD2	2:B:21:TRP:HE1	2.26	0.53
2:F:106:GLY:O	2:F:111:GLY:HA3	2.09	0.53
1:E:348:PRO:HB3	3:G:228:PRO:HD3	1.91	0.53
2:B:404:PHE:CE1	12:D:401:PGE:H42	2.44	0.53
2:B:2:ARG:NH1	2:B:48:ARG:HH21	2.07	0.52
2:F:66:ILE:HD13	2:F:122:VAL:HG12	1.90	0.52
2:B:398:MET:HG2	12:D:401:PGE:H52	1.92	0.52
2:F:401:ARG:HD2	12:H:401:PGE:H32	1.92	0.52
1:A:343:PHE:CD1	1:A:349:THR:HG23	2.44	0.52
1:A:192:HIS:CG	1:A:421:ALA:HA	2.46	0.51
1:A:50:ASN:O	1:A:64:ARG:NH1	2.44	0.51
1:A:247:ALA:HB1	3:C:213:ASN:HB2	1.93	0.51
1:E:276:ILE:CD1	1:E:283:HIS:CE1	2.94	0.51
1:E:406:HIS:CG	2:F:263:PRO:HD3	2.46	0.51
3:C:209:VAL:HG13	3:C:221:TRP:CD1	2.46	0.50
2:B:67:LEU:CD2	2:B:78:VAL:HG11	2.41	0.50
1:A:319:TYR:HB3	1:A:323:VAL:HG21	1.93	0.50
2:B:101:ASN:HB2	11:B:508:P6G:H32	1.93	0.50
1:A:245:ASP:HB3	3:C:216:THR:HG22	1.94	0.50
1:E:319:TYR:HB3	1:E:323:VAL:HG21	1.93	0.49
3:G:209:VAL:HG13	3:G:221:TRP:CD1	2.47	0.49
12:D:401:PGE:H12	13:D:510:HOH:O	2.11	0.49
1:E:192:HIS:CG	1:E:421:ALA:HA	2.46	0.49
2:B:177:VAL:O	8:B:504:GOL:O1	2.29	0.49
2:F:285:ALA:HB1	2:F:373:MET:HG3	1.95	0.48
2:F:71:GLU:HG2	13:F:676:HOH:O	2.13	0.48
1:A:208:ALA:HB2	1:A:304:LYS:HG3	1.96	0.47
2:F:398:MET:HG2	12:H:401:PGE:H42	1.96	0.47
2:B:282:GLN:HG3	2:B:371:LEU:HD12	1.96	0.47
1:E:208:ALA:HB2	1:E:304:LYS:HG3	1.95	0.47
1:E:4:CYSS:SG	1:E:133:GLN:NE2	2.87	0.47
1:E:88:HIS:O	1:E:91:GLN:HG2	2.14	0.47
1:E:204:VAL:HG13	1:E:302[A]:MET:HG2	1.95	0.47
1:A:12:ALA:HB3	1:A:140:SER:HB3	1.97	0.47
2:F:83:PHE:O	2:F:86:ILE:HG22	2.15	0.47
2:B:88:ARG:NH1	2:B:90:ASP:HB2	2.30	0.46
2:B:344:VAL:HG13	2:B:346:TRP:CE2	2.50	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:F:312:TYR:CE2	2:F:377:PHE:HZ	2.33	0.46
1:A:406:HIS:CG	2:B:263:PRO:HD3	2.50	0.46
2:B:113:GLU:HG3	10:B:507:1PE:H152	1.97	0.46
2:B:282:GLN:HG3	2:B:371:LEU:CD1	2.46	0.46
1:A:362:VAL:HG22	1:A:370:LYS:HZ2	1.81	0.46
2:B:20:PHE:HB2	2:B:235:MET:HE3	1.98	0.45
1:A:213:CYS:HB3	1:A:219:ILE:HD12	1.98	0.45
1:E:12:ALA:HB3	1:E:140:SER:HB3	1.98	0.45
2:B:113:GLU:HG2	10:B:507:1PE:H152	1.97	0.45
2:B:344:VAL:HG13	2:B:346:TRP:CD1	2.52	0.45
2:F:1:MET:HB3	2:F:50[B]:ASN:OD1	2.17	0.44
1:E:150:THR:O	1:E:154:MET:HG2	2.17	0.44
2:B:171:VAL:HA	2:B:204:ILE:O	2.17	0.44
2:F:171:VAL:HA	2:F:204:ILE:O	2.17	0.44
2:B:94:PHE:H	12:B:509:PGE:H42	1.83	0.44
1:A:16:ILE:HD13	1:A:171:ILE:HD11	1.99	0.43
1:A:150:THR:O	1:A:154:MET:HG2	2.18	0.43
2:B:248:LEU:HD11	2:B:352:LYS:HB3	2.00	0.43
2:F:347:ILE:HG22	2:F:350:ASN:HB3	1.99	0.43
1:A:172:TYR:CE2	1:A:391:LEU:HD22	2.54	0.43
1:A:234:ILE:HD13	1:A:302:MET:SD	2.59	0.43
2:B:347:ILE:HG22	2:B:350:ASN:HB3	2.00	0.43
1:A:147:SER:HB2	1:A:190:THR:HB	2.01	0.43
2:B:164:ARG:HA	2:B:164:ARG:HE	1.84	0.43
2:B:113:GLU:HG3	10:B:507:1PE:H261	2.01	0.43
1:A:178:SER:HB3	2:B:352:LYS:HZ2	1.84	0.43
2:B:285:ALA:HB1	2:B:373:MET:HG3	2.00	0.42
1:E:190:THR:O	1:E:194:THR:HG23	2.19	0.42
1:E:147:SER:HB2	1:E:190:THR:HB	2.01	0.42
1:A:178:SER:HB3	2:B:352:LYS:NZ	2.35	0.42
2:B:50:ASN:O	2:B:64:ARG:NH2	2.36	0.42
2:F:123:ARG:O	2:F:127:GLU:HG2	2.19	0.41
2:B:344:VAL:HG13	2:B:346:TRP:NE1	2.34	0.41
1:E:172:TYR:CE2	1:E:391:LEU:HD22	2.55	0.41
4:H:152:LEU:HA	4:H:167:LEU:HD13	2.03	0.41
1:E:274:PRO:HG2	1:E:371:VAL:HG11	2.01	0.41
2:B:12:CYS:HB2	7:B:501:GDP:C8	2.56	0.41
2:B:344:VAL:CG1	2:B:346:TRP:CE2	3.03	0.41
1:A:36:MET:HA	1:A:37:PRO:HD3	1.94	0.41
1:E:178:SER:HB3	2:F:352:LYS:NZ	2.34	0.41
1:A:167:LEU:HD13	1:A:202:PHE:HE1	1.86	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:180:ALA:HA	2:B:258:ASN:OD1	2.21	0.41
1:A:432:TYR:O	1:A:435:VAL:O	2.39	0.40
2:B:26:ASP:CG	2:B:369:ARG:HE	2.25	0.40
2:F:12:CYS:HB2	7:F:501:GDP:C8	2.56	0.40
2:F:408:TYR:O	2:F:413:MET:HB2	2.21	0.40
3:C:209:VAL:HG13	3:C:221:TRP:HD1	1.87	0.40
4:H:195:GLU:CD	4:H:195:GLU:N	2.68	0.40
1:A:360:PRO:HG2	1:A:371:VAL:HG23	2.03	0.40
2:B:401:ARG:HD2	12:D:401:PGE:C5	2.46	0.40
2:F:90:ASP:HA	3:G:311:LYS:HD3	2.03	0.40
1:E:123:ARG:HA	1:E:123:ARG:HD3	1.96	0.40
2:F:125:GLU:HG2	12:F:506:PGE:H6	2.03	0.40
3:G:209:VAL:HG13	3:G:221:TRP:HD1	1.87	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [\(i\)](#)

5.3.1 Protein backbone [\(i\)](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	A	418/451 (93%)	404 (97%)	14 (3%)	0	100 100
1	E	421/451 (93%)	410 (97%)	11 (3%)	0	100 100
2	B	430/445 (97%)	422 (98%)	8 (2%)	0	100 100
2	F	433/445 (97%)	425 (98%)	8 (2%)	0	100 100
3	C	79/121 (65%)	74 (94%)	5 (6%)	0	100 100
3	G	75/121 (62%)	72 (96%)	3 (4%)	0	100 100
4	D	151/190 (80%)	150 (99%)	1 (1%)	0	100 100
4	H	144/190 (76%)	143 (99%)	1 (1%)	0	100 100
All	All	2151/2414 (89%)	2100 (98%)	51 (2%)	0	100 100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [\(i\)](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
1	A	350/379 (92%)	332 (95%)	18 (5%)	20 24
1	E	355/379 (94%)	334 (94%)	21 (6%)	16 18
2	B	370/383 (97%)	359 (97%)	11 (3%)	36 46
2	F	374/383 (98%)	355 (95%)	19 (5%)	20 24
3	C	62/98 (63%)	57 (92%)	5 (8%)	9 9
3	G	63/98 (64%)	59 (94%)	4 (6%)	15 16
4	D	113/141 (80%)	106 (94%)	7 (6%)	15 17
4	H	107/141 (76%)	99 (92%)	8 (8%)	11 11
All	All	1794/2002 (90%)	1701 (95%)	93 (5%)	20 23

All (93) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	16	ILE
1	A	71	GLU
1	A	80	THR
1	A	84	ARG
1	A	141	PHE
1	A	167	LEU
1	A	178	SER
1	A	194	THR
1	A	203	MET
1	A	256	GLN
1	A	260	VAL
1	A	308	ARG
1	A	309	HIS
1	A	313	MET
1	A	320	ARG
1	A	345	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	356	ASN
1	A	368	LEU
2	B	1	MET
2	B	62	VAL
2	B	110	GLU
2	B	122	VAL
2	B	128	SER
2	B	139	HIS
2	B	164	ARG
2	B	325	MET
2	B	335	VAL
2	B	345	GLU
2	B	371	LEU
3	C	216	THR
3	C	237	ASN
3	C	256	GLU
3	C	275	GLU
3	C	282	GLU
4	D	151	LYS
4	D	162	ASP
4	D	234	LEU
4	D	243	THR
4	D	260	LEU
4	D	273	VAL
4	D	274	ASN
1	E	47	ASP
1	E	48	SER
1	E	50	ASN
1	E	71	GLU
1	E	80	THR
1	E	84	ARG
1	E	133	GLN
1	E	141	PHE
1	E	167	LEU
1	E	178	SER
1	E	194	THR
1	E	203	MET
1	E	260	VAL
1	E	284	GLU
1	E	302[A]	MET
1	E	302[B]	MET
1	E	313	MET

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	320	ARG
1	E	349	THR
1	E	356	ASN
1	E	370	LYS
2	F	1	MET
2	F	50[A]	ASN
2	F	50[B]	ASN
2	F	57	THR
2	F	59	ASN
2	F	62	VAL
2	F	79	ARG
2	F	90	ASP
2	F	97	SER
2	F	110	GLU
2	F	122	VAL
2	F	139	HIS
2	F	164	ARG
2	F	283	TYR
2	F	293	GLN
2	F	325	MET
2	F	345	GLU
2	F	371	LEU
2	F	374	SER
3	G	216	THR
3	G	256	GLU
3	G	263	LYS
3	G	282	GLU
4	H	162	ASP
4	H	195	GLU
4	H	234	LEU
4	H	243	THR
4	H	249	THR
4	H	260	LEU
4	H	273	VAL
4	H	274	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
2	B	50	ASN
2	B	85	GLN
1	E	133	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	H	226	HIS

5.3.3 RNA [\(i\)](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [\(i\)](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [\(i\)](#)

Of 22 ligands modelled in this entry, 2 are monoatomic - leaving 20 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
9	PEG	B	506	-	6,6,6	0.19	0	5,5,5	0.24	0
12	PGE	B	509	-	9,9,9	0.25	0	8,8,8	0.12	0
12	PGE	D	401	-	9,9,9	0.26	0	8,8,8	0.25	0
8	GOL	F	504	-	5,5,5	0.04	0	5,5,5	0.21	0
11	P6G	B	508	-	18,18,18	0.23	0	17,17,17	0.14	0
8	GOL	B	502	-	5,5,5	0.09	0	5,5,5	0.36	0
7	GDP	F	501	-	24,30,30	0.78	0	30,47,47	0.79	1 (3%)
8	GOL	F	503	-	5,5,5	0.12	0	5,5,5	0.36	0
9	PEG	F	507	-	6,6,6	0.19	0	5,5,5	0.13	0
8	GOL	B	503	-	5,5,5	0.09	0	5,5,5	0.30	0
8	GOL	B	505	-	5,5,5	0.15	0	5,5,5	0.36	0
8	GOL	F	502	-	5,5,5	0.14	0	5,5,5	0.32	0
5	GTP	E	501	6	26,34,34	0.85	0	32,54,54	0.72	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	1PE	B	507	-	15,15,15	0.21	0	14,14,14	0.20	0
12	PGE	H	401	-	9,9,9	0.25	0	8,8,8	0.24	0
8	GOL	B	504	-	5,5,5	0.07	0	5,5,5	0.23	0
12	PGE	F	505	-	9,9,9	0.21	0	8,8,8	0.06	0
7	GDP	B	501	-	24,30,30	0.78	0	30,47,47	0.80	1 (3%)
5	GTP	A	501	6	26,34,34	0.83	0	32,54,54	0.71	0
12	PGE	F	506	-	9,9,9	0.12	0	8,8,8	0.22	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
9	PEG	B	506	-	-	4/4/4/4	-
12	PGE	B	509	-	-	4/7/7/7	-
12	PGE	D	401	-	-	4/7/7/7	-
8	GOL	F	504	-	-	2/4/4/4	-
11	P6G	B	508	-	-	2/16/16/16	-
8	GOL	B	502	-	-	2/4/4/4	-
7	GDP	F	501	-	-	5/12/32/32	0/3/3/3
8	GOL	F	503	-	-	0/4/4/4	-
9	PEG	F	507	-	-	2/4/4/4	-
8	GOL	B	503	-	-	0/4/4/4	-
8	GOL	B	505	-	-	0/4/4/4	-
8	GOL	F	502	-	-	0/4/4/4	-
5	GTP	E	501	6	-	6/18/38/38	0/3/3/3
10	1PE	B	507	-	-	5/13/13/13	-
12	PGE	H	401	-	-	6/7/7/7	-
8	GOL	B	504	-	-	0/4/4/4	-
12	PGE	F	505	-	-	4/7/7/7	-
7	GDP	B	501	-	-	4/12/32/32	0/3/3/3
5	GTP	A	501	6	-	6/18/38/38	0/3/3/3
12	PGE	F	506	-	-	6/7/7/7	-

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
7	F	501	GDP	PA-O3A-PB	2.24	140.52	132.83
7	B	501	GDP	PA-O3A-PB	2.00	139.70	132.83

There are no chirality outliers.

All (62) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	501	GTP	C5'-O5'-PA-O1A
5	A	501	GTP	C5'-O5'-PA-O2A
5	E	501	GTP	C5'-O5'-PA-O1A
5	E	501	GTP	C5'-O5'-PA-O2A
7	B	501	GDP	C5'-O5'-PA-O1A
7	F	501	GDP	C5'-O5'-PA-O1A
12	B	509	PGE	O2-C3-C4-O3
11	B	508	P6G	O13-C14-C15-O16
8	F	504	GOL	O2-C2-C3-O3
12	H	401	PGE	O2-C3-C4-O3
12	D	401	PGE	O3-C5-C6-O4
12	F	505	PGE	O2-C3-C4-O3
12	F	506	PGE	O1-C1-C2-O2
12	H	401	PGE	O3-C5-C6-O4
8	B	502	GOL	C1-C2-C3-O3
8	F	504	GOL	C1-C2-C3-O3
9	B	506	PEG	O2-C3-C4-O4
12	D	401	PGE	O2-C3-C4-O3
10	B	507	1PE	OH7-C16-C26-OH6
9	F	507	PEG	O1-C1-C2-O2
12	F	506	PGE	O2-C3-C4-O3
8	B	502	GOL	O2-C2-C3-O3
9	B	506	PEG	O1-C1-C2-O2
12	F	506	PGE	C4-C3-O2-C2
12	H	401	PGE	C6-C5-O3-C4
12	H	401	PGE	C4-C3-O2-C2
12	F	506	PGE	C1-C2-O2-C3
9	B	506	PEG	C4-C3-O2-C2
12	D	401	PGE	C3-C4-O3-C5
12	F	505	PGE	C1-C2-O2-C3
10	B	507	1PE	C15-C25-OH5-C14
12	B	509	PGE	O3-C5-C6-O4
12	B	509	PGE	C6-C5-O3-C4
10	B	507	1PE	OH5-C14-C24-OH4
7	B	501	GDP	C5'-O5'-PA-O2A
7	F	501	GDP	C5'-O5'-PA-O2A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	H	401	PGE	C3-C4-O3-C5
11	B	508	P6G	C6-C5-O4-C3
10	B	507	1PE	C23-C13-OH4-C24
5	E	501	GTP	C4'-C5'-O5'-PA
12	B	509	PGE	C1-C2-O2-C3
12	F	505	PGE	C3-C4-O3-C5
12	F	506	PGE	O3-C5-C6-O4
12	F	505	PGE	C4-C3-O2-C2
5	A	501	GTP	C4'-C5'-O5'-PA
7	B	501	GDP	PB-O3A-PA-O2A
12	F	506	PGE	C3-C4-O3-C5
5	A	501	GTP	PB-O3B-PG-O3G
5	E	501	GTP	PB-O3B-PG-O3G
5	A	501	GTP	C5'-O5'-PA-O3A
5	E	501	GTP	C5'-O5'-PA-O3A
7	B	501	GDP	C5'-O5'-PA-O3A
7	F	501	GDP	C5'-O5'-PA-O3A
5	A	501	GTP	PB-O3A-PA-O1A
5	E	501	GTP	PB-O3A-PA-O1A
7	F	501	GDP	PB-O3A-PA-O1A
7	F	501	GDP	PB-O3A-PA-O2A
9	B	506	PEG	C1-C2-O2-C3
10	B	507	1PE	C16-C26-OH6-C15
12	D	401	PGE	C1-C2-O2-C3
12	H	401	PGE	C1-C2-O2-C3
9	F	507	PEG	O2-C3-C4-O4

There are no ring outliers.

12 monomers are involved in 26 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	B	509	PGE	1	0
12	D	401	PGE	7	0
8	F	504	GOL	1	0
11	B	508	P6G	1	0
7	F	501	GDP	1	0
9	F	507	PEG	1	0
8	F	502	GOL	1	0
10	B	507	1PE	5	0
12	H	401	PGE	3	0
8	B	504	GOL	1	0
7	B	501	GDP	1	0


Continued on next page...


Continued from previous page...

Mol	Chain	Res	Type	Clashes	Symm-Clashes
12	F	506	PGE	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [\(i\)](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [\(i\)](#)

There are no chain breaks in this entry.

6 Fit of model and data [\(i\)](#)

6.1 Protein, DNA and RNA chains [\(i\)](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	425/451 (94%)	0.73	54 (12%) 9 7	21, 58, 91, 124	3 (0%)
1	E	426/451 (94%)	0.47	31 (7%) 22 20	22, 48, 73, 92	3 (0%)
2	B	431/445 (96%)	-0.38	4 (0%) 81 79	13, 27, 49, 68	3 (0%)
2	F	431/445 (96%)	-0.32	9 (2%) 63 60	11, 28, 50, 73	6 (1%)
3	C	83/121 (68%)	1.54	22 (26%) 2 1	34, 73, 103, 108	0
3	G	81/121 (66%)	1.41	20 (24%) 2 2	38, 64, 87, 93	0
4	D	155/190 (81%)	0.25	6 (3%) 44 41	21, 47, 81, 92	0
4	H	146/190 (76%)	0.36	4 (2%) 56 53	26, 53, 82, 87	0
All	All	2178/2414 (90%)	0.25	150 (6%) 24 22	11, 41, 84, 124	15 (0%)

All (150) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	284	GLU	6.0
1	A	38	SER	5.6
1	A	283	HIS	5.5
3	C	246	PRO	5.5
3	G	313	VAL	5.5
3	C	238	ALA	5.4
3	C	245	ASP	5.2
3	G	246	PRO	5.2
3	C	231	ASP	5.1
3	G	314	ASP	5.0
3	G	245	ASP	4.9
3	G	315	LEU	4.7
3	C	244	ARG	4.6
1	E	437	VAL	4.6
1	A	35	GLN	4.5
4	D	313	VAL	4.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	C	239	SER	4.3
3	C	211	GLU	4.3
3	C	205	ALA	4.2
3	C	212	LEU	4.2
3	C	237	ASN	4.0
2	F	283	TYR	4.0
3	G	316	SER	3.9
1	A	1	MET	3.9
1	A	337	THR	3.9
1	E	346	TRP	3.8
1	A	437	VAL	3.8
2	F	57	THR	3.8
1	E	349	THR	3.7
2	B	57	THR	3.7
3	C	230	PHE	3.7
1	E	47	ASP	3.6
1	A	286	LEU	3.6
3	C	209	VAL	3.6
1	A	335	ILE	3.5
1	A	435	VAL	3.5
1	A	58	ALA	3.4
1	A	368	LEU	3.4
3	C	291	GLU	3.4
1	E	341	ILE	3.4
1	A	37	PRO	3.4
1	A	439	SER	3.3
3	G	226	LYS	3.3
3	G	306	VAL	3.2
1	A	340	SER	3.2
1	E	436	GLY	3.2
1	E	336	LYS	3.2
1	A	341	ILE	3.2
3	G	307	GLN	3.1
1	E	114	ILE	3.1
3	G	210	ILE	3.1
2	F	1	MET	3.1
3	C	236	PHE	3.1
3	G	229	SER	3.1
1	A	278	ALA	3.1
1	E	37	PRO	3.1
1	E	56	THR	3.0
1	A	59	GLY	3.0

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	336	LYS	3.0
3	C	210	ILE	3.0
3	G	207	MET	3.0
1	A	83	TYR	2.9
2	F	282	GLN	2.9
1	A	309	HIS	2.9
3	G	216	THR	2.9
1	A	365	GLY	2.9
3	C	249	GLU	2.8
3	C	235	GLU	2.8
1	E	340	SER	2.8
1	A	326	LYS	2.8
4	D	147	ASP	2.8
4	D	306	VAL	2.8
1	A	346	TRP	2.7
1	A	113	GLU	2.7
1	A	60	LYS	2.7
1	E	49	PHE	2.7
1	E	332	ILE	2.7
1	A	46	ASP	2.7
4	H	147	ASP	2.7
1	E	124	LYS	2.7
1	A	285	GLN	2.6
1	E	326	LYS	2.6
1	E	59	GLY	2.6
2	B	283	TYR	2.6
1	A	2	ARG	2.6
1	E	281	ALA	2.6
3	G	249	GLU	2.6
1	A	358	GLN	2.5
1	A	372	GLN	2.5
2	B	279	GLY	2.5
1	A	149	PHE	2.5
1	E	282	TYR	2.5
4	H	246	TYR	2.5
1	A	36	MET	2.4
2	B	1	MET	2.4
1	A	363	VAL	2.4
1	A	339	ARG	2.4
1	A	302	MET	2.4
1	E	365	GLY	2.4
1	A	87	PHE	2.4

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
3	G	212	LEU	2.4
4	H	172	ALA	2.4
3	G	256	GLU	2.4
1	A	338	LYS	2.4
1	A	356	ASN	2.4
3	G	291	GLU	2.3
2	F	285	ALA	2.3
1	A	82	THR	2.3
1	E	309	HIS	2.3
1	E	1	MET	2.3
1	E	286	LEU	2.3
2	F	281	GLN	2.3
1	E	131	GLY	2.3
1	A	132	LEU	2.2
1	E	337	THR	2.2
3	C	251	ILE	2.2
3	C	207	MET	2.2
3	G	211	GLU	2.2
4	D	305	SER	2.2
1	A	122	ILE	2.2
1	A	156	ARG	2.2
1	A	364	PRO	2.2
3	C	234	PRO	2.2
1	A	114	ILE	2.2
4	D	312	PRO	2.2
1	A	288	VAL	2.2
1	A	370	LYS	2.2
2	F	279	GLY	2.1
1	E	262	TYR	2.1
1	A	324	VAL	2.1
1	A	232	SER	2.1
1	E	2	ARG	2.1
1	A	31	GLN	2.1
1	E	112	LYS	2.1
3	C	233	VAL	2.1
1	A	277	SER	2.1
4	D	172	ALA	2.1
3	G	209	VAL	2.1
1	A	218	ASP	2.1
1	A	54	SER	2.1
1	E	111	GLY	2.1
3	C	232	GLY	2.1

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
4	H	292	GLY	2.1
3	G	224	ILE	2.1
1	E	348	PRO	2.1
1	E	126	ALA	2.1
1	E	435	VAL	2.0
2	F	414	ASP	2.0
2	F	441	ASP	2.0
1	A	317	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [\(i\)](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [\(i\)](#)

There are no monosaccharides in this entry.

6.4 Ligands [\(i\)](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	GOL	B	505	6/6	0.65	0.23	52,53,54,54	0
10	1PE	B	507	16/16	0.77	0.25	83,83,83,83	0
8	GOL	F	502	6/6	0.80	0.19	55,56,56,56	0
12	PGE	H	401	10/10	0.80	0.22	60,62,63,63	0
12	PGE	B	509	10/10	0.81	0.21	68,69,69,69	0
9	PEG	B	506	7/7	0.82	0.15	33,35,36,37	0
8	GOL	F	503	6/6	0.83	0.15	55,55,56,56	0
8	GOL	B	502	6/6	0.84	0.18	73,73,73,73	0
9	PEG	F	507	7/7	0.86	0.18	49,50,51,51	0
12	PGE	F	505	10/10	0.86	0.15	47,47,48,48	0
12	PGE	F	506	10/10	0.86	0.18	59,60,61,61	0
11	P6G	B	508	19/19	0.86	0.18	55,56,58,58	0
12	PGE	D	401	10/10	0.87	0.15	49,50,50,50	0
8	GOL	F	504	6/6	0.89	0.14	62,62,62,62	0
8	GOL	B	504	6/6	0.89	0.11	53,54,54,54	0


Continued on next page...


Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
8	GOL	B	503	6/6	0.90	0.12	43,44,44,45	0
6	MG	A	502	1/1	0.98	0.06	27,27,27,27	0
7	GDP	B	501	28/28	0.98	0.05	16,19,22,22	0
5	GTP	A	501	32/32	0.98	0.05	24,28,32,33	0
5	GTP	E	501	32/32	0.99	0.04	26,27,28,28	0
7	GDP	F	501	28/28	0.99	0.04	21,22,24,24	0
6	MG	E	502	1/1	0.99	0.06	23,23,23,23	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.







6.5 Other polymers [\(i\)](#)

There are no such residues in this entry.