



Full wwPDB EM Validation Report ⓘ

Mar 3, 2025 – 12:13 pm GMT

PDB ID : 9F2B
EMDB ID : EMD-50146
Title : Focused refinement of SV2B luminal domain and BoNT/A1 complex
Authors : Khanppnavar, B.; Leka, O.; Korkhov, V.; Kammerer, R.
Deposited on : 2024-04-22
Resolution : 3.49 Å(reported)
Based on initial models : 6UL6, 9F1R

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.41


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.49 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	683	
2	B	1329	
3	C	2	
4	D	5	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	FUC	C	2	X	-	-	-
4	BMA	D	3	X	-	-	-

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 11208 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Synaptic vesicle glycoprotein 2B.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
1	A	106	906	587	143	168	8	0	0

- Molecule 2 is a protein called Botulinum neurotoxin type A.

Mol	Chain	Residues	Atoms					AltConf	Trace
			Total	C	N	O	S		
2	B	1253	10204	6554	1681	1937	32	0	0

There are 39 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
B	-16	MET	-	initiating methionine	UNP P0DPI0
B	-15	ARG	-	expression tag	UNP P0DPI0
B	-14	GLY	-	expression tag	UNP P0DPI0
B	-13	SER	-	expression tag	UNP P0DPI0
B	-12	HIS	-	expression tag	UNP P0DPI0
B	-11	HIS	-	expression tag	UNP P0DPI0
B	-10	HIS	-	expression tag	UNP P0DPI0
B	-9	HIS	-	expression tag	UNP P0DPI0
B	-8	HIS	-	expression tag	UNP P0DPI0
B	-7	HIS	-	expression tag	UNP P0DPI0
B	-6	GLY	-	expression tag	UNP P0DPI0
B	-5	SER	-	expression tag	UNP P0DPI0
B	-4	LEU	-	expression tag	UNP P0DPI0
B	-3	VAL	-	expression tag	UNP P0DPI0
B	-2	PRO	-	expression tag	UNP P0DPI0
B	-1	ARG	-	expression tag	UNP P0DPI0
B	0	GLY	-	expression tag	UNP P0DPI0
B	1	SER	-	expression tag	UNP P0DPI0
B	27	ALA	VAL	variant	UNP P0DPI0
B	224	GLN	GLU	engineered mutation	UNP P0DPI0
B	363	ALA	ARG	engineered mutation	UNP P0DPI0

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	366	PHE	TYR	engineered mutation	UNP P0DPI0
B	1158	ALA	THR	conflict	UNP P0DPI0
B	1297	VAL	-	expression tag	UNP P0DPI0
B	1298	PRO	-	expression tag	UNP P0DPI0
B	1299	PRO	-	expression tag	UNP P0DPI0
B	1300	THR	-	expression tag	UNP P0DPI0
B	1301	PRO	-	expression tag	UNP P0DPI0
B	1302	GLY	-	expression tag	UNP P0DPI0
B	1303	SER	-	expression tag	UNP P0DPI0
B	1304	ALA	-	expression tag	UNP P0DPI0
B	1305	TRP	-	expression tag	UNP P0DPI0
B	1306	SER	-	expression tag	UNP P0DPI0
B	1307	HIS	-	expression tag	UNP P0DPI0
B	1308	PRO	-	expression tag	UNP P0DPI0
B	1309	GLN	-	expression tag	UNP P0DPI0
B	1310	PHE	-	expression tag	UNP P0DPI0
B	1311	GLU	-	expression tag	UNP P0DPI0
B	1312	LYS	-	expression tag	UNP P0DPI0

- Molecule 3 is an oligosaccharide called alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
3	C	2	24	14	1	9	0	0

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms			AltConf	Trace	
			Total	C	N			O
4	D	5	60	34	2	24	0	0

- Molecule 5 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$).




Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
5	A	1	14	8	1	5	0


3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Synaptic vesicle glycoprotein 2B



- Molecule 2: Botulinum neurotoxin type A





- Molecule 3: alpha-L-fucopyranose-(1-6)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain C: 50% 50%

MAG1
FUC2

- Molecule 4: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D: 80% 20%

MAG1
MAG2
BNA3
MAN4
FUC5

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	129039	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	54	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	2400	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: BMA, NAG, FUC, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.34	0/932	0.51	0/1252
2	B	0.29	0/10421	0.49	0/14106
All	All	0.30	0/11353	0.49	0/15358

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
2	B	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	B	1179	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	906	0	841	36	0
2	B	10204	0	10076	168	0
3	C	24	0	22	3	0
4	D	60	0	52	8	0
5	A	14	0	13	0	0
All	All	11208	0	11004	201	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

All (201) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:516:ASN:HD21	4:D:1:NAG:C1	1.05	1.58
1:A:491:ASN:HD21	3:C:1:NAG:C1	1.10	1.55
1:A:491:ASN:ND2	3:C:1:NAG:C1	1.87	1.34
1:A:516:ASN:ND2	4:D:1:NAG:C1	1.85	1.34
2:B:1064:HIS:HB2	4:D:2:NAG:H82	1.50	0.94
2:B:1064:HIS:CB	4:D:2:NAG:H82	1.97	0.93
1:A:434:HIS:HE1	1:A:453:LYS:HE2	1.34	0.92
2:B:430:CYS:HB3	2:B:454:CYS:HA	1.57	0.87
2:B:1064:HIS:HB2	4:D:2:NAG:C8	2.06	0.85
1:A:491:ASN:HD21	3:C:1:NAG:C2	1.94	0.80
2:B:461:ASP:OD1	2:B:731:LYS:NZ	2.17	0.76
2:B:197:GLU:HG2	2:B:212:LYS:H	1.50	0.76
2:B:1064:HIS:CG	4:D:2:NAG:H82	2.23	0.74
2:B:34:LYS:HG2	2:B:36:PHE:HE1	1.52	0.73
1:A:434:HIS:CE1	1:A:453:LYS:HE2	2.23	0.70
2:B:1159:LYS:HE2	2:B:1185:VAL:HG21	1.74	0.69
2:B:135:ILE:HD13	2:B:149:LEU:HD13	1.74	0.69
2:B:1003:GLN:O	2:B:1151:ASN:ND2	2.27	0.67
2:B:201:GLU:OE1	2:B:205:ASN:ND2	2.28	0.67
1:A:428:LYS:HB3	1:A:447:GLN:HE21	1.59	0.67
2:B:610:LEU:HD12	2:B:747:ILE:HD11	1.77	0.66
2:B:22:ILE:HG22	2:B:137:VAL:HG12	1.79	0.63
2:B:1161:ILE:HG12	2:B:1183:ASN:HB2	1.80	0.63
1:A:462:MET:HG2	1:A:482:VAL:HG23	1.81	0.63
2:B:756:GLU:OE2	2:B:759:LYS:NZ	2.30	0.62
2:B:1023:ARG:HH21	2:B:1047:ILE:HG12	1.65	0.62
2:B:982:GLU:OE2	2:B:1000:LYS:NZ	2.32	0.61
2:B:1121:LYS:HD3	2:B:1136:LEU:HB3	1.82	0.61
2:B:614:PHE:HD2	2:B:773:LEU:HD22	1.64	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:426:LYS:O	1:A:446:ASN:ND2	2.33	0.61
2:B:756:GLU:O	2:B:760:ASN:ND2	2.34	0.60
2:B:310:LEU:HD21	2:B:314:LYS:HE3	1.85	0.59
2:B:156:PRO:HD3	2:B:189:SER:HB2	1.85	0.58
2:B:1227:ASN:HB2	2:B:1231:ILE:HG23	1.85	0.58
1:A:489:PHE:HB3	1:A:492:CYS:SG	2.43	0.58
2:B:584:THR:OG1	2:B:739:GLN:NE2	2.36	0.58
2:B:48:ARG:NH2	2:B:157:SER:O	2.37	0.58
2:B:657:ILE:HG21	2:B:884:GLU:HG2	1.86	0.58
2:B:313:MET:HE1	2:B:515:ILE:HD12	1.85	0.57
2:B:1194:ALA:HB3	2:B:1209:LEU:HD12	1.88	0.56
2:B:589:ASP:OD1	2:B:590:TYR:N	2.39	0.56
2:B:1222:VAL:HG13	2:B:1238:ASN:HB3	1.87	0.55
1:A:433:GLU:N	1:A:433:GLU:OE2	2.40	0.55
2:B:46:PRO:HG3	2:B:88:LEU:HD13	1.88	0.55
2:B:699:LEU:HD13	2:B:844:THR:HG21	1.89	0.55
2:B:385:THR:HG23	2:B:388:ASP:H	1.72	0.55
2:B:1003:GLN:HA	2:B:1011:ILE:HD11	1.87	0.55
2:B:1214:VAL:HG12	2:B:1216:ASN:H	1.71	0.55
2:B:974:TRP:HB3	2:B:987:LEU:HD12	1.89	0.55
1:A:517:SER:OG	1:A:518:THR:N	2.37	0.55
2:B:101:THR:HG22	2:B:104:GLY:H	1.72	0.55
2:B:598:THR:O	2:B:750:GLN:NE2	2.39	0.55
2:B:49:ASP:OD2	2:B:187:ARG:NE	2.28	0.54
2:B:407:GLU:HG3	2:B:408:ILE:HD12	1.89	0.54
2:B:422:LEU:H	2:B:422:LEU:HD23	1.71	0.54
2:B:161:ILE:HG12	2:B:161:ILE:O	2.07	0.54
2:B:74:ASP:OD1	2:B:75:SER:N	2.41	0.54
2:B:89:LYS:HB2	2:B:379:VAL:HG22	1.89	0.53
2:B:1064:HIS:HB2	4:D:2:NAG:H81	1.89	0.53
1:A:476:GLU:O	1:A:476:GLU:HG3	2.08	0.53
2:B:23:LYS:HD3	2:B:32:PRO:HG3	1.90	0.52
1:A:454:LEU:HD22	1:A:474:PHE:HE1	1.75	0.52
2:B:948:ARG:HB3	2:B:1068:TRP:HB2	1.91	0.52
2:B:12:ASP:HB2	2:B:19:ILE:HD12	1.91	0.51
2:B:1255:PHE:HB3	2:B:1260:LYS:HD2	1.92	0.51
2:B:995:GLN:NE2	2:B:1039:LYS:HB3	2.25	0.51
1:A:498:ILE:HG21	2:B:1296:LEU:HD22	1.93	0.51
2:B:1199:GLN:HE21	2:B:1204:LYS:HA	1.76	0.51
2:B:19:ILE:HG23	2:B:36:PHE:CD1	2.46	0.51
2:B:164:GLU:OE2	2:B:187:ARG:NH1	2.44	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:212:LYS:O	2:B:406:THR:HG22	2.11	0.50
2:B:362:ASN:OD1	2:B:363:ALA:N	2.43	0.50
2:B:878:ILE:HG13	2:B:894:TYR:CD2	2.46	0.50
2:B:1183:ASN:OD1	2:B:1192:ARG:NH1	2.45	0.50
2:B:219:VAL:HG11	2:B:362:ASN:HD22	1.77	0.50
2:B:70:VAL:HG22	2:B:373:VAL:HG23	1.94	0.50
1:A:464:PHE:HE2	1:A:469:PHE:HE2	1.60	0.49
2:B:789:ASN:HD21	2:B:861:ARG:HD2	1.76	0.49
1:A:483:THR:CG2	1:A:527:HIS:HB2	2.43	0.49
1:A:483:THR:HG23	1:A:527:HIS:HB2	1.94	0.49
2:B:550:MET:HB2	2:B:641:LEU:HB3	1.94	0.49
2:B:267:GLY:HA2	2:B:271:ALA:HB2	1.95	0.48
1:A:498:ILE:HD13	2:B:1296:LEU:HD22	1.94	0.48
2:B:94:LEU:HD11	2:B:217:PRO:HB2	1.96	0.48
2:B:397:LEU:HD23	2:B:403:GLY:HA2	1.95	0.48
2:B:924:ILE:HB	2:B:1055:PHE:HB2	1.94	0.48
2:B:1203:GLU:HA	2:B:1203:GLU:OE1	2.13	0.48
2:B:19:ILE:HG23	2:B:36:PHE:CE1	2.49	0.48
1:A:442:PHE:O	1:A:462:MET:HB2	2.14	0.47
2:B:483:SER:N	2:B:684:TYR:OH	2.47	0.47
2:B:702:ARG:HH21	2:B:844:THR:HG22	1.78	0.47
2:B:485:THR:H	2:B:697:ASN:ND2	2.12	0.47
2:B:1189:LYS:NZ	2:B:1191:TYR:OH	2.47	0.47
2:B:751:TYR:CE1	2:B:759:LYS:HG2	2.49	0.47
2:B:1195:THR:OG1	2:B:1205:ILE:O	2.28	0.47
2:B:948:ARG:NH1	2:B:1012:ASN:OD1	2.48	0.47
2:B:629:ASP:OD1	2:B:790:GLN:NE2	2.48	0.46
1:A:428:LYS:HB2	1:A:447:GLN:HG2	1.97	0.46
2:B:852:GLN:HG3	2:B:855:LYS:HD3	1.97	0.46
2:B:555:ARG:O	2:B:555:ARG:NH1	2.49	0.46
2:B:662:VAL:HG13	2:B:668:ILE:HD11	1.98	0.46
2:B:819:LEU:HD23	2:B:819:LEU:HA	1.77	0.46
1:A:502:THR:O	1:A:523:LYS:N	2.49	0.46
2:B:243:PHE:HB3	2:B:258:VAL:HG13	1.98	0.46
2:B:840:LYS:O	2:B:844:THR:OG1	2.21	0.46
2:B:950:PRO:HG2	2:B:1065:ARG:HH11	1.80	0.46
2:B:1017:VAL:HG22	2:B:1031:ILE:HD12	1.98	0.46
1:A:431:PHE:N	1:A:433:GLU:OE1	2.49	0.46
1:A:453:LYS:HB3	1:A:453:LYS:HE3	1.45	0.46
1:A:516:ASN:ND2	4:D:1:NAG:C2	2.73	0.46
2:B:531:MET:SD	2:B:531:MET:N	2.88	0.46

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:1110:PRO:HB2	2:B:1159:LYS:HE3	1.98	0.46
2:B:560:GLU:OE1	2:B:560:GLU:N	2.42	0.46
2:B:879:LEU:HD21	2:B:926:VAL:HG11	1.98	0.46
1:A:476:GLU:OE1	1:A:496:SER:O	2.34	0.46
1:A:483:THR:HA	1:A:503:ASP:OD2	2.15	0.46
2:B:114:GLY:HA2	2:B:320:LYS:HG3	1.97	0.46
2:B:125:THR:O	2:B:125:THR:OG1	2.30	0.46
2:B:196:PHE:HZ	2:B:361:LEU:HB3	1.80	0.46
2:B:36:PHE:HD2	2:B:88:LEU:HD21	1.81	0.45
2:B:275:ASP:OD1	2:B:275:ASP:N	2.45	0.45
2:B:1018:THR:HG21	2:B:1084:ILE:HD12	1.97	0.45
2:B:88:LEU:HD12	2:B:88:LEU:HA	1.77	0.45
2:B:646:MET:SD	2:B:646:MET:N	2.90	0.45
2:B:1226:LYS:HG2	2:B:1232:THR:HG22	1.98	0.45
2:B:363:ALA:HB1	2:B:368:ASN:HB3	1.99	0.44
2:B:1199:GLN:O	2:B:1204:LYS:NZ	2.48	0.44
2:B:12:ASP:N	2:B:12:ASP:OD1	2.50	0.44
2:B:264:ARG:HD2	2:B:346:THR:HG23	1.98	0.44
2:B:500:GLN:O	2:B:504:LEU:HD22	2.17	0.44
2:B:611:VAL:HG21	2:B:772:LYS:NZ	2.33	0.44
2:B:730:LYS:HB3	2:B:730:LYS:HE2	1.86	0.44
2:B:1205:ILE:HA	2:B:1262:VAL:HG12	1.99	0.44
2:B:36:PHE:CD1	2:B:36:PHE:N	2.86	0.44
2:B:130:ILE:HG22	2:B:132:THR:H	1.83	0.44
2:B:768:ASP:OD1	2:B:769:LEU:N	2.51	0.44
2:B:1241:ASP:OD1	2:B:1242:ASN:N	2.48	0.44
2:B:950:PRO:HG2	2:B:1065:ARG:NH1	2.33	0.44
2:B:605:GLY:O	2:B:609:GLN:HG3	2.17	0.43
2:B:648:TYR:HB2	2:B:651:ASP:HB2	2.00	0.43
2:B:657:ILE:O	2:B:893:ARG:NH2	2.51	0.43
2:B:755:THR:O	2:B:759:LYS:HE3	2.17	0.43
2:B:772:LYS:O	2:B:775:GLU:HG2	2.18	0.43
2:B:1057:LEU:HD11	2:B:1067:ILE:HG12	2.00	0.43
2:B:1121:LYS:HD3	2:B:1136:LEU:CB	2.46	0.43
2:B:1155:TYR:O	2:B:1156:ARG:HD2	2.18	0.43
1:A:455:VAL:HA	1:A:475:ASP:HB3	2.01	0.43
2:B:36:PHE:CD2	2:B:88:LEU:HD21	2.53	0.43
2:B:98:ILE:O	2:B:104:GLY:HA3	2.19	0.43
2:B:541:LYS:HD2	2:B:541:LYS:HA	1.92	0.43
2:B:918:ASN:ND2	2:B:1062:ASP:O	2.52	0.43
1:A:519:PHE:N	2:B:1142:SER:O	2.46	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:447:GLN:O	1:A:467:VAL:HA	2.19	0.43
2:B:1027:SER:HB3	2:B:1041:ILE:HD13	2.01	0.43
2:B:1037:ASP:OD1	2:B:1038:GLN:N	2.52	0.43
2:B:497:ASP:OD1	2:B:498:LEU:N	2.51	0.42
1:A:474:PHE:HD2	1:A:494:ILE:HG12	1.84	0.42
2:B:985:TRP:CD2	2:B:1019:ILE:HG21	2.54	0.42
2:B:117:PHE:CD1	2:B:293:ILE:HD11	2.54	0.42
2:B:985:TRP:HB3	2:B:997:VAL:HG22	2.02	0.42
2:B:1143:VAL:HG12	2:B:1149:TYR:HE1	1.84	0.42
2:B:35:ALA:HB2	2:B:45:ILE:HG12	2.02	0.42
2:B:691:THR:O	2:B:695:ILE:HG12	2.20	0.42
2:B:709:VAL:HB	2:B:808:LEU:HD21	2.02	0.42
2:B:202:VAL:HG23	2:B:206:PRO:HA	2.01	0.42
2:B:716:ASN:OD1	2:B:720:LYS:HD2	2.20	0.42
2:B:630:ILE:O	2:B:633:ILE:HG13	2.20	0.42
1:A:501:ASN:OD1	1:A:523:LYS:HG2	2.20	0.41
2:B:219:VAL:HG11	2:B:362:ASN:ND2	2.33	0.41
2:B:786:LYS:O	2:B:790:GLN:HG3	2.20	0.41
2:B:1153:SER:HB2	2:B:1293:GLU:OE2	2.19	0.41
2:B:626:LYS:H	2:B:626:LYS:HG2	1.41	0.41
2:B:1100:PHE:N	2:B:1284:PHE:O	2.47	0.41
2:B:151:LEU:HD23	2:B:151:LEU:HA	1.93	0.41
2:B:1169:ASN:HB3	2:B:1171:ASP:OD1	2.20	0.41
2:B:1253:HIS:HB2	2:B:1262:VAL:HG21	2.01	0.41
1:A:445:GLU:N	1:A:445:GLU:OE1	2.54	0.41
1:A:476:GLU:HA	1:A:496:SER:O	2.21	0.41
2:B:240:ASN:OD1	2:B:240:ASN:N	2.43	0.41
2:B:757:GLU:HA	2:B:760:ASN:HD21	1.85	0.41
2:B:9:ASN:O	2:B:88:LEU:HD23	2.20	0.41
2:B:1154:LEU:HB3	2:B:1285:ILE:HD13	2.03	0.41
2:B:484:ASP:N	2:B:484:ASP:OD1	2.53	0.41
2:B:608:GLU:O	2:B:611:VAL:HG22	2.21	0.41
2:B:642:ASN:OD1	2:B:642:ASN:O	2.39	0.41
2:B:897:LYS:HE3	2:B:897:LYS:HB3	1.81	0.41
2:B:984:ILE:HG12	2:B:998:VAL:HG12	2.03	0.41
2:B:995:GLN:HA	2:B:995:GLN:OE1	2.20	0.41
2:B:1127:ASN:O	2:B:1132:GLY:HA3	2.21	0.41
1:A:500:TYR:CE1	1:A:521:GLU:HB2	2.56	0.41
2:B:1110:PRO:HA	2:B:1161:ILE:HG22	2.03	0.41
2:B:1254:GLN:H	2:B:1254:GLN:HG3	1.69	0.41
2:B:563:LYS:O	2:B:563:LYS:NZ	2.39	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:706:TRP:HA	2:B:808:LEU:HD22	2.02	0.40
2:B:629:ASP:O	2:B:630:ILE:HD13	2.20	0.40
2:B:12:ASP:HB3	2:B:13:PRO:HD2	2.02	0.40
2:B:248:ASN:OD1	2:B:249:ALA:N	2.54	0.40
2:B:1148:ILE:HG22	2:B:1149:TYR:HD2	1.85	0.40
2:B:322:LEU:HD12	2:B:341:LEU:HB2	2.04	0.40
2:B:592:LYS:HD3	2:B:592:LYS:HA	1.92	0.40
2:B:905:ASN:HB3	2:B:915:GLN:HB3	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	104/683 (15%)	95 (91%)	9 (9%)	0	100	100
2	B	1241/1329 (93%)	1193 (96%)	48 (4%)	0	100	100
All	All	1345/2012 (67%)	1288 (96%)	57 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	101/580 (17%)	95 (94%)	6 (6%)	16	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	B	1138/1204 (94%)	1106 (97%)	32 (3%)	38	65
All	All	1239/1784 (70%)	1201 (97%)	38 (3%)	37	63

All (38) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	430	PHE
1	A	434	HIS
1	A	453	LYS
1	A	480	GLU
1	A	484	SER
1	A	528	MET
2	B	12	ASP
2	B	141	ASP
2	B	143	SER
2	B	144	TYR
2	B	165	CYS
2	B	197	GLU
2	B	280	ASN
2	B	301	LYS
2	B	326	ASP
2	B	344	MET
2	B	430	CYS
2	B	453	LEU
2	B	531	MET
2	B	537	PHE
2	B	614	PHE
2	B	621	VAL
2	B	625	ASP
2	B	626	LYS
2	B	632	ILE
2	B	642	ASN
2	B	646	MET
2	B	767	ASP
2	B	824	TYR
2	B	884	GLU
2	B	893	ARG
2	B	934	TYR
2	B	971	ASN
2	B	1023	ARG
2	B	1025	ASN
2	B	1058	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	B	1135	TYR
2	B	1188	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (24) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	434	HIS
1	A	446	ASN
1	A	447	GLN
1	A	491	ASN
1	A	516	ASN
2	B	31	GLN
2	B	39	HIS
2	B	205	ASN
2	B	288	ASN
2	B	404	GLN
2	B	470	ASN
2	B	533	ASN
2	B	697	ASN
2	B	739	GLN
2	B	765	ASN
2	B	778	ASN
2	B	790	GLN
2	B	913	GLN
2	B	954	ASN
2	B	1026	ASN
2	B	1147	ASN
2	B	1199	GLN
2	B	1216	ASN
2	B	1233	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates i

7 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	C	1	3	14,14,15	0.39	0	17,19,21	0.61	0
3	FUC	C	2	3	10,10,11	0.44	0	14,14,16	0.39	0
4	NAG	D	1	4	14,14,15	1.65	2 (14%)	17,19,21	1.00	2 (11%)
4	NAG	D	2	4	14,14,15	0.38	0	17,19,21	0.74	0
4	BMA	D	3	4	11,11,12	0.41	0	15,15,17	1.05	1 (6%)
4	MAN	D	4	4	11,11,12	0.34	0	15,15,17	0.96	1 (6%)
4	FUC	D	5	4	10,10,11	0.85	1 (10%)	14,14,16	0.89	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	C	1	3	-	4/6/23/26	0/1/1/1
3	FUC	C	2	3	1/1/4/5	-	0/1/1/1
4	NAG	D	1	4	-	3/6/23/26	0/1/1/1
4	NAG	D	2	4	-	2/6/23/26	0/1/1/1
4	BMA	D	3	4	1/1/4/5	2/2/19/22	0/1/1/1
4	MAN	D	4	4	-	0/2/19/22	0/1/1/1
4	FUC	D	5	4	-	-	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	D	1	NAG	C1-C2	4.71	1.59	1.52
4	D	1	NAG	O5-C1	-3.78	1.37	1.43
4	D	5	FUC	O5-C1	-2.03	1.40	1.43

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	D	4	MAN	C1-O5-C5	2.50	115.58	112.19
4	D	3	BMA	C1-C2-C3	2.34	112.54	109.67
4	D	1	NAG	C1-C2-N2	2.16	114.18	110.49
4	D	1	NAG	O3-C3-C2	2.05	113.70	109.47

All (2) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
3	C	2	FUC	C1
4	D	3	BMA	C1

All (11) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	D	1	NAG	O5-C5-C6-O6
3	C	1	NAG	O5-C5-C6-O6
4	D	1	NAG	C4-C5-C6-O6
3	C	1	NAG	C8-C7-N2-C2
4	D	2	NAG	C8-C7-N2-C2
4	D	2	NAG	O7-C7-N2-C2
3	C	1	NAG	C4-C5-C6-O6
3	C	1	NAG	O7-C7-N2-C2
4	D	3	BMA	C4-C5-C6-O6
4	D	3	BMA	O5-C5-C6-O6
4	D	1	NAG	C3-C2-N2-C7

There are no ring outliers.

3 monomers are involved in 11 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	C	1	NAG	3	0
4	D	2	NAG	5	0
4	D	1	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



5.6 Ligand geometry [i](#)

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	NAG	A	701	1	14,14,15	0.25	0	17,19,21	0.36	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	NAG	A	701	1	-	0/6/23/26	0/1/1/1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.