



Full wwPDB X-ray Structure Validation Report ⓘ

Jun 29, 2025 – 08:17 am BST

PDB ID : 9FI4 / pdb_00009fi4
Title : Bacteroides ovatus polysaccharide lyase family 38 (BoPL38) mutant Q173N at pH 8
Authors : Tandrup, T.; Wilkens, C.
Deposited on : 2024-05-28
Resolution : 2.47 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Xtrriage (Phenix) : 2.0rc1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.003 (Gargrove)
Density-Fitness : 1.0.11
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.47 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7106 (2.50-2.46)
Clashscore	180529	7991 (2.50-2.46)
Ramachandran outliers	177936	7888 (2.50-2.46)
Sidechain outliers	177891	7890 (2.50-2.46)
RSRZ outliers	164620	7106 (2.50-2.46)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	404	
1	B	404	
1	C	404	
1	D	404	

2 Entry composition i

There are 2 unique types of molecules in this entry. The entry contains 12479 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Alginate lyase family protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	380	3051	1951	516	571	13	0	0	0
1	B	380	3051	1951	516	571	13	0	0	0
1	C	380	3051	1951	516	571	13	0	0	0
1	D	380	3051	1951	516	571	13	0	0	0

There are 96 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	1	MET	-	initiating methionine	UNP A0A5M5BWR5
A	2	GLY	-	expression tag	UNP A0A5M5BWR5
A	3	SER	-	expression tag	UNP A0A5M5BWR5
A	4	SER	-	expression tag	UNP A0A5M5BWR5
A	5	HIS	-	expression tag	UNP A0A5M5BWR5
A	6	HIS	-	expression tag	UNP A0A5M5BWR5
A	7	HIS	-	expression tag	UNP A0A5M5BWR5
A	8	HIS	-	expression tag	UNP A0A5M5BWR5
A	9	HIS	-	expression tag	UNP A0A5M5BWR5
A	10	HIS	-	expression tag	UNP A0A5M5BWR5
A	11	SER	-	expression tag	UNP A0A5M5BWR5
A	12	SER	-	expression tag	UNP A0A5M5BWR5
A	13	GLY	-	expression tag	UNP A0A5M5BWR5
A	14	LEU	-	expression tag	UNP A0A5M5BWR5
A	15	VAL	-	expression tag	UNP A0A5M5BWR5
A	16	PRO	-	expression tag	UNP A0A5M5BWR5
A	17	ARG	-	expression tag	UNP A0A5M5BWR5
A	18	GLY	-	expression tag	UNP A0A5M5BWR5
A	19	SER	-	expression tag	UNP A0A5M5BWR5
A	20	HIS	-	expression tag	UNP A0A5M5BWR5
A	21	MET	-	expression tag	UNP A0A5M5BWR5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	22	ALA	-	expression tag	UNP A0A5M5BWR5
A	23	SER	-	expression tag	UNP A0A5M5BWR5
A	173	ASN	GLN	engineered mutation	UNP A0A5M5BWR5
B	1	MET	-	initiating methionine	UNP A0A5M5BWR5
B	2	GLY	-	expression tag	UNP A0A5M5BWR5
B	3	SER	-	expression tag	UNP A0A5M5BWR5
B	4	SER	-	expression tag	UNP A0A5M5BWR5
B	5	HIS	-	expression tag	UNP A0A5M5BWR5
B	6	HIS	-	expression tag	UNP A0A5M5BWR5
B	7	HIS	-	expression tag	UNP A0A5M5BWR5
B	8	HIS	-	expression tag	UNP A0A5M5BWR5
B	9	HIS	-	expression tag	UNP A0A5M5BWR5
B	10	HIS	-	expression tag	UNP A0A5M5BWR5
B	11	SER	-	expression tag	UNP A0A5M5BWR5
B	12	SER	-	expression tag	UNP A0A5M5BWR5
B	13	GLY	-	expression tag	UNP A0A5M5BWR5
B	14	LEU	-	expression tag	UNP A0A5M5BWR5
B	15	VAL	-	expression tag	UNP A0A5M5BWR5
B	16	PRO	-	expression tag	UNP A0A5M5BWR5
B	17	ARG	-	expression tag	UNP A0A5M5BWR5
B	18	GLY	-	expression tag	UNP A0A5M5BWR5
B	19	SER	-	expression tag	UNP A0A5M5BWR5
B	20	HIS	-	expression tag	UNP A0A5M5BWR5
B	21	MET	-	expression tag	UNP A0A5M5BWR5
B	22	ALA	-	expression tag	UNP A0A5M5BWR5
B	23	SER	-	expression tag	UNP A0A5M5BWR5
B	173	ASN	GLN	engineered mutation	UNP A0A5M5BWR5
C	1	MET	-	initiating methionine	UNP A0A5M5BWR5
C	2	GLY	-	expression tag	UNP A0A5M5BWR5
C	3	SER	-	expression tag	UNP A0A5M5BWR5
C	4	SER	-	expression tag	UNP A0A5M5BWR5
C	5	HIS	-	expression tag	UNP A0A5M5BWR5
C	6	HIS	-	expression tag	UNP A0A5M5BWR5
C	7	HIS	-	expression tag	UNP A0A5M5BWR5
C	8	HIS	-	expression tag	UNP A0A5M5BWR5
C	9	HIS	-	expression tag	UNP A0A5M5BWR5
C	10	HIS	-	expression tag	UNP A0A5M5BWR5
C	11	SER	-	expression tag	UNP A0A5M5BWR5
C	12	SER	-	expression tag	UNP A0A5M5BWR5
C	13	GLY	-	expression tag	UNP A0A5M5BWR5
C	14	LEU	-	expression tag	UNP A0A5M5BWR5
C	15	VAL	-	expression tag	UNP A0A5M5BWR5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	16	PRO	-	expression tag	UNP A0A5M5BWR5
C	17	ARG	-	expression tag	UNP A0A5M5BWR5
C	18	GLY	-	expression tag	UNP A0A5M5BWR5
C	19	SER	-	expression tag	UNP A0A5M5BWR5
C	20	HIS	-	expression tag	UNP A0A5M5BWR5
C	21	MET	-	expression tag	UNP A0A5M5BWR5
C	22	ALA	-	expression tag	UNP A0A5M5BWR5
C	23	SER	-	expression tag	UNP A0A5M5BWR5
C	173	ASN	GLN	engineered mutation	UNP A0A5M5BWR5
D	1	MET	-	initiating methionine	UNP A0A5M5BWR5
D	2	GLY	-	expression tag	UNP A0A5M5BWR5
D	3	SER	-	expression tag	UNP A0A5M5BWR5
D	4	SER	-	expression tag	UNP A0A5M5BWR5
D	5	HIS	-	expression tag	UNP A0A5M5BWR5
D	6	HIS	-	expression tag	UNP A0A5M5BWR5
D	7	HIS	-	expression tag	UNP A0A5M5BWR5
D	8	HIS	-	expression tag	UNP A0A5M5BWR5
D	9	HIS	-	expression tag	UNP A0A5M5BWR5
D	10	HIS	-	expression tag	UNP A0A5M5BWR5
D	11	SER	-	expression tag	UNP A0A5M5BWR5
D	12	SER	-	expression tag	UNP A0A5M5BWR5
D	13	GLY	-	expression tag	UNP A0A5M5BWR5
D	14	LEU	-	expression tag	UNP A0A5M5BWR5
D	15	VAL	-	expression tag	UNP A0A5M5BWR5
D	16	PRO	-	expression tag	UNP A0A5M5BWR5
D	17	ARG	-	expression tag	UNP A0A5M5BWR5
D	18	GLY	-	expression tag	UNP A0A5M5BWR5
D	19	SER	-	expression tag	UNP A0A5M5BWR5
D	20	HIS	-	expression tag	UNP A0A5M5BWR5
D	21	MET	-	expression tag	UNP A0A5M5BWR5
D	22	ALA	-	expression tag	UNP A0A5M5BWR5
D	23	SER	-	expression tag	UNP A0A5M5BWR5
D	173	ASN	GLN	engineered mutation	UNP A0A5M5BWR5

- Molecule 2 is water.

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
2	A	83	Total O 83 83	0	0
2	B	76	Total O 76 76	0	0
2	C	56	Total O 56 56	0	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	D	60	Total	O	0	0
			60	60		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Alginate lyase family protein




- Molecule 1: Alginate lyase family protein




- Molecule 1: Alginate lyase family protein



- Molecule 1: Alginate lyase family protein





4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	197.15Å 88.79Å 146.17Å 90.00° 120.25° 90.00°	Depositor
Resolution (Å)	48.72 – 2.47 48.72 – 2.47	Depositor EDS
% Data completeness (in resolution range)	99.9 (48.72-2.47) 99.9 (48.72-2.47)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 2.48Å)	Xtrriage
Refinement program	PHENIX 1.21_5207	Depositor
R, R_{free}	0.205 , 0.250 0.206 , 0.250	Depositor DCC
R_{free} test set	3901 reflections (4.98%)	wwPDB-VP
Wilson B-factor (Å ²)	43.6	Xtrriage
Anisotropy	0.055	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 39.7	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtrriage
Estimated twinning fraction	No twinning to report.	Xtrriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	12479	wwPDB-VP
Average B, all atoms (Å ²)	48.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 9.94% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/3129	0.58	0/4241
1	B	0.39	0/3129	0.56	0/4241
1	C	0.40	1/3129 (0.0%)	0.58	1/4241 (0.0%)
1	D	0.34	0/3129	0.53	0/4241
All	All	0.39	1/12516 (0.0%)	0.56	1/16964 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	50	ARG	CD-NE	-5.82	1.38	1.46

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	50	ARG	CD-NE-CZ	-7.27	114.22	124.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	182	ARG	Sidechain

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3051	0	3020	28	0
1	B	3051	0	3020	16	0
1	C	3051	0	3020	33	0
1	D	3051	0	3020	30	0
2	A	83	0	0	3	0
2	B	76	0	0	1	0
2	C	56	0	0	2	0
2	D	60	0	0	1	0
All	All	12479	0	12080	107	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (107) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:54:LEU:N	2:C:501:HOH:O	2.18	0.76
1:C:390:THR:HG22	1:C:392:ASP:H	1.50	0.75
1:B:336:ASP:OD1	1:B:377:TYR:OH	2.06	0.73
1:C:70:VAL:HG23	1:C:120:GLU:HG2	1.77	0.67
1:D:173:ASN:ND2	1:D:185:GLY:HA2	2.12	0.65
1:C:336:ASP:OD1	1:C:377:TYR:OH	2.14	0.64
1:B:252:LEU:HD22	1:B:264:ILE:HG23	1.79	0.64
1:A:252:LEU:HD22	1:A:264:ILE:HG23	1.80	0.62
1:C:265:ARG:HG3	1:C:318:ILE:HD11	1.82	0.61
1:C:173:ASN:OD1	1:C:185:GLY:HA2	2.02	0.59
1:A:336:ASP:OD1	1:A:377:TYR:OH	2.21	0.59
1:A:191:ARG:HD2	2:A:506:HOH:O	2.03	0.58
1:D:252:LEU:HD22	1:D:264:ILE:HG23	1.86	0.58
1:C:186:PHE:CZ	1:C:227:MET:HG2	2.41	0.55
1:C:54:LEU:HD21	1:C:389:SER:HA	1.89	0.54
1:A:228:GLU:OE2	1:A:251:HIS:NE2	2.38	0.54
1:A:186:PHE:HA	2:A:536:HOH:O	2.08	0.54
1:C:307:MET:HB2	1:C:321:TRP:HZ2	1.73	0.54
1:B:388:TYR:HA	1:B:402:LYS:HB3	1.90	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:89:SER:HG	1:C:92:TRP:CD1	2.26	0.53
1:A:70:VAL:HG23	1:A:120:GLU:HG2	1.89	0.53
1:A:187:ILE:HG22	1:A:190:ARG:NH1	2.23	0.53
1:D:214:LYS:HE2	1:D:218:ASP:OD2	2.09	0.53
1:C:386:LEU:HD13	1:C:395:THR:HB	1.92	0.52
1:D:276:MET:HE3	1:D:306:LEU:HD13	1.92	0.52
1:C:79:SER:O	1:C:80:LYS:HE3	2.10	0.51
1:A:51:TYR:CD1	1:A:399:LEU:HD13	2.46	0.50
1:D:186:PHE:HZ	1:D:227:MET:HE3	1.76	0.50
1:D:189:SER:HB2	1:D:250:ILE:HD13	1.94	0.50
1:C:173:ASN:HB2	1:C:185:GLY:HA2	1.94	0.50
1:A:265:ARG:HG3	1:A:318:ILE:HD11	1.95	0.49
1:B:190:ARG:O	1:B:194:ARG:HG3	2.11	0.49
1:D:173:ASN:HB2	1:D:185:GLY:HA2	1.94	0.49
1:D:40:ASP:OD1	1:D:40:ASP:N	2.46	0.49
1:A:180:LYS:O	1:A:181:MET:C	2.55	0.48
1:A:175:VAL:CG1	1:A:178:MET:HG2	2.44	0.48
1:C:186:PHE:CZ	1:C:227:MET:HE3	2.48	0.48
1:C:190:ARG:O	1:C:194:ARG:HG3	2.13	0.47
1:A:276:MET:HE2	1:A:276:MET:HB2	1.66	0.47
1:D:280:ILE:HG22	1:D:329:LYS:HD2	1.96	0.47
1:C:79:SER:C	1:C:80:LYS:HE3	2.38	0.47
1:B:38:LYS:HE2	1:B:139:TYR:O	2.13	0.47
1:A:255:LEU:HD13	1:A:263:ARG:HB3	1.97	0.47
1:D:60:GLU:HG3	1:D:64:LYS:HE3	1.96	0.47
1:D:250:ILE:HA	1:D:253:MET:HE3	1.96	0.47
1:D:173:ASN:HD22	1:D:185:GLY:HA2	1.80	0.46
1:C:186:PHE:CE2	1:C:227:MET:HG2	2.51	0.46
1:D:186:PHE:CZ	1:D:227:MET:HG2	2.51	0.46
1:D:62:TYR:HB3	1:D:134:LEU:HD11	1.97	0.46
1:D:175:VAL:CG2	1:D:178:MET:HG3	2.46	0.46
1:D:284:GLY:O	1:D:334:ALA:HA	2.15	0.46
1:C:200:LYS:HE2	1:C:257:TYR:O	2.16	0.46
1:D:186:PHE:CZ	1:D:227:MET:HE3	2.50	0.46
1:D:276:MET:HA	1:D:276:MET:HE2	1.97	0.46
1:A:175:VAL:HG12	1:A:178:MET:HG2	1.97	0.46
1:C:283:ASP:OD1	1:C:283:ASP:N	2.50	0.45
1:D:241:ASN:OD1	1:D:243:HIS:HB2	2.16	0.45
1:C:89:SER:HA	1:C:173:ASN:HD22	1.81	0.45
1:C:189:SER:HB2	1:C:250:ILE:HD13	1.98	0.45
1:D:265:ARG:HD3	2:D:529:HOH:O	2.16	0.45

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:188:ASP:OD1	1:B:188:ASP:N	2.50	0.45
1:A:182:ARG:NH2	1:A:231:THR:HG21	2.31	0.44
1:D:276:MET:CE	1:D:306:LEU:HD13	2.48	0.44
1:B:180:LYS:HE2	1:B:180:LYS:HB2	1.79	0.44
1:C:227:MET:HE2	1:C:227:MET:HB3	1.88	0.44
1:D:227:MET:HE1	1:D:251:HIS:HA	1.98	0.44
1:D:235:ARG:HH11	1:D:235:ARG:HG3	1.82	0.44
1:A:284:GLY:O	1:A:334:ALA:HA	2.18	0.44
1:C:60:GLU:O	1:C:64:LYS:HG3	2.16	0.44
1:C:50:ARG:HH11	1:C:50:ARG:HD3	1.48	0.44
1:A:73:LYS:HE3	1:A:77:PRO:HD3	2.00	0.44
1:C:173:ASN:HB2	1:C:185:GLY:CA	2.48	0.44
1:C:182:ARG:HA	1:C:182:ARG:HD2	1.83	0.44
1:C:248:GLU:HA	1:C:248:GLU:OE1	2.17	0.44
1:A:389:SER:HB2	2:B:501:HOH:O	2.17	0.43
1:A:149:ALA:O	1:A:153:HIS:HD2	2.00	0.43
1:B:181:MET:O	1:B:182:ARG:HD3	2.18	0.43
1:B:276:MET:SD	1:B:306:LEU:HD13	2.59	0.43
1:B:265:ARG:HG3	1:B:318:ILE:HD11	1.99	0.43
1:A:165:MET:HE1	1:A:192:PHE:CZ	2.54	0.43
1:A:85:TYR:CE2	1:A:120:GLU:HB3	2.54	0.42
1:B:52:ILE:O	1:B:56:GLU:HG3	2.19	0.42
1:C:262:ASP:HB2	2:C:553:HOH:O	2.18	0.42
1:A:188:ASP:CG	2:A:536:HOH:O	2.61	0.42
1:C:38:LYS:O	1:C:42:GLN:HG3	2.20	0.42
1:D:249:ALA:O	1:D:253:MET:HG3	2.20	0.42
1:A:178:MET:HG3	1:A:181:MET:SD	2.60	0.42
1:C:352:GLN:HG3	1:C:354:LYS:O	2.20	0.42
1:D:262:ASP:OD1	1:D:262:ASP:N	2.53	0.42
1:B:70:VAL:HG23	1:B:120:GLU:HG2	2.01	0.41
1:B:129:ASP:HA	1:B:393:VAL:HG21	2.02	0.41
1:A:231:THR:O	1:A:235:ARG:HG3	2.20	0.41
1:A:347:ASP:O	1:A:349:LYS:HG2	2.20	0.41
1:B:179:LYS:H	1:B:179:LYS:HG3	1.68	0.41
1:A:125:ASN:OD1	1:A:191:ARG:HD3	2.20	0.41
1:B:307:MET:HB2	1:B:321:TRP:HZ2	1.86	0.41
1:C:351:LYS:HB2	1:C:351:LYS:HE3	1.90	0.41
1:D:246:TRP:CE2	1:D:305:ALA:HB2	2.55	0.41
1:A:330:VAL:HG23	1:A:333:GLN:HG3	2.03	0.41
1:C:339:TYR:CE2	1:C:376:LYS:HE3	2.56	0.41
1:D:33:LEU:O	1:D:37:LEU:HD13	2.21	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:173:ASN:HB2	1:D:185:GLY:CA	2.50	0.41
1:D:52:ILE:O	1:D:56:GLU:HG3	2.21	0.40
1:A:118:TYR:CD1	1:A:118:TYR:N	2.90	0.40
1:C:186:PHE:HZ	1:C:227:MET:HG2	1.85	0.40
1:B:138:TYR:CD1	1:B:147:ALA:HB2	2.57	0.40
1:D:362:ALA:HB2	1:D:384:ILE:HG22	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	378/404 (94%)	364 (96%)	12 (3%)	2 (0%)	25	41
1	B	378/404 (94%)	364 (96%)	14 (4%)	0	100	100
1	C	378/404 (94%)	369 (98%)	9 (2%)	0	100	100
1	D	378/404 (94%)	367 (97%)	11 (3%)	0	100	100
All	All	1512/1616 (94%)	1464 (97%)	46 (3%)	2 (0%)	48	67

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	179	LYS
1	A	181	MET

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	324/344 (94%)	320 (99%)	4 (1%)	67	84
1	B	324/344 (94%)	318 (98%)	6 (2%)	52	74
1	C	324/344 (94%)	321 (99%)	3 (1%)	75	89
1	D	324/344 (94%)	319 (98%)	5 (2%)	60	80
All	All	1296/1376 (94%)	1278 (99%)	18 (1%)	62	81

All (18) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	23	SER
1	A	45	GLU
1	A	198	VAL
1	A	211	SER
1	B	39	ASN
1	B	70	VAL
1	B	98	LYS
1	B	180	LYS
1	B	188	ASP
1	B	265	ARG
1	C	49	THR
1	C	80	LYS
1	C	347	ASP
1	D	40	ASP
1	D	45	GLU
1	D	102	LEU
1	D	175	VAL
1	D	346	GLU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	358	GLN
1	C	152	ASN
1	C	242	ASN
1	C	243	HIS
1	C	358	GLN
1	D	42	GLN
1	D	173	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	D	229	ASN
1	D	344	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	380/404 (94%)	-0.07	9 (2%) 59 57	30, 43, 65, 100	0
1	B	380/404 (94%)	-0.05	10 (2%) 57 55	29, 44, 64, 115	0
1	C	380/404 (94%)	0.08	13 (3%) 48 46	30, 46, 70, 130	0
1	D	380/404 (94%)	0.31	17 (4%) 39 36	30, 53, 78, 114	0
All	All	1520/1616 (94%)	0.07	49 (3%) 50 48	29, 45, 72, 130	0

All (49) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	181	MET	5.0
1	D	187	ILE	4.4
1	B	183	GLY	4.3
1	B	180	LYS	4.3
1	D	179	LYS	4.3
1	C	179	LYS	4.2
1	A	181	MET	4.0
1	A	180	LYS	4.0
1	C	183	GLY	3.8
1	D	178	MET	3.7
1	C	185	GLY	3.6
1	B	179	LYS	3.6
1	D	182	ARG	3.6
1	B	182	ARG	3.5
1	C	182	ARG	3.5
1	D	180	LYS	3.3
1	B	186	PHE	3.2
1	C	184	SER	3.1
1	D	183	GLY	2.9
1	D	184	SER	2.9
1	D	43	LYS	2.9

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	182	ARG	2.8
1	C	74	LYS	2.8
1	D	185	GLY	2.8
1	C	180	LYS	2.7
1	A	23	SER	2.7
1	C	291	LYS	2.7
1	A	179	LYS	2.7
1	D	355	PRO	2.7
1	D	186	PHE	2.7
1	B	50	ARG	2.5
1	C	50	ARG	2.5
1	D	284	GLY	2.5
1	B	178	MET	2.4
1	C	186	PHE	2.4
1	A	50	ARG	2.4
1	A	276	MET	2.3
1	D	243	HIS	2.2
1	B	187	ILE	2.2
1	A	183	GLY	2.2
1	C	383	ARG	2.2
1	D	39	ASN	2.1
1	B	46	LYS	2.1
1	D	23	SER	2.1
1	C	259	ASP	2.1
1	D	281	ALA	2.0
1	A	346	GLU	2.0
1	C	99	ILE	2.0
1	D	152	ASN	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.