



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 2, 2025 – 12:12 PM JST

PDB ID : 9ULB / pdb_00009ulb
Title : Cryogenic temperature crystal structure of Nmar_1308 protein at 3.29 angstrom resolution
Authors : Destan, E.; DeMirici, H.
Deposited on : 2025-04-19
Resolution : 3.29 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Xtrriage (Phenix) : 2.0rc1
EDS : 3.0
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.006 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 3.29 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1085 (3.32-3.28)
Clashscore	180529	1128 (3.32-3.28)
Ramachandran outliers	177936	1125 (3.32-3.28)
Sidechain outliers	177891	1124 (3.32-3.28)
RSRZ outliers	164620	1085 (3.32-3.28)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	246	 62% 38%
1	B	246	 61% 35%
1	C	246	 56% 33% 10%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 5265 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Enoyl-CoA hydratase/isomerase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
			Total	C	N	O	S			
1	A	245	Total 1831	C 1142	N 315	O 360	S 14	0	0	0
1	B	236	Total 1769	C 1107	N 305	O 344	S 13	0	0	0
1	C	222	Total 1658	C 1032	N 286	O 328	S 12	0	0	0

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	0	HIS	-	expression tag	UNP A9A2G5
B	0	HIS	-	expression tag	UNP A9A2G5
C	0	HIS	-	expression tag	UNP A9A2G5


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	2	Total 2	O 2	0	0
2	B	4	Total 4	O 4	0	0
2	C	1	Total 1	O 1	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Enoyl-CoA hydratase/isomerase



- Molecule 1: Enoyl-CoA hydratase/isomerase



- Molecule 1: Enoyl-CoA hydratase/isomerase



T162	G163	K164	M165	ILE	LYS	A168	E169	E170	A171	K172	E173	L174	G175	L176	V177	N178	H179	V180	V181	P182	E188	L191	K192	F193	A194	Q195	Q196	T197	A198	T202	M203	G204	V205	Q206	M207	S208	R216	A230	W231	R232	N233	C234	E242	ARG	MET	THR
------	------	------	------	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 32 1 2	Depositor
Cell constants a, b, c, α , β , γ	76.30Å 76.30Å 210.11Å 90.00° 90.00° 120.00°	Depositor
Resolution (Å)	41.12 – 3.29 41.12 – 3.29	Depositor EDS
% Data completeness (in resolution range)	100.0 (41.12-3.29) 100.0 (41.12-3.29)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.34 (at 3.33Å)	Xtrriage
Refinement program	PHENIX (1.19.2_4158: ???)	Depositor
R, R_{free}	0.356 , 0.415 0.356 , 0.415	Depositor DCC
R_{free} test set	9848 reflections (10.02%)	wwPDB-VP
Wilson B-factor (Å ²)	83.8	Xtrriage
Anisotropy	0.318	Xtrriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.36 , 243.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.38$, $\langle L^2 \rangle = 0.20$	Xtrriage
Estimated twinning fraction	0.129 for -h,-k,l	Xtrriage
F_o, F_c correlation	0.85	EDS
Total number of atoms	5265	wwPDB-VP
Average B, all atoms (Å ²)	76.0	wwPDB-VP

Xtrriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 3.87% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.14	0/1851	0.36	0/2499
1	B	0.15	0/1788	0.37	0/2412
1	C	0.21	0/1673	0.50	2/2251 (0.1%)
All	All	0.17	0/5312	0.41	2/7162 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	C	0	2

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	171	ALA	N-CA-C	5.19	121.86	110.80
1	C	173	GLU	N-CA-C	-5.04	107.20	113.19

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	C	170	GLU	Peptide
1	C	173	GLU	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen

atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1831	0	1876	77	0
1	B	1769	0	1813	81	1
1	C	1658	0	1670	71	1
2	A	2	0	0	0	0
2	B	4	0	0	0	0
2	C	1	0	0	0	0
All	All	5265	0	5359	205	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 19.

All (205) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:12:ILE:HD12	1:C:194:ALA:HB1	1.59	0.84
1:A:172:LYS:HB2	1:A:180:VAL:HG23	1.67	0.75
1:C:17:ILE:H	1:C:54:GLY:HA2	1.51	0.74
1:C:24:ASN:ND2	1:C:59:ALA:O	2.22	0.73
1:C:100:ALA:HB3	1:C:120:ARG:HB3	1.71	0.73
1:A:235:PHE:HZ	1:B:70:SER:HB2	1.53	0.73
1:A:212:ILE:HG23	1:B:148:MET:HE2	1.71	0.72
1:B:13:CYS:N	1:B:49:VAL:O	2.22	0.71
1:C:59:ALA:HA	1:C:104:GLY:HA3	1.72	0.70
1:A:22:LYS:HG3	1:A:66:ILE:HG22	1.74	0.69
1:B:13:CYS:HB2	1:B:47:VAL:HG11	1.73	0.69
1:A:68:TYR:HE1	1:A:71:LYS:HE3	1.58	0.68
1:B:123:ALA:HB2	1:B:186:LEU:HD22	1.77	0.67
1:C:16:LYS:HG2	1:C:53:THR:HG23	1.77	0.67
1:A:133:VAL:HG21	1:C:205:VAL:HG23	1.77	0.66
1:B:60:PHE:HB3	1:B:106:ALA:HB2	1.77	0.66
1:A:52:LEU:HD21	1:A:113:LEU:HD21	1.78	0.65
1:A:207:MET:HB3	1:A:230:ALA:HB1	1.79	0.65
1:A:115:MET:HE1	1:A:143:GLY:HA2	1.78	0.64
1:C:191:LEU:O	1:C:195:GLN:HG3	1.98	0.64
1:A:117:CYS:O	1:A:120:ARG:NH1	2.30	0.64
1:C:188:GLU:O	1:C:192:LYS:N	2.26	0.63
1:A:79:GLU:HA	1:A:82:LYS:HD3	1.80	0.63
1:C:48:LYS:HD3	1:C:198:ALA:HB1	1.81	0.63
1:B:64:ALA:HB2	1:B:108:GLY:HA3	1.80	0.63

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:228:ILE:HG12	1:B:78:VAL:HG13	1.81	0.62
1:C:54:GLY:O	1:C:103:ASN:ND2	2.29	0.62
1:C:0:HIS:ND1	1:C:33:GLU:OE2	2.27	0.61
1:B:57:GLU:HA	1:B:103:ASN:HD22	1.65	0.61
1:C:155:LYS:HD2	1:C:174:ILE:CD1	2.30	0.61
1:C:130:GLN:NE2	1:C:132:GLU:OE1	2.33	0.61
1:B:178:ASN:HB3	1:C:155:LYS:HZ2	1.65	0.61
1:A:38:PHE:HA	1:A:41:LEU:HD12	1.84	0.60
1:A:126:ALA:HB3	1:A:168:ALA:HB2	1.83	0.60
1:A:240:ARG:HD3	1:A:241:GLN:HG3	1.82	0.60
1:B:0:HIS:CD2	1:B:19:ARG:HE	2.20	0.60
1:A:237:HIS:CD2	1:A:238:PRO:HD2	2.37	0.60
1:A:57:GLU:HB3	1:A:183:LEU:HD11	1.84	0.60
1:C:172:LYS:HE3	1:C:178:ASN:O	2.02	0.59
1:A:197:ILE:HD11	1:B:161:TYR:HB3	1.85	0.59
1:B:84:GLY:HA3	1:B:141:TRP:CG	2.37	0.59
1:A:98:THR:OG1	1:A:118:ASP:OD1	2.21	0.59
1:A:75:ASP:OD1	1:C:232:ARG:NH2	2.34	0.58
1:B:38:PHE:HD2	1:B:94:VAL:HG11	1.67	0.58
1:A:235:PHE:HA	1:A:240:ARG:HG3	1.85	0.58
1:A:123:ALA:HB2	1:A:186:LEU:HD22	1.85	0.58
1:B:172:LYS:HD3	1:B:180:VAL:HG12	1.86	0.58
1:B:34:LEU:HD22	1:B:87:VAL:HG23	1.86	0.57
1:A:78:VAL:O	1:A:82:LYS:HG3	2.04	0.57
1:C:86:LEU:O	1:C:90:THR:OG1	2.18	0.57
1:A:120:ARG:HB3	1:A:177:VAL:HG12	1.87	0.56
1:A:153:ILE:O	1:A:157:LYS:HG3	2.06	0.56
1:A:7:SER:HB3	1:A:11:GLY:H	1.70	0.56
1:A:194:ALA:HA	1:A:197:ILE:HG22	1.87	0.56
1:A:26:MET:HE2	1:A:113:LEU:HD22	1.88	0.55
1:C:120:ARG:NH2	1:C:176:LEU:O	2.39	0.55
1:C:57:GLU:HA	1:C:103:ASN:HD22	1.70	0.55
1:B:24:ASN:ND2	1:B:59:ALA:O	2.40	0.55
1:B:84:GLY:HA3	1:B:141:TRP:CD2	2.41	0.55
1:A:57:GLU:HA	1:A:103:ASN:HB2	1.88	0.54
1:B:178:ASN:HB3	1:C:155:LYS:NZ	2.22	0.54
1:B:38:PHE:CD2	1:B:94:VAL:HG11	2.42	0.54
1:B:215:GLY:O	1:C:149:ARG:NH1	2.40	0.54
1:B:84:GLY:HA2	1:B:87:VAL:HG12	1.90	0.54
1:B:2:SER:HB3	1:B:16:LYS:HB2	1.89	0.54
1:A:68:TYR:CE1	1:A:71:LYS:HE3	2.43	0.53

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:2:SER:HB3	1:C:16:LYS:HB2	1.90	0.53
1:C:70:SER:O	1:C:70:SER:OG	2.27	0.53
1:C:204:GLY:O	1:C:208:SER:OG	2.24	0.53
1:B:79:GLU:HA	1:B:82:LYS:HB2	1.90	0.53
1:B:19:ARG:HH12	1:B:27:ASN:ND2	2.07	0.52
1:B:35:ILE:CD1	1:B:86:LEU:HG	2.39	0.52
1:B:120:ARG:O	1:B:178:ASN:N	2.41	0.52
1:C:26:MET:HG2	1:C:141:TRP:HZ3	1.75	0.52
1:B:47:VAL:O	1:B:96:GLN:NE2	2.42	0.52
1:B:90:THR:O	1:B:94:VAL:HG13	2.09	0.52
1:A:172:LYS:HA	1:A:177:VAL:HG23	1.91	0.51
1:A:168:ALA:O	1:A:172:LYS:N	2.32	0.51
1:B:178:ASN:C	1:C:155:LYS:HZ3	2.17	0.51
1:B:65:ASP:HA	1:B:68:TYR:HE1	1.75	0.51
1:C:24:ASN:O	1:C:61:SER:HA	2.11	0.51
1:A:53:THR:HB	1:A:101:ALA:HB3	1.92	0.50
1:C:26:MET:HB2	1:C:61:SER:OG	2.10	0.50
1:C:153:ILE:O	1:C:157:LYS:HG3	2.11	0.50
1:A:240:ARG:O	1:A:244:MET:HB2	2.12	0.50
1:C:52:LEU:HD21	1:C:113:LEU:HD11	1.93	0.50
1:B:86:LEU:O	1:B:90:THR:OG1	2.22	0.50
1:B:153:ILE:O	1:B:157:LYS:HG3	2.11	0.50
1:A:228:ILE:HA	1:A:231:TRP:HB3	1.94	0.50
1:B:34:LEU:HD22	1:B:87:VAL:CG2	2.41	0.50
1:A:35:ILE:O	1:A:39:GLU:HG3	2.12	0.49
1:A:72:ILE:HD12	1:A:76:GLU:HB3	1.94	0.49
1:A:178:ASN:ND2	1:B:158:GLU:OE2	2.33	0.49
1:A:128:LEU:HD11	1:A:177:VAL:HG13	1.94	0.49
1:C:155:LYS:HD2	1:C:174:ILE:HD11	1.95	0.49
1:A:1:MET:HE1	1:A:34:LEU:HG	1.95	0.48
1:C:53:THR:OG1	1:C:54:GLY:N	2.44	0.48
1:C:172:LYS:C	1:C:174:ILE:N	2.69	0.48
1:B:80:TYR:O	1:B:141:TRP:NE1	2.42	0.48
1:A:56:GLY:O	1:A:103:ASN:ND2	2.47	0.48
1:C:84:GLY:HA3	1:C:141:TRP:CD1	2.50	0.47
1:C:191:LEU:O	1:C:195:GLN:N	2.36	0.47
1:A:35:ILE:HG22	1:A:36:LYS:HD2	1.97	0.47
1:B:19:ARG:HH12	1:B:27:ASN:HD21	1.63	0.47
1:B:112:GLU:OE2	1:B:130:GLN:NE2	2.42	0.47
1:A:112:GLU:CD	1:A:141:TRP:HB2	2.40	0.47
1:A:220:LEU:N	1:B:217:ASN:OD1	2.38	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:92:GLU:CD	1:B:216:ARG:HH22	2.23	0.47
1:B:234:CYS:SG	1:C:138:PRO:HD3	2.55	0.47
1:C:80:TYR:CE1	1:C:141:TRP:HZ2	2.33	0.47
1:C:119:ILE:HG23	1:C:178:ASN:OD1	2.15	0.47
1:A:231:TRP:CE2	1:B:81:ALA:HB2	2.50	0.46
1:B:146:ARG:O	1:B:150:ILE:HG13	2.16	0.46
1:B:188:GLU:N	1:B:188:GLU:OE1	2.49	0.46
1:C:92:GLU:CD	1:C:216:ARG:HH22	2.23	0.46
1:C:150:ILE:HG22	1:C:176:LEU:HA	1.98	0.46
1:A:78:VAL:HG22	1:A:82:LYS:HD2	1.97	0.46
1:A:225:GLY:HA2	1:A:228:ILE:HG22	1.97	0.46
1:B:61:SER:O	1:B:110:GLY:HA3	2.16	0.46
1:A:162:THR:HB	1:C:196:GLN:HG2	1.98	0.46
1:A:32:LYS:HA	1:A:35:ILE:HD12	1.98	0.46
1:A:243:ARG:NH1	1:B:134:THR:O	2.47	0.46
1:B:65:ASP:OD1	1:B:135:ILE:HD11	2.15	0.46
1:C:181:VAL:CB	1:C:182:PRO:HD3	2.46	0.46
1:A:138:PRO:HB3	1:C:208:SER:OG	2.16	0.45
1:C:162:THR:OG1	1:C:164:LYS:HG2	2.15	0.45
1:B:84:GLY:HA3	1:B:141:TRP:CD1	2.52	0.45
1:A:27:ASN:OD1	1:A:30:VAL:HG12	2.17	0.45
1:A:189:GLU:HA	1:A:192:LYS:HB3	1.98	0.45
1:B:73:SER:HB3	1:B:76:GLU:HB2	1.99	0.45
1:B:112:GLU:OE1	1:B:141:TRP:HB2	2.16	0.45
1:B:166:ILE:HB	1:B:170:GLU:HG3	1.98	0.45
1:A:57:GLU:HA	1:A:103:ASN:HD22	1.82	0.45
1:B:34:LEU:HA	1:B:37:THR:HG22	1.99	0.45
1:B:206:GLN:H	1:B:206:GLN:HG2	1.67	0.45
1:C:59:ALA:HA	1:C:105:PHE:H	1.82	0.44
1:C:84:GLY:HA2	1:C:87:VAL:HG12	1.98	0.44
1:C:1:MET:HE1	1:C:37:THR:OG1	2.18	0.44
1:C:26:MET:HG2	1:C:141:TRP:CZ3	2.53	0.44
1:B:147:LEU:HD23	1:B:160:VAL:HG23	1.99	0.44
1:A:4:VAL:HG23	1:A:14:THR:HB	2.00	0.44
1:A:26:MET:CE	1:A:113:LEU:HD22	2.48	0.44
1:A:201:SER:CB	1:B:136:GLY:HA2	2.47	0.44
1:B:92:GLU:CD	1:B:146:ARG:HE	2.25	0.44
1:B:216:ARG:HD3	1:C:153:ILE:HD12	1.99	0.44
1:C:171:ALA:C	1:C:174:ILE:HB	2.43	0.44
1:C:172:LYS:HA	1:C:175:GLY:H	1.83	0.44
1:A:92:GLU:CD	1:A:216:ARG:HH22	2.26	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1:MET:HE3	1:A:1:MET:HB2	1.83	0.43
1:B:191:LEU:O	1:B:195:GLN:HG3	2.18	0.43
1:C:99:ILE:HA	1:C:119:ILE:O	2.19	0.43
1:A:42:ASN:OD1	1:A:94:VAL:HG23	2.18	0.43
1:B:47:VAL:C	1:B:96:GLN:HE22	2.25	0.43
1:C:21:ASP:OD1	1:C:21:ASP:N	2.45	0.43
1:C:192:LYS:HE3	1:C:192:LYS:HB3	1.91	0.43
1:B:82:LYS:HB3	1:B:82:LYS:HE3	1.53	0.43
1:B:81:ALA:HA	1:B:141:TRP:CD1	2.53	0.43
1:A:240:ARG:CD	1:A:241:GLN:HG3	2.47	0.43
1:B:27:ASN:OD1	1:B:30:VAL:HG23	2.18	0.43
1:B:50:ILE:HD11	1:B:96:GLN:HB2	2.01	0.43
1:B:155:LYS:HA	1:B:155:LYS:HD2	1.77	0.43
1:B:33:GLU:O	1:B:37:THR:HG22	2.19	0.42
1:C:57:GLU:HA	1:C:103:ASN:ND2	2.33	0.42
1:A:201:SER:HB2	1:B:136:GLY:HA2	2.01	0.42
1:B:92:GLU:HB2	1:B:116:SER:HB3	2.02	0.42
1:B:117:CYS:O	1:B:120:ARG:NH1	2.52	0.42
1:C:181:VAL:HB	1:C:182:PRO:HD3	2.01	0.42
1:A:83:THR:O	1:A:87:VAL:HG12	2.19	0.42
1:A:155:LYS:HA	1:A:155:LYS:HD2	1.74	0.42
1:C:44:ASN:OD1	1:C:46:ASP:N	2.52	0.42
1:B:73:SER:O	1:B:76:GLU:N	2.52	0.42
1:C:72:ILE:HD12	1:C:76:GLU:HB2	2.02	0.42
1:B:108:GLY:O	1:B:112:GLU:N	2.39	0.42
1:A:23:LEU:HD21	1:A:105:PHE:CD2	2.55	0.42
1:B:183:LEU:HD23	1:B:183:LEU:O	2.20	0.42
1:A:22:LYS:HD3	1:A:67:GLU:HB2	2.02	0.41
1:B:112:GLU:OE2	1:B:139:PRO:HB3	2.19	0.41
1:C:60:PHE:CD2	1:C:102:VAL:HG23	2.55	0.41
1:A:154:ALA:HB2	1:C:120:ARG:HH22	1.84	0.41
1:A:235:PHE:CE2	1:B:77:SER:HB2	2.55	0.41
1:A:236:THR:O	1:A:236:THR:OG1	2.34	0.41
1:C:16:LYS:HD3	1:C:55:GLU:HB2	2.01	0.41
1:C:61:SER:HB3	1:C:110:GLY:CA	2.50	0.41
1:B:88:THR:HG22	1:B:113:LEU:HA	2.01	0.41
1:C:11:GLY:HA2	1:C:46:ASP:O	2.19	0.41
1:A:11:GLY:HA2	1:A:46:ASP:O	2.21	0.41
1:A:91:VAL:HG21	1:A:113:LEU:HD11	2.02	0.41
1:B:192:LYS:HA	1:B:192:LYS:HD3	1.77	0.41
1:C:181:VAL:HG23	1:C:182:PRO:HD3	2.03	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:202:THR:O	1:C:206:GLN:HG3	2.21	0.41
1:B:26:MET:HB3	1:B:141:TRP:HZ3	1.86	0.41
1:C:207:MET:HB3	1:C:230:ALA:HB1	2.02	0.41
1:A:137:VAL:HG12	1:C:234:CYS:HB3	2.03	0.41
1:C:19:ARG:HA	1:C:19:ARG:HD2	1.89	0.41
1:A:7:SER:N	1:A:10:ASP:HA	2.35	0.40
1:B:8:THR:O	1:B:8:THR:OG1	2.30	0.40
1:A:161:TYR:HA	1:C:205:VAL:HG22	2.03	0.40
1:B:108:GLY:HA2	1:B:130:GLN:NE2	2.36	0.40
1:B:170:GLU:HA	1:B:173:GLU:HB2	2.03	0.40
1:A:36:LYS:HD2	1:A:36:LYS:N	2.36	0.40
1:A:147:LEU:O	1:A:151:VAL:HG22	2.21	0.40
1:C:4:VAL:HG13	1:C:14:THR:HB	2.04	0.40
1:A:118:ASP:OD1	1:A:118:ASP:N	2.54	0.40
1:B:35:ILE:HD13	1:B:86:LEU:HG	2.04	0.40
1:B:187:GLN:O	1:B:191:LEU:HD12	2.21	0.40

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:22:LYS:NZ	1:C:46:ASP:OD2[1_565]	2.11	0.09

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	243/246 (99%)	234 (96%)	9 (4%)	0	100	100
1	B	230/246 (94%)	215 (94%)	15 (6%)	0	100	100
1	C	208/246 (85%)	185 (89%)	19 (9%)	4 (2%)	6	29
All	All	681/738 (92%)	634 (93%)	43 (6%)	4 (1%)	22	53

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	180	VAL
1	C	182	PRO
1	C	171	ALA
1	C	170	GLU

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	197/198 (100%)	197 (100%)	0	100	100
1	B	190/198 (96%)	190 (100%)	0	100	100
1	C	179/198 (90%)	179 (100%)	0	100	100
All	All	566/594 (95%)	566 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (6) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	85	GLN
1	A	237	HIS
1	B	96	GLN
1	B	179	HIS
1	B	233	ASN
1	C	42	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	245/246 (99%)	-0.73	0 100 100	44, 68, 85, 100	0
1	B	236/246 (95%)	-0.61	2 (0%) 82 72	42, 79, 102, 113	0
1	C	222/246 (90%)	-0.58	2 (0%) 81 70	45, 82, 103, 124	0
All	All	703/738 (95%)	-0.64	4 (0%) 85 78	42, 75, 100, 124	0

All (4) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	6	THR	3.4
1	B	78	VAL	2.8
1	C	30	VAL	2.8
1	B	173	GLU	2.3

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.